

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Form Approved.
Budget Bureau No. 42-R1424

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ gas ☐
well well other

2. NAME OF OPERATOR
Hemai Oil & Gas, Inc.

3. ADDRESS OF OPERATOR
2000 Energy Center One 717 17th Denver, Co.

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)

AT SURFACE: 1920' FWL 2 510' FWL

AT TOP PROD. INTERVAL: none

AT TOTAL DEPTH: none

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☐
REPAIR WELL ☐
PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
CHANGE ZONES ☐
ABANDON* ☐
(other) ☐

SUBSEQUENT REPORT OF:

☐
☒
☒
☐
☐
☐
☐
☐
☐
☐

5. LEASE

III-40005

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Dome Federal 24

9. WELL NO.

21

10. FIELD OR WILDCAT NAME

Undesignated Gallup

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec. 24 T23N 18W

12. COUNTY OR PARISH

San Juan

13. STATE

N.M.

14. API NO.

11

15. ELEVATIONS (SHOW DF, KDB, AND WD)

6903' G1

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

12-21-81 Perforated 4 holes in the Lower Gallup from 5140' to 5115' with one hole per zone. Acidized perfor. with 1000 gals. 7 1/8" HCl-100 acid.
12-22-81 Fractured Lower Gallup with 53000 gals. gelled fluid and propped fracture with 12000# 100 mesh, 67000# 20/40 and 27000# 10/20 sand.
12-23-81 Swabbed well to flow.
12-27-81 Flow tested well. Lower Gallup flowed on a 3 hour test 12 bbl. of oil and 19nef gas with 1 bbl. water. Flow was through a 3/8" choke. WPR 70 psi.

Subsurface Safety Valve: Manu. and Type

Set @

18. I hereby certify that the foregoing is true and correct

SIGNED

[Signature]

TITLE

District Engr.

DATE

12-28-81

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

NMOCC

