

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE\*  
(Other instructions on re-  
verse side)

Form approved.  
Budget Bureau No. 1004-0135  
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

|  |  |  |  |
|--|--|--|--|
| 1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>   |  | 5. LEASE DESIGNATION AND SERIAL NO.<br>NM 23741                            |  |
| 2. NAME OF OPERATOR<br>Yates Drilling Company  |  | 6. IF INDIAN, ALLOTTEE OR TRIBE NAME                                       |  |
| 3. ADDRESS OF OPERATOR<br>207 South 4th Street, Artesia, New Mexico 88210  |  | 7. UNIT AGREEMENT NAME   |  |
| 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*<br>See also space 17 below.)<br>At surface<br>1900 FNL & 2150 FWL, Sec. 19-T23N-R8W |  | 8. FARM OR LEASE NAME<br>Nageezi Federal                                   |  |
| 14. PERMIT NO.   |  | 9. WELL NO.<br>1   |  |
| 15. ELEVATIONS (Show whether DF, RT, GR, etc.)<br>6926' GR   |  | 10. FIELD AND POOL, OR WILDCAT<br>Wildcat                                  |  |
|  |  | 11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA<br>Unit F, Sec. 19-23N-8W |  |
|  |  | 12. COUNTY OR PARISH<br>San Juan   |  |
|  |  | 13. STATE<br>NM  |  |

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

|  |   |
|--|---|
| TEST WATER SHUT-OFF <input type="checkbox"/> | PULL OR ALTER CASING <input type="checkbox"/> |
| FRACTURE TREAT <input type="checkbox"/>      | MULTIPLE COMPLETION <input type="checkbox"/>  |
| SHOOT OR ACIDIZE <input type="checkbox"/>    | ABANDON* <input type="checkbox"/>             |
| REPAIR WELL <input type="checkbox"/>         | CHANGE PLANS <input type="checkbox"/>         |
| (Other) <input type="checkbox"/>             |   |

SUBSEQUENT REPORT OF:

|   |  |
|---|--|
| WATER SHUT-OFF <input type="checkbox"/>                   | REPAIRING WELL <input type="checkbox"/>  |
| FRACTURE TREATMENT <input checked="" type="checkbox"/>    | ALTERING CASING <input type="checkbox"/> |
| SHOOTING OR ACIDIZING <input checked="" type="checkbox"/> | ABANDONMENT* <input type="checkbox"/>    |
| (Other) <u>Perforate, Treat</u>                           | <input checked="" type="checkbox"/>      |

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

5-9-85. Drilled cement and DV tool set at 5198'.

5-10-85. Pressure tested 5-1/2" casing to 3000#, held 15 minutes, OK.

5-13-85. WIH and perforated 4888-5024' w/25 .38" holes as follows: 4888, 89, 90, 95, 96, 97, 4903, 04, 05, 54, 55, 56, 57, 58, 94, 95, 96, 5000, 05, 12, 13, 14, 22, 23 and 24'. Acidized perforations w/1250 gals 7 1/2% HCL containing 1.5 gals CIA-1 and 1 gal SSA-1 as follows: Straddle perms 4994-5024' (11 holes) and acidized w/550 gals 7 1/2% HCL. Straddle perms 4954-58' (5 holes) and acidized w/250 gals 7 1/2% HCL. Straddle perms 4888-4905' (9 holes) and acidized w/450 gals 7 1/2% HCL.

5-15-85. Frac'd perms 4888-5024' w/105000 gals gelled water containing 30#/1000 WGA-02, 2% KCL, 1/2 gal/1000 CCC-3, 1 gal/1000 SAA-1 and 167500# 20/40 sand.

5-18-85. Set pump.

5-19-85. Pumping back load.

18. I hereby certify that the foregoing is true and correct

SIGNED [Signature]

TITLE Production Supervisor

DATE 5-22-85

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

TITLE \_\_\_\_\_

ACCEPTED FOR RECORD  
DATE \_\_\_\_\_

JUN 04 1985

\*See Instructions on Reverse Side