

UNITED STATES DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY
P. 0. Box 945
Farmington, New Yexico

Sentember 19, 1955

Amerada Petroleum Corporation Drawer D Monument, New Mexico

Fe: Jicarilla Contract 11
Tract 19

lentlemen:

Drill" dated September 13, 1955 and your "Notice of Intention to Change Plans" dated September 17, 1955 covering your well No. 5 Jicarilla Apache in Mark Sec. 29, T. 25 M., R. 5 M., N. 7. 7. 7. 7. 7. 810 Arriba County, New Sexico.


Your proposed work is hereby approved subject to compliance with the provisions of the "Gil and Gas Gherating Legulations" revised may 25, 1942, a copy of which will be sent to you an request, and subject to the following conditions:

- 1. orilling operations so authorized are subject to the attached sheet for several conditions of approval.
- 2. Furnish copies of all locs.

Very truly yours,

Jerry W. Long Acting District Engineer

Jalong:ac cc: Jicarilla Agency





MERCIEVE HERRIGING

FLOARS COTON

C 7702 442 030120







Porm 9-331 b (April 1952)

D "B" #5 R
5 W
Sec. 29

T-21-N

Cliff Section.

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Indian Agency Jicarilla Apache

Allotto Contract 11; Tract #19
Loss No. Jicarilla Apabhe "B"

SUNDRY NOTICES AND REPORTS ON WELLS

1	X	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING
!		SUPPLEMENTARY WELL HISTORY

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

•						
			September 17,	1955	, 19	
Well No5 is located	d <u>1220 'ft.</u> fr	om [N] line	and 1220!ft. from	line of sec.	29	
NW/4 NW/4 Section 29 (64 Sec. and Sec. No.)	T-24-N	R-5-W	N.M.P.M.			
(14 Sec. and Sec. No.)	(Twp.)	(Range)	(Meridian)			
Undesignated	Rio Arril	o a	New	Mexico		
(Field)		y or Subdivision)		state or Territory)		
The elevation of the derrick floor above sea level isft. Not Determined						
	DETA	ILS OF W	ORK			
(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)						

Intend to drill with rotary tools to approximately 4500' to test Mesa Verde Section.

Original Intention to Drill read projected to approx. 2350' to test Fruitland Pictured

Hole	Casing	Weight	New-SH	Depth	How Set	Sacks			
15"	10 3/4"	32.75#	New	140	Cemented	75			
9 -7/8*	7 5/8"	26.40#	New	23001	Cemented	200			
6-3/4n	5 1/2"					175			
* 5 1/2" casing run as liner from bottom of 7 5/8" OD Casing I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.									
I distribute that this but	at or work mast receive appro	var in writing by	cire Georgica	i Survey Der	re operations may be co	iiiiieikeu.			
Company Amerada	. Petroleum Corpo	<u>ration</u>							
Address Drawer	D								
Monu me r	nt, New Mexico		Ву	/s/ I	O.C.Capps				
			Title_	I	District Super	intendent			

Form 9-331 b (April 1952)

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY


Indian Agency

Allottee Contract. Alj. Srack Alj. Lease No. Mantilla. Apache "P"

TIGE OF INTENTION TO	DDU I	X	CURCEOUENT D	PORT OF WATER	SHUT-OFF	
FICE OF INTENTION TO I		i	11		NG OR ACIDIZING	
ICE OF INTENTION TO		1	li .	PORT OF ALTERI		
ICE OF INTENTION TO		1	- 11		LING OR REPAIR	
TICE OF INTENTION TO		ľ	[1	EPORT OF ABANDO		
TICE OF INTENTION TO I			1	Y WELL HISTORY.		
TICE OF INTENTION TO						
THE OF INTERVIOR TO					<u> </u>	
	(INDICATE ABOVE I	BY CHECK MARK N	NATURE OF REPORT,	NOTICE, OR OTHER	DATA) CAPT	
			Septemb	w 13		, 19.
		•				
4	124	220 (_ [N] : 1	1220 LL L	$\operatorname{com}\left\{ W\right\}$ line of	
No	is located T	Tt. Iroi	inte and		W me or	300.
THE BOOK	lon 20 %	- N-10-1	سف	MISPM		
(14 Sec. and Sec. No.)		(Twp.)	(Range)	(Meridian)		
	_	is Arriba		1	me Harriso	
(Field)			or Subdivision)		(State or Territory)	
		_				
elevation of the	derrick floor	above sea lev	/el is f	i. 200 deta		
CICYALIOII OF LIIC	40111011 11001					
		DETAI		_		
			LS OF WORK			
			LS OF WORK		sings- indicate muddi	ne iobs. come
e names of and expected	d depths to objectiv	ve sands: show size		ths of proposed ca	sings; indicate muddi	ng jobs, ceme
names of and expected	d depths to objective ing	ve sands: show size	es, weights, and leng	ths of proposed ca	sings; indicate muddi	ng jobs, come
names of and expected	d depths to objective ing	ve sands: show size	es, weights, and leng	ths of proposed ca	sings; indicate muddi	ng jobs, come
names of and expected and to drill to plote with ear	d depths to objective ing	ve sands: show size	es, weights, and leng	ths of proposed ca	sings; indicate muddi 50° and then nd Plotured	ng jobs, come ook páp CLLES Se
names of and expected and to drall (plote with each	d depths to objective ing	ve sands: show size	es, weights, and leng	ths of proposed ca	sings; indicate muddi 50° and then nd Plotured	ng jobs, come
names of and expected and to drall to plote with each	d depths to objective ing well with Finds tooks to Cooks	ve sands: show size	es, weights, and leng	ths of proposed ca	sings; indicate muddi 50° and then ad Pictured	ng jobs, come col pip Cliff So
e names of and expected and to drill to plote with one	d depths to objective ing	ve sands: show size	es, weights, and leng	ths of proposed ca	sings; indicate muddi 50° and then ad Plotured	ng jobs, come cot pip Cliff So Santa
names of and expected and to drill to plate with est bla	d depths to objective ing special with real tools to Conference	ve sands: show size	es, weights, and leng	ths of proposed ca	sings; indicate muddi 99° and then nd Plotured 	ng jobs, come cot pip Citiff So Senim. 75
names of and expected and to drill to plote with each and a 12 1/4"	d depths to objective ing special with relative tools to constant.	ve sands: show size	es, weights, and leng	ths of proposed ca	sings; indicate muddi 50° and then and Plotured Line Sek	ng jobs, come ook pip GLISS So Sanini 75
names of and expected and to drill to plote with each and a 1/4" 7 7/6"	d depths to objective inguitable with relations. 6 5/8" 5 1/2"	ve sands: show size	es, weights, and leng	ths of proposed ca	sings; indicate muddi 50° and then nd Plotured line_lish Cunanted Cunanted	ng jobs, come cos pip cliff so feaths. 75
names of and expected and to drill to plote with est his	d depths to objective ing seed to the total	ve sands: show size	es, weights, and leng	ths of proposed ca	sings; indicate muddi 50° and then al Plotured line_lish Cananted Cananted	ng jobs, come col pip Cliff So Sening 75
names of and expected and to drill to plote with each high- 12 1/A* 7 7/6* A 1/A*	d depths to objective ing solid with relative to the total t	ve sands: show size	es, weights, and leng	ths of proposed ca	sings; indicate muddi 50° and then ad Pictured Line list Consided Consided	ng jobs, come col pip coliff so facilit. 75 200
names of and expected that to drill to	d depths to objective ing seed to the tender	ve sands: show size	es, weights, and leng	ths of proposed ca	sings; indicate muddi 50° and then ad Pictured Jim Rei Cumbed Cumbed	ng jobs, come col pip Cliff So Locker 75 200
names of and expected that to drill to	d depths to objective ing special with residual to the tools to the control of th	ve sands: show size	es, weights, and leng	ths of proposed ca	sings; indicate muddi 50° and then ad Pistured Line Sea Canaded Gamaded	ng jobs, come cot pip Cliff Se Senion 75
ploto with ori Dia 12 1/A* 7 7/6* 4 3/A*	nell with re the tools to Contex 6 5/8" 5 1/2" Open Hele	ye sands; show size g points, and all of what y took o approx. Shields. 15.5	es, weights, and leng ther important pro- is to approx 2350° to to	ths of proposed ca osed work) Instally 22 A Pruitile Jacob 240 2250	90° and then nd Platured	Califf Se Sentes 75
ploto with ori Dia 12 1/A° 7 7/6° 4 3/A°	nell with re the tools to Contex 6 5/8" 5 1/2" Open Hele	ye sands; show size g points, and all of what y took o approx. Shields. 15.5	es, weights, and leng ther important pro- is to approx 2350° to to	ths of proposed ca osed work) Instally 22 A Pruitile Jacob 240 2250	90° and then nd Platured	Califf Se Sentes 75
plote with ed 12 1/4° 7 7/0° 4 3/4° understand that this s	nell with re the tools to Contex 6 5/8" 5 1/2" Open Hele	ye sands; show size g points, and all of what y took o approx. Shields. 15.5	es, weights, and leng ther important pro- is to approx 2350° to to	ths of proposed ca osed work) Instally 22 A Pruitile Jacob 240 2250	90° and then nd Platured	Califf Se Sentes 75
to names of and expected and to drall t	nell with re the tools to Contex 6 5/8" 5 1/2" Open Hele	ye sands; show size g points, and all of what y took o approx. Shields. 15.5	es, weights, and leng ther important pro- is to approx 2350° to to	ths of proposed ca osed work) Instally 22 A Pruitile Jacob 240 2250	90° and then nd Platured	Caller Si Senden 75 200
The with call to delil to deliver the deliver to deliver t	nell with re the tools to Contex 6 5/8" 5 1/2" Open Hele	ye sands; show size g points, and all of what y took o approx. Shields. 15.5	es, weights, and leng ther important pro- is to approx 2350° to to	ths of proposed ca osed work) Instally 22 A Pruitile Jacob 240 2250	90° and then nd Platured	Califf Si Seeks 75 200
picto with one 22 3/A* 7 7/0* 4 3/A*	nell with re the tools to Contex 6 5/8" 5 1/2" Open Hele	ye sands; show size g points, and all of what y took o approx. Shields. 15.5	es, weights, and leng ther important properties to apprecent as to apprecent a	ths of proposed ca osed work) Instally A Pressile Life A Pressile A press	90° and then nd Platured	Califf Se Sential 75 200
plate with each plate with each plate. 12 1/4° 7 7/0° 4 3/4° understand that this seemany	nell with re the tools to Contex 6 5/8" 5 1/2" Open Hele	ye sands; show size g points, and all of what y took o approx. Shields. 15.5	es, weights, and leng ther important properties to apprecent as to apprecent a	ths of proposed ca osed work) Instally A Pressile Life A Pressile A press	90° and then nd Platured	Califf Se Sentes 75
plate with each plate with each plate. 12 1/4° 7 7/6° 4 3/4° understand that this seempany	nell with re the tools to Contex 6 5/8" 5 1/2" Open Hele	ye sands; show size g points, and all of what y took o approx. Shields. 15.5	es, weights, and leng ther important properties to apprecent as to apprecent a	ths of proposed ca osed work) Instally 22 A Pruitile Jacob 240 2250	90° and then nd Platured	Califf Se Sentes 75

Compa	ny AMI	CRADA	PETROLE	UM COR	POR ATIO	N
Lease	JTC	RILL	A 'PACHE	Ŧ	We	ll No. 🗲 5
Sec	29	., T	24 N.	, R	5 W.,	N.M. P.M.

Location 1220 FROM THE NORTH LINE AND 1220 FROM THE WEST LINE.



Scale-4 inches equal 1 mile.

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Surveyed 14 September , 1955

	James P. Leese				
Seal:	, , , , , , , , , , , , , , , , , , , ,	N.	James P. Mex. Reg	Leese . No.	1463