Form 9-331 a (Feb. 1951)

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

Land Office	Santa Po
Lease No.	078598
Unit	Donnell

NOTICE OF INTENTION TO DRILL	X	SUBSEQUENT REPORT OF WATER SHUT-OFF		
OTICE OF INTENTION TO CHANGE PLA	•	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.		
OTICE OF INTENTION TO TEST WATER		SUBSEQUENT REPORT OF ALTERING CASING		
OTICE OF INTENTION TO RE-DRILL OF	1	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.		
OTICE OF INTENTION TO SHOOT OR A	CIDIZE	SUBSEQUENT REPORT OF ABANDONMENT		
OTICE OF INTENTION TO PULL OR AL	TER CASING	SUPPLEMENTARY WELL HISTORY	177	
OTICE OF INTENTION TO ABANDON WI	ELL	WW.		
			<u> </u>	
(INDICATE	ABOVE BY CHECK MARK NAT	TURE OF REPORT, NOTICE, OR OTHER PATE		
		June of REPORT, NOTICE, OR OTHER PATE	10 80	
		Service Q .	, 19. 5 7	
		T (C)		
ll No. 🙎 is locate	1650 ft. from	$\left\{\begin{array}{c} \mathbf{E} \\ \mathbf{S} \end{array}\right\}$ line and $\left\{\begin{array}{c} \mathbf{E} \\ \mathbf{W} \end{array}\right\}$ line o	f sec.	
57 Acc. 53	ا علم		COSTA .	
25 900 - 22	(Twp.) (Ra	nge) (Meridian)	/atita	
(34 Sec. and Sec. No.)	(Twp.) (Ras	mpo) (Manifestal)	THE PARTY	
(Field)	(County or Su	abdivision) (State or Territry)	HIN S 4	
, ,	·		SOM T I I	
e elevation of the derrick f	loor above sea level	is 6602 ft.	OIL COME !	
v			Dies 4	
	=	S OF WORK	A mair	
		the and the standard and and added any	ddin be comen	
ite names of and expected depths to o	bjective sands; snow sizes, v	weignts, and lengths of proposed casings; indicate inte- r important proposed work)	dam	
	ing points, and all other	r important proposed work)		
It is intended to d	ing points, and all other	n the Pictured Cliffs formation	n using	
It is intended to de retary tools and to	ing points, and all the brill a well the perforate and	r important proposed work)	n using	
It is intended to	ing points, and all the brill a well the perforate and	n the Pictured Cliffs formation	n using	
It is intended to de retary tools and to	ing points, and all the brill a well the perforate and	n the Pictured Cliffs formation	n using	
It is intended to de retary tools and to Estimated Total Dog Casing Program:	ing points, and all the krill a well the performto and t th 2001.	n the Pictured Cliffs formation	n using ing sones.	
It is intended to de retary tools and to Estimated Total Dog Casing Program:	brill a well the perforate and the the 200'.	n the Pietured Cliffs formation water fracture possible product s regular commat circulated to	n using ing sones.	
It is intended to de retary tools and to Estimated Total Deg Casing Program:	brill a well the perforate and the the 200'.	n the Pictured Cliffs formation water fracture possible product a regular commut circulated to a regular commut, 75 ancks Pom	n using ing sones.	
It is intended to de retary tools and to Estimated Total Dog Casing Program:	brill a well the perforate and the the 200'.	n the Pietured Cliffs formation water fracture possible product s regular commt circulated to	n using ing sones.	
It is intended to de retary tools and to Estimated Total Dog Casing Program:	brill a well the perforate and the the 200'.	n the Pictured Cliffs formation water fracture possible product a regular commut circulated to a regular commut, 75 ancks Pom	n using ing sones.	
It is intended to de retary tools and to Estimated Total Dog Casing Program:	brill a well the perforate and the the 200'.	n the Pictured Cliffs formation water fracture possible product a regular commut circulated to a regular commut, 75 ancks Pom	n using ing sones.	
It is intended to de retary tools and to Estimated Total Dep Casing Program:	brill a well the perforate and the the 200'.	n the Pictured Cliffs formation water fracture possible product a regular commut circulated to a regular commut, 75 ancks Pom	n using ing sones.	
It is intended to de retary tools and to Estimated Total Deg Casing Program:	brill a well the perforate and the the 200'.	n the Pictured Cliffs formation water fracture possible product a regular commut circulated to a regular commut, 75 ancks Pom	n using ing sones.	
It is intended to descript tools and to Estimated Total Day Casing Program: 9-980° at 120 5-1/2° at 220 The 8E/4 of Section SF 078795 (SE/4).	ing points, and all the brill a well the perforate and to th 2020'. O' with 125 seeks 10' with 75 seeks 1 22 is dedicate	n the Pictured Cliffs formation water fracture possible product s regular commut circulated to s regular commut, 75 sacks Pom d to this wall.	n using ing sones. surface. nix.	
It is intended to descript tools and to retary tools and to Retire tools and to Retire to 120 percent 9-120 et 120 percent 9-1/2" et 220 percent 25-1/2" et 220 percent 25-1/2" et 25-1/2"	ing points, and all the brill a well the perforate and to th 2020'. O' with 125 seeks 10' with 75 seeks 1 22 is dedicate	n the Pictured Cliffs formation water fracture possible product a regular commut circulated to a regular commut, 75 ancks Pom	n using ing sones. surface. nix.	
It is intended to descript tools and to retary tools and to Estimated Setal Bog Casing Programs 9-385° at 120 5-1/2° at 220 The SE/4 of Section SF 078798 (SE/4).	ing points, and all the brill a well the perforate and the perforation with 75 seeks at 22 is dedicate and the perforation with 75 seeks at 22 is dedicate.	is the Pictured Cliffs formation water fracture possible product sugains commut circulated to a regular commut, 75 ancks Pom d to this wall.	n using ing sones. surface. nix.	
It is intended to descript tools and to retary tools and to Estimated Total Bog Casing Programs 9-587 at 120 5-1/2" at 220 The SE/4 of Section SF 078995 (SE/4).	ing points, and all the brill a well the perforate and the perforation with 75 seeks at 22 is dedicate and the perforation with 75 seeks at 22 is dedicate.	n the Pictured Cliffs formation water fracture possible product s regular commut circulated to s regular commut, 75 sacks Pom d to this wall.	n using ing sones. surface. nix.	
It is intended to describe the second rectal section for the second rectal section 9-300 et 120 5-1/2° et 220 5-1/	ing points, and all the brill a well the perfection and the perfection	is the Pictured Cliffs formation water fracture possible product sugains commut circulated to a regular commut, 75 ancks Pom d to this wall.	n using ing sones. surface. nix.	
It is intended to describe the second rectal section for the second rectal section 9-300 et 120 5-1/2° et 220 5-1/	ing points, and all the brill a well the perfection and the perfection	is the Pictured Cliffs formation water fracture possible product sugains commut circulated to a regular commut, 75 sacks Possible vall.	n using ing somes. surface. mix.	
It is intended to describe the retary tools and to retary tools and to retard the retard Petal Bog Programs 9-355 at 120 5-1/2" at 220 The SE/4 of Section SF 078798 (SE/4). I understand that this plan of work to mpany The section of the retard that the plan of work to mpany The section of the retard that the plan of work to mpany The section of the retard that the plan of work to mpany The section of the retard that the plan of work to mpany The section of the retard that the plan of work to mpany The section of the retard that the plan of work to mpany The section of the retard that the plan of work to mpany The section of the retard that the plan of work to mpany The section of the retard that the plan of work to mpany The section of the retard that the plan of work to mpany The section of the retard that the plan of work to mpany The section of the retard that the plan of the retard that the plan of work to mpany The section of the retard that the plan of the retard that the reta	ing points, and all other in the postformto and the	is the Pictured Cliffs formation water fracture possible product sugains commut circulated to a regular commut, 75 sacks Possible vall.	n using ing somes. surface. mix.	
It is intended to describe the retary tools and to retary tools and to retard the retard reta	ing points, and all the brill a well the perfection and the perfection	is the Pictured Cliffs formation water fracture possible product sugains commut circulated to a regular commut, 75 ancks Pom d to this wall.	n using ing somes. surface. mix.	
retary tools and to Betimated Setal Day Casing Program: 9-35° et 120 5-1/2° et 220 The 8E/4 of Section 87 078798 (EE/4). I understand that this plan of work: ompany El Paso Batan ddress Box 997	ing points, and all other in the postformto and the	is the Pictured Cliffs formation water fracture possible product sugains commut circulated to a regular commut, 75 sacks Possible vall.	m maing ing somes. surface. mix. be commenced.	

• .

(2) (4) (1) (2) (**2)** (2) (4) (4) (4)

Well Location and Acreage Dedication Plat

ection A.		Date	Date <u>MAY 31, 1957</u>		
perator <u>EL PASO NATURAL GAS COMPANY</u>	Lease <u>D</u>	ONNELL	SF 078598		
ell No. 2 Unit Letter J Sec	tion22	Township <u>24-N</u>	Range 6-W NMPN		
ocated 1650 Feet From SOUT	H Line, 1650	Feet From_	EAST Line		
ounty RIO ARRIBA G. L. Elevation	on <u>6592≅≅</u> '	Dedicated Acreage	2 160 Acres		
ame of Producing Formation PICTURE!	CLIFF	Pool WIL	OW 2		
Is the Operator the only owner in the d	legicared acreage ou	inited on the plan bei	OW :		
If the answer to question one is "no	". have the interests	of all the owners be	en consolidated by commun		
itization agreement or otherwise? Yes	No	If answer i	s "yes," Type of Consol		
idation					
If the answer to question two is "no,	list all the owners	and their respective	interests below		
		land Donorintian			
<u>Owner</u>		Land Description			
			The state of the s		
			0		
			JUN "		
·			Control of the second		
			il manage to a garage		
ection B	Note: All distances	must be from outer bour	1 . W. Land		
SCITOII D	, to to the distance of				
his is to certify that the information					
n Section A above is true and com-	 -	- 			
lete to the best of my knowledge			JULIUN TO A		
ind belief.			11N 1-110P2		
2011011			011 111195/		
El Paso Matural Gas Co.			OH CON. COM		
Original Sognedod. C. Johnston	.		- DIST. 3		
(Representative)					
		SECTION 144 III			
Address					
Parmington, How Mexico			SF 078598		
Patricia and and analysis		=			
			1650		
					
			J		
,		\ \			
	0 330 660 990 1330 1	650 1980 2310 2640 2000	1500 1000 500 0		
	5	icale 4 inches equal I m	1116		

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and bellef.

Date Surveyed.

(Seal)

Farmington, New Mexico

Registered Potessional Engineer and/or Land Surveyor