


Form 9-331a
(Feb. 1951)

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. 075086
Unit Canyon Largo Unit



SUNDRY NOTICES AND REPORTS ON WELLS

RECEIVED

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

Water Proc. X

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

April 28, 1960

Well No. 39 (GE) is located 1090 ft. from S line and 1090 ft. from W line of sec. 17

SW/4 Sec. 17 24N 6W N.M.P.M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Wildcat & Gallup & Dakota Rio Arriba New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 6268 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

4-18-60 T.D. 6656'. COTD 6589'. Oil fractured D kota perf.int. 6416-6426; 6444-6458 (2 DJ/ft) w/38,350 gallons oil and 40,000# sand. BD pr. 3500#, max. pr. 3600#, avg. tr. pr. 3400#. I.R. 35 BPM. Flush 12,500 gallons oil. Dropped 1 set of 10 balls and 1 set of 5 balls for 3 stages.

4-22-60 T.D. 6656'. Temporary bridge plug at 6300'. Oil fractured Graneros perf. int. 6288-6296; 6302-6312; 6318-6326; 6337-6347 (2 DJ/ft) w/43,850 gallons oil and 40,000# sand. BD pr. 3100#, max. pr. 3600#, avg. tr. pr. 3416#. I.R. 34.3 BPM. Flush 12,100 gallons oil. Dropped 2 sets of 16 balls for 3 stages.

4-22-60 T.D. 6656'. Temporary bridge plug at 6100'. Oil fractured Gallup perf. int. 5488-5502 (2 DJ/ft) w/14,000 gallons oil and 15,000# sand. BD pr. 3800#, max. pr. 3100#, avg. tr. pr. 2600#. I.R. 47 BPM. Flush 11,000 gallons oil.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company El Paso Natural Gas Company

Address Box 997

Farmington, New Mexico

By ORIGINAL SIGNED A.M. SMITH

Title Petroleum Engineer