

NO. OF COPIES RECEIVED	5
DISTRIBUTION	
SANTA FE	1
FILE	1 ✓
U.S.G.S.	
LAND OFFICE	
OPERATOR	3

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease
State Fee

5. State Oil & Gas Lease No.
E-1207

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name None
2. Name of Operator J. Gregory Merrion	8. Farm or Lease Name NCRA State
3. Address of Operator P. O. Box 507, Farmington, New Mexico 87401	9. Well No. 2
4. Location of Well UNIT LETTER B , 990 FEET FROM THE North LINE AND 1785 FEET FROM East LINE, SECTION 16 TOWNSHIP 24N RANGE 6W NMPM.	10. Field and Pool, or Wildcat Devils Fork (Gallup)
15. Elevation (Show whether DF, RT, GR, etc.) 6577 K.B.	12. County Rio Arriba

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK

TEMPORARILY ABANDON

PULL OR ALTER CASING

OTHER _____

PLUG AND ABANDON

CHANGE PLANS

SUBSEQUENT REPORT OF:

REMEDIAL WORK

COMMENCE DRILLING OPNS.

CASING TEST AND CEMENT JOB

OTHER _____

ALTERING CASING

PLUG AND ABANDONMENT


17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Well has casing leak.

It is proposed to plug and abandon, leaving 4 1/2" casing in hole for possible reentry.

Procedure as follows:

1. Pull rods.
2. Spot 10 sack of cement across and above perforations from 5615-5490.
3. Spot 50 sack of cement from 3825-3200 and displace into corrosion hole with 6 bbls. water, leaving top of cement inside casing at 3575 (top of Mesaverde at 3640)
4. Spot 10 sack of cement across top of Pictured Cliffs 2150-2025.
5. Spot 10 sack of cement across top of Ojo Alamo 1600-1475.
6. Squeeze 10 sack of cement in 8 5/8" - 4 1/2" annulus.
7. Plug top 10' of 4 1/2" with cement and erect marker.



18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

Original Signed

SIGNED J. Gregory Merrion TITLE Operator DATE 9-14-70

APPROVED BY *Emmyl Amund* TITLE *Sup Dist III* DATE 9-15-70

CONDITIONS OF APPROVAL, IF ANY: