



LOANERS / LISTS / RPT
PAGES / RPT
NO. 10 TO NO. 12 / RPT
GULLY - NORTH IN GAS POND



DIAGRAMATIC SKETCH
MILLER 3-8
 TPO DL 1850 PUL SEC 12 TRAM RTW
 GALLAP - DAKOTA OIL GAS DUAL



TRIM 2 1/2" - 3.25" JCS @
 5947 REF 5949 TO
 5947
 TRIM 1 1/2" - 2.4" JSS @
 5947

98'-3" CASING @ 204 W/ 1000 OX 2 1/2" CALL (CALCULATED)

TOP CEMENT 1597 (CALC)

STAGE COLLAR @ 2597 (CALC. W/ 12500 9700 PUMP)

PROPORTIONS. 899 TO 5947

SHEAR AND STING CONSUMER GARDON
 TOP X OVER 5947,
 BOTTOM X OVER 5940

TOP CEMENT 5826 (CALC.)

FLOWER GALLAP PUL. 5700 TO 5900 4 AIR FOOT, ON

TRIM 2 1/2" - 4.7" JCS @
 6200

DAKOTA PUL. 6000 TO 6200 4 AIR FOOT, GAS

PROPORTIONS 6200 TO 6400

DAKOTA PUL. 6200 TO 6400 4 AIR FOOT, GAS

DAKOTA PUL. 6400 TO 6600 4 AIR FOOT, GAS

62.75. 694
 TD. 694 (CALC TO SCALE)

BAKER DUAL STRING CROSSOVER ANCHOR

PRODUCT NO. 719

