

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICES AND REPORTS ON WELLS	
NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	
<input checked="" type="checkbox"/> Perforate & Test <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	

RECEIVED
SEP 20 1962

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

U. S. GEOLOGICAL SURVEY
WASHINGTON, D. C. 20508

September 19 _____, 1962

Well No. 1 is located 1850 ft. from (N) line and 790 ft. from (W) line of Sec. 9

ST. 14 Sec. 9
(14 Sec. and Sec. No.)

T24N, R5W
Twp.) (Range)

NMPM
(Meridian)

Northeast Haynes
(Field)

Rio Arriba County
(County or Subdivision)

New Mexico
(State or Territory)

The elevation of the derrick floor above sea level is 6535 ft.

of sec 9
RECEIVED

~~SEP~~21 1962

OIL CON. COM.
DIST. 3

DETAILS OF WORK

DETAILS OF WORK
(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

It is proposed to perforate the cement

It is proposed to perforate the existing string of 2 7/8" casing opposite the Point Lookout section of the Mesa Verde formation and the existing string of 4 1/2" casing opposite the Upper Gallup Sands. The Point Lookout section is encountered at a depth of 4495' and the Upper Gallup at 5600'. Perforating will be done by the orientation method. The Point Lookout section will be sand-diesel fraced and the Upper Gallup will be sand-oil fraced after perforating. This well was previously approved by the New Mexico Oil Conservation Commission as a quadruple completion in the Mesa Verde, Gallup, Greenhorn, and Dakota formations. The Mesa Verde was never opened for production, and production tests have proved the Greenhorn to be non-commercial. A bridge plug will be set in the 2 7/8" casing to isolate the Greenhorn perforations prior to perforating the Mesa Verde. The well is presently producing from the Lower Gallup and the Dakota formations.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Continental Oil Company

Address P. O. Box 3312

Durango, Colorado

ORIGINAL SIGNED BY
R. E. JENSEN

By

Title Asst. District Superintendent

(10)

20.00000

(10)

20.00000

1.0 70.000

70.000

=

10.000

10.000

1.0 70.000
70.000

1.0 70.000
70.000