

(SUBMIT IN TRIPLICATE)

UNITED STATES

DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY

Budget Bureau No. 42-R368.4. Approval expins 12:31:40. SF

Land Office

Lease No.

078877

Canyon Largo 14-08-001-1059

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL X SUBSEQUENT REPORT OF WATER SHUT-OFF NOTICE OF INTENTION TO CHANGE PLANS SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING NOTICE OF INTENTION TO TEST WATER SHUT-OFF SUBSEQUENT REPORT OF ALTERING CASING NOTICE OF INTENTION TO RE DRILL OR REPAIR WELL SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR NOTICE OF INTENTION TO SHOOT OR ACIDIZE SUBSEQUENT REPORT OF ABANDONMENT NOTICE OF INTENTION TO PULL OR ALTER CASING SUPPLEMENTARY WELL HISTORY NOTICE OF INTENTION TO ARANDON WELL INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) U. S. GEOLOGICAL CURVEY FARM IL GTON, NEW MEXICO July 26 1963 1850 ft. from (E.) 131 is located 1850 ft. from Well No. line and line of sec.

SW/4 NE/4 Section 9

24N

6W

NMPM

(Meridian)

the Sec. 4 (1 Sec. No.) Devils Fork Gallup

(Twice) Range Rio Arriba

(County of Sundavision

New Mexico (State or Territory)


The elevation of the derrick floor above sea level is 6699 ft

DETAILS OF WORK

Starm comes of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement-ing points, and all other important proposed work) July 23, 1963 Total Depth 58491.

Ran 188 Joints, 4-1/2", 10.50#, J-55 Casing (5837.72') set at 5848.72' with 1st stage - 150 sacks(50-50 Pozmix), 2% Gel and 25# Gilsonite per sack. 2nd Stage - Stage Collar at 2489' - 100 sacks (50-50 Pozmix) with 2% Gel

Calculated top of cement - 1st Stage - 4680°. Top of cement by temperature survey - 2nd stage - 1950'. Tested with 2000# - Test O.K.



El Paso Natural Gas Products Company Company

Post Office Box 1560 Address

Farmington, New Mexico 87401

Original Signed EWELL'N. WALSH

Division Petroleum Engineer Title

 $B_{\rm Y}$

- 42040