(April 1952)						

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Indian Agency
2-0-1
Allottes Margilla 9
Laura No. Gardamet. #44

			·			
OF INTENTION TO DRILL	s	UBSEQUENT REPOR	T OF WATER SH	IUT-OFF		
TICE OF INTENTION TO CHANGE PLANS		UBSEQUENT REPOR	T OF SHOOTING	OR ACIDI	HIGO E	HYF
OF INTENTION TO TEST WATER SHUT-OFF		UBSEQUENT REPOR				
OF INTENTION TO REDRILL OR REPAIR WELL	L s	UBSEQUENT REPOR	T OF REDRILLI	NG OR REP	"ING-	1958
OF INTENTION TO SHOOT OR ACIDIZE	S	UBSEQUENT REPOR	T OF ABANDON	MENT	GEOLOG	<u>(15) F</u>
E OF INTENTION TO PULL OR ALTER CASING	S	UPPLEMENTARY WE	LL HISTORY			
E OF INTENTION TO ABANDON WELL				r.	MATAR	1000
(INDICATE ABOVE BY CHE	ECK MARK NATUR	E OF REPORT, NOTIC	E, OR OTHER D	ATA)		(<u>, ,</u>
					June 5.	, 19_
ois located 660	c c fN] : 10		E):	•	
	H		er III. IIOI	T1		•
15 located	It. Irom	mic and sage		7117	ne of sec.	.2
HEA Section 5 245	्र १	7 !	H.H.P.M.	7117	ne of sec.	.>
(34 Section 5 245 (Twp.)	(Rang	(e)		7117	ne of sec.	2
(% Sec. and Sec. No.) (Twp.) (Field)	(Rang	(e)	M.H.P.K. (Meridian)	7117	mloo	
(34 Sec. and Sec. No.) (Twp.) (Field)	(Rang	(e)	M.H.P.K. (Meridian)	Bow Me	mloo	.3
(A Sec. and Sec. No.) (Twp.) (Field) evation of the derrick floor above	(Rang	(e) Livision) ft.	M.H.P.K. (Meridian)	Bow Me	mloo	.3
(Field) (Pried) (Pried)	(Range April (County or Subdet sea level is	livision)ft. OF WORK	H.H.P.K. (Meridian)	Bow Me (State or Te	rritory)	-
(Ha Sec. snd Sec. No.) (Twp.) (Field) Levation of the derrick floor above	(Range April (County or Subder sea level is	livision)ft. OF WORK	H.H.P.K. (Meridian)	Bow Me (State or Te	rritory)	-
(Field) (Pield)	(Range (Range (Range (County or Subde sea level is DETAILS (S; show sizes, weigs, and all other in the county of t	livision)ft. OF WORK	H.H.P.K. (Meridian)	Bow Me (State or Te	rritory)	-
(Field) (Pried) (Pried)	(Range (R	livision)ft. OF WORK	H.H.P.K. (Meridian)	Bow Me (State or Te	rritory)	-
(Field) (Pield)	(Range (Range (Range (County or Subde sea level is DETAILS (S; show sizes, weigs, and all other in the county of t	livision)ft. OF WORK	H.H.P.K. (Meridian)	(State or Te	mitory)	be, cemen
(Field) (evation of the derrick floor above ames of and expected depths to objective sanding points to test the Gallay formations.	(Range (Range (Range (County or Subde sea level is DETAILS (County or Subde sea level is DETAILS (County or Subde (County or	fee livision) ft. OF WORK white, and lengths of appreciate appreciate causing pro-	H.H.P.K. (Meridian)	(State or Te	mitory)	be, cemen
(94 Sec. and Sec. No.) (Twp.) (Pield) evation of the derrick floor above ames of and expected depths to objective sanding points our intention to drill the	(Range (Range (Range (County or Subde sea level is DETAILS (County or Subde sea level is DETAILS (County or Subde (County or	fee livision) ft. OF WORK white, and lengths of appreciate appreciate causing pro-	H.H.P.K. (Meridian)	(State or Te	mitory)	be, cemen
(Field) (evation of the derrick floor above ames of and expected depths to objective sanding points to test the Gallay formations.	(Range (Range (Range (County or Subde sea level is DETAILS (County or Subde sea level is DETAILS (County or Subde (County or	fee livision) ft. OF WORK white, and lengths of appreciate appreciate causing pro-	H.H.P.K. (Meridian)	(State or Te	mitory)	be, cemen
(14 Sec. and Sec. No.) (Twp.) (Pield) evation of the derrick floor above in ames of and expected depths to objective sanding points our intention to drail to to test the Galley forms. Calley of 10-3/4° Co 32.75/ H-40 Carrellows.	(Rang Rio Arri (County or Subde sea level is DETAILS (a; show sizes, weige, and all other in 11 No. 11	fee livision) ft. OF WORK white, and lengths of appreciate appreciate causing pro-	H.H.P.K. (Meridian)	(State or Te	mitory)	be, cemen
(34 Section 5 (34 Section 5 (34 Section 5 (34 Sec. and Sec. No.) (Field) evation of the derrick floor above ames of and expected depths to objective sanding points for intention to trail the test the Gallay formation.	(Rang Rio Arri (County or Subde sea level is DETAILS (a; show sizes, weige, and all other in 11 No. 11	fee livision) ft. OF WORK white, and lengths of appreciate appreciate causing pro-	H.H.P.K. (Meridian)	(State or Te	rritory)	be, cemen
(34 Section 5 (34 Section 5 (34 Sec. and Sec. No.) (Field) evation of the derrick floor above arms of and expected depths to objective sanding points to test the Gallay formation to test the Gallay formation of 30-3/A° of 32.756 N-40 of 3-1/2° of 15-56 3-55 of	(Rang Rio Appril (County or Subde sea level is DETAILS (County or Subde sea level is DETAILS (County or Subde sea level is and all other in the subde sea level is a subde sea leve	fee livision) ft. OF WORK white, and lengths of appreciate appreciate causing pro-	m.H.P.K. (Meridian) proposed casing work) proposed casing work)	State or Te	e mudding jo	be, cemen
(Field) evation of the derrick floor above arms of and expected depths to objective sanding points to test the Galley formation of the Galley formation of the Galley formation of the Salley formation of the Salley formation of the Salley formation of the Salley formation of Salley for	(Rang Rio Appril (County or Subde sea level is DETAILS (County or Subde sea level is DETAILS (County or Subde sea level is and all other in the subde sea level is a subde sea leve	fee livision) ft. OF WORK white, and lengths of approximate proposed to approximate ending pro- the 250 case A50 eneits	m.H.P.K. (Meridian) proposed casing work) proposed casing work)	State or Te	e mudding jo	be, cemen
(Field) evation of the derrick floor above ames of and expected depths to objective sanding points to test the Galley forms; fallows: of 19-3/4° CD 32.75f N-40 circulated. of 5-1/2° CD 15.5f 3-55 configurated defilling unit in	(Rang Rio Appril (County or Subde sea level is DETAILS (County or Subde sea level is DETAILS (County or Subde sea level is and all other in the subde sea level is a subde sea leve	fee livision) ft. OF WORK white, and lengths of approximate proposed to approximate ending pro- the 250 case A50 eneits	m.H.P.K. (Meridian) proposed casing work) proposed casing work)	State or Te	e mudding jo	be, cemen
(34 See See No.) (34 See and See No.) (Pield) evation of the derrick floor above ames of and expected depths to objective sanding points our intention to drill No to test the Galley forms; fallows: of 30-3/A* Co 32.75# N-40 of 5-1/2* Co 15.5# 3-55 or algorited drilling unit in peths forms; pulse forms, flow Hundon.	(Rang Rio Asyrica (County or Subdet sea level is DETAILS	fee) ha livision) ft. OF WORK white, and lengths of apportant proposed to appreciate enging pro-	M.H.P.K. (Meridian) proposed casing work) metaly proposed regular regular ottles 5-1	State or Te	mudding jo	be, comes
(Held) (Pield) evation of the derrick floor above ames of and expected depths to objective sanding points to test the Cally forms; fallows: of 20-3/4° CD 32.75¢ N-40 circulated. of 3-1/2° CD 15.5¢ 3-55 configurated defilling unit in	(Rang Rio Asyrica (County or Subdet sea level is DETAILS	fee) ha livision) ft. OF WORK white, and lengths of apportant proposed to appreciate enging pro-	M.H.P.K. (Meridian) proposed casing work) metaly proposed regular regular ottles 5-1	State or Te	mudding jo	be, cemen
(34 Sec. and Sec. No.) (Field) evation of the derrick floor above image of and expected depths to objective sanding points to test the Galley formation to drall We to test the Galley formation of 30-3/A* 60 32.75/ N-40 circulated. of 3-1/2* 60 15-5/ 3-55 configurated dralling unit in grain formation. erstand that this plan of work must receive a SKELLY OIL COMPANY	(Rang Rio Asyrica (County or Subdet sea level is DETAILS	fee) ha livision) ft. OF WORK white, and lengths of apportant proposed to appreciate enging pro-	M.H.P.K. (Meridian) proposed casing work) metaly proposed regular regular ottles 5-1	State or Te	mudding jo	be, cemen
(% Sec. and Sec. No.) (Field) evation of the derrick floor above and expected depths to objective sanding points to test the Gallay forms; fallows: of 30-3/A° CO 32.756 N-40 circulated. of 5-1/2° CO 15.56 3-55 or algorited defilling unit in points of the circulated.	(Rang Rio Asyrica (County or Subdet sea level is DETAILS	fee) ha livision) ft. OF WORK white, and lengths of apportant proposed to appreciate enging pro-	M.H.P.K. (Meridian) proposed casing work) metaly proposed regular regular ottles 5-1	State or Te	mudding jo	be, cemen
(% Sec. and Sec. No.) (Field) evation of the derrick floor above image of and expected depths to objective sands ing points to test the Gallay formation to drall We to test the Gallay formation of 30-3/4° 00 32.75/ N-40 odynamics. of 30-3/4° 00 32.75/ N-40 odynamics. of 3-1/2° 00 15-5/ 3-55 odynamics. orstand that this plan of work must receive a SKELLY OIL COMPANY	(Rang Rio April (County or Subde sea level is DETAILS (County or Subde sea level is DETAILS (County or Subde sea level is part of the sea level is personal in writing with the Bull of the sea level in writing with the Bull of the sea level in writing with the sea level is sea leve	fee) ha livision) ft. OF WORK white, and lengths of apportant proposed to appreciate enging pro-	M.H.P.K. (Meridian) proposed casing work) metaly proposed regular regular ottles 5-1	State or Te	mudding jo	be, comes

- -. . .

NEW MEXICO OIL CONSERVATION COMMISSION

Well Location and Acreage Dedication Plat

Section A.			Date June 5, 1958	
Operator SKELLY OIL COM	FC.	ase_JICARILLA "B"		
Well No. 11 Unit Lett Located Feet	From the NC-TIM Line,	Township	24 NORTH Range > WI	
County RIO ARRIMA	G. L. Elevation		et From the KAST	Line Acres
Name of Producing Formati 1. Is the Operator the o	on Gallup	Dool A	\	
Yes No	•			
2. If the answer to ques	tion one is "no," hav	ve the interests o	of all the owners been	n
consolidated by commu "yes," Type of Consol	idation			
If the answer to ques	tion two is "no," lis	st all the owners	and their respective	interests
below:	CID IION	plat dated 4 Nove	mber 1882	
Owner	الار الحراق	Land Desc	ription	
	/_	A.M. Paralle		
		10 1000 W.		
		47 C 1		·
		//	, j	
Section.B			•	
i	60,			
1	99		This is to certify	that the
1	 	/980'	information in Sect above is true and o	
			to the best of my A	
1			and belief.	
			SKELLY OIL COMPAN	<u> </u>
			(Operator)	
			(Signed) F. 3.	
			(Representative	·)
i		<u>'</u>	Box 426, Farmington	How Moscle
	5		Address	
İ		1	This is to certify well location shown	
			plat in Section B w	
1			from field notes of	
_			surveys made by me my supervision and	
		 -	same is true and co	
		i	the best of my know	ledge and
		j	belief. Date Surveyed 2 Ju	ne 1958
		j	0	7
			Registered Professi	onal
		1	Engineer and/or Lan-	
330 660 990 1320 1650 1980	2310 2640 2000 1500	1000 500 O	James P. Léese	•
/		1000 500 0	Certificate No.	.63

INSTRUCTIONS FOR COMPLETION:

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plate the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of Section.
- If additional space is needed for listing owners and their respective interests as required in question 3, Section A, please use space below

^{* &}quot;Owner" means the person who has the right to drill into and to produce from any pool and to appropriate the production either for himself or for himself and another. (65-3-29 (e) NMSA 1953 Comp.)