| | Form 9-331 b (April 1952) | | | | | |
|---|------------------------------|---|--|--|--|--|
| Ī | | | | | | |
| | | | | | | |
| | | | | | | |
| | | [| | | | |

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

| - Carpara |
|-----------------|
| Jimrilla Tribal |
| Marilla ."9" |
| Gentanes #66 |
| Track #127 |
| |

| SUBSCUENT REPORT OF SHOOTING OR ACCIDED. SUBSCUENT REPORT OF AND THE SHOOTING OR ACCIDED. SUBSCUENT REPORT OF ALTERING CASING. NOTICE OF INTERNION TO BEARILL OR REPAIR WELL. SUBSCUENT REPORT OF ALTERING CASING. SUBSCUENT REPORT OF ARCHITECT OR ACCIDED. SUBSCUENT REPORT OF ARCHITECT. SUBSCUENT REPORT O | | | UENT REPORT OF WATER SHUT-OFF | |
|--|--|---|--|-------------------------|
| SUBSCOURT REPORT OF ALTENIAL CONTRACT SUBSCOURT REPORT OF REPLILING ONLY ALTENIAL CONTRACT OF INTENTION TO SHOOT OR ACIDIZE SUBSCOURT REPORT OF REPLILING ONLY ALTENIAL CONTRACT OF INTENTION TO SHOOT OR ACIDIZE SUBSCOURT REPORT OF REPLILING ONLY ALTENIAL CONTRACT OF INTENTION TO PULL OR ALTER CASING. SUBSCOURT REPORT OF ABANDON PAIL (REPORT OF ABANDON WELL (REPORT OF | | | | |
| Sierfille is located 10 ft. from line and 10 ft. from line of sec. | | | UENT REPORT OF ALTERING CASING | 1 |
| Sierfille is located 10 ft. from line and 10 ft. from line of sec. | NOTICE OF INTENTION TO REDRILL OR REPAIR | WELL SUBSEQU | WENT REPORT OF REDRILLING OR THE | TRANCO CO |
| Sierfille is located 10 ft. from line and 10 ft. from line of sec. | | SUBSEQU | WENT REPORT OF ABANDO MENT | 0 2 311 Hrs |
| Sierfille is located 10 ft. from line and 10 ft. from line of sec. | | INGSUPPLEM | MENTARY WELL HISTO | BICKEN ME |
| Sierfille is located 10 ft. from line and 10 ft. from line of sec. | | | | and the |
| Well No. 3 is located 440 ft. from Nine and 440 ft. from Willing of sec. 4 (1975) (Rango) (Maridae) (County or Subdivision) (State or Territory) (County or Subdivision) (State or Territory) (County or Subdivision) (Co | | | Day See | M |
| Well No. 3 is located 440 ft. from Nine and 440 ft. from Willing of sec. 4 (1975) (Rango) (Maridae) (County or Subdivision) (State or Territory) (County or Subdivision) (State or Territory) (County or Subdivision) (Co | (INDICATE ABOVE I | SY CHECK MARK NATURE OF RI | EPORT, NOTICE, OR OTHER ATTACK | • |
| Vell No | | | · · · · · · · · · · · · · · · · · · · | 19.17 |
| Well No is located | | | , | |
| (Non-marcocon) (Table) (Hodd) (County of Subdivision) (State of Territory) (Details of Work (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate muddib jobs. (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate muddib jobs. (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate muddib jobs. (State names of and expected depths to objective sands; show sizes, weights, and elengths of proposed casings; indicate muddib jobs. (State names of and expected depths to objective sands; show sizes, weights, and elengths of proposed casings; indicate muddib jobs. (State names of and expected depths to objective sands; show sizes, weights, and elengths of proposed casings; indicate muddib jobs. (State names of and expected depths to objective sands; show sizes, weights, and elengths of proposed casings; indicate muddib jobs. (State names of and expected depths to objective sands; show sizes, weights, and elengths of proposed casings; indicate muddib jobs. (State names of and expected depths to objective sands; show sizes, weights, and elengths of proposed casings; indicate muddib jobs. (State names of and expected depths to objective sands; show sizes, weights, and elengths of proposed casings; indicate muddib jobs. (State names of and expected depths to objective sands; show sizes, weights, and elengths of proposed casings; indicate muddib jobs. (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate muddib jobs. (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate muddib jobs. (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate muddib jobs. (State names of and expected depths to objective sands) (State names of and e | Jierille "" | (N) 1: | 1 440 ft from | ne of sec. |
| (Field) (County or Subdivision) (County or Subdivision) (County or Subdivision) (State or Territory) (County or Subdivision) (County or Subdivision) (State or Territory) (County or Subdivision) (County or Subdivision) (State or Territory) (County or Subdivision) (County or Subdivision) (State or Territory) (County or Subdivision) (State or Territory) (County or Subdivision) (County or Subdivision) (State or Territory) (State or Territory) (County or Subdivision) (State or Territory) | Vell No is located 4 | ft. from | ie andit. Irom \W\ i | ile of soci |
| (Field) (County or Subdivision) (County or Subdivision) (County or Subdivision) (State or Territory) (County or Subdivision) (County or Subdivision) (State or Territory) (County or Subdivision) (County or Subdivision) (State or Territory) (County or Subdivision) (County or Subdivision) (State or Territory) (County or Subdivision) (State or Territory) (County or Subdivision) (County or Subdivision) (State or Territory) (State or Territory) (County or Subdivision) (State or Territory) | • | | | |
| The elevation of the derick floor above sea level isft. DETAILS OF WORK State names of and expected depths to objective sands; show aixes, weights, and langths of proposed casings; indicate muddin tobs. DIST. 3 A is car intention to drill well He. 3 to approximately 4006* to test ing points, and all other important proposed work) DIST. 3 A is car intention to drill well He. 3 to approximately 4006* to test ing points, and all other important proposed work) DIST. 3 DETAILS OF WORK State names of and expected depths to objective sands; show aixes, weights, and langths of proposed casings; indicate muddin tobs. DIST. 3 DIST. 3 A is car intention to drill well He. 3 to approximately 4006* to test ing points, and all other important proposed work) DIST. 3 DIST. 3 A is car intention to drill well He. 3 to approximately 4006* to test ing points. Dist. 3 DIST. 3 DIST. 3 A is car indention to drill well He. 3 to approximately 4006* to test ing points. Dist. 3 DIST. 3 DIST. 3 DIST. 3 DIST. 3 A is car indention to drill well He. 3 to approximately 4006* to test ing points. Dist. 3 DIST. 4006 DIST. 4006 DIST. 4006 DIST. 4006 DIST. 40 | Def Sealing S | (Range) | (Meridian) | |
| The elevation of the derrick floor above sea level isft. DETAILS OF WORK State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate muddlin jobs. DIST. 3 in points, and all other important proposed work) is one intention to drill well No. 3 to approximately 6005* to test is loosed function for cil. Our enging program is as follows: 200* of 10-1/2* (30 (32.75)) eneing - committed with 300 day. For commit - directly of 5-1/2* (30 (15.5)) eneing - committed with 500 day. For commit - milibraries is descipated drilling wait in the No/A No/A of Section 5-215-90, lie Ayriba Company SKELLY OIL COMPANY. Box 426 Address. Farmington, New Maxima By (Signed) P. E. Cosper | (A per and per and | ma . Assuration | Here Hands | |
| DETAILS OF WORK State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate muddin jobs. DIST. 3 A is one intention to drill wall No. 3 to appreciately 1000° to test the Respect formation for cell. Gar contage program is as follows: 200° of 10-3/A° CO (\$2.735) energy — consisted with 500 size, reg. contact — circulate the first of (\$5.55) energy — contact with 500 size, reg. contact — hillburder of 5-1/A° CO (\$5.55) energy — contact with 500 size, reg. contact — hillburder of the Hudico. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company SKELLY CHL COMPANY. Box 426 Address Earmington, New Waxioo By (Signed) P. E. Cosper | Kildeni (Mespeh) | (County or Subdivision | n) (State of T | erritory) |
| DETAILS OF WORK State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate muddin jobs, Distr. 3 ing points, and all other important proposed work) 1 is our intention to drill well No. 3 to appreximately 1006 to took he Roopah Sumation for cil. Our casing program is as follows: 200 of 10-3/A GO (32.75%) cacing — commited with 250 sts. Fog. commit — circulated of 5-1/A GO (15.5%) energy — commited with 500 sts. Fog. commit — militarity of 5-1/A GO (15.5%) energy — commited with 500 sts. Fog. commit — militarity, New Number. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company SKELLY OIL COMPANY — Box 426 Address — Farmington, New Nexton | • | | r. | 111 |
| DETAILS OF WORK State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate muddin jobs, Distr. 3 ing points, and all other important proposed work) 1 is our intention to drill well No. 3 to appreximately 1006 to took he Roopah Sumation for cil. Our casing program is as follows: 200 of 10-3/A GO (32.75%) cacing — commited with 250 sts. Fog. commit — circulated of 5-1/A GO (15.5%) energy — commited with 500 sts. Fog. commit — militarity of 5-1/A GO (15.5%) energy — commited with 500 sts. Fog. commit — militarity, New Number. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company SKELLY OIL COMPANY — Box 426 Address — Farmington, New Nexton | The elevation of the derrick floor | above sea level 18 | rt. | JUN 11 1957 |
| is our intention to crill well He. 3 to approximately (000° to test be looped from the first of the crill well He. 3 to approximately (000° to test be looped from the crill well He. 3 to approximately (000° to test be looped from the crill well He. 3 to approximately (000° to test be looped from the crill well He. 3 to approximately (000° to test be looped from the crill of the crimp program is as follows: 200° of 10-3/A° CO (32,75) eneing - committed with 250 das, reg. commit - circulated of 5-1/2° CO (15.5) eneing - committed with 500 das, reg. commit - hillburts The destigated drilling unit is the He/A He/A of Section 5-343-50, hie Ayriba loomly, Her Hunder. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company SKELLY OIL COMPANY Box 426 Address. Farmington, New Wextoo By (Signed) P. B. Cosper | | | | 1 8th com on |
| Tunderstand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company SKELLY OIL COMPANY Box 426 Address Farmington, New Maxico By (Signed) P. E. Cosper | | | Il | to mudding jobs, waste. |
| is our intention to drill wall Ho. 3 to approximately 6005' to test the Respek Secretion for edl. Our coming program is as follows: 200' of 30-3/A* 69 (32.755) eacing - commited with 250 she, reg. commit - circulate 600' of 5-1/A* 69 (15.55) eacing - commited with 500 she, reg. commit - miliforate The destinated drilling unit is the Ne/A Ne/A of Section 5-345-56, Rie Arriba Company Skelly oil company Box 426 Address Farmington, New Maximo By (Signed) P. E. Cosper | State names of and expected depths to objecti in | ve sands; show sizes, weights, a g points, and all other imports | and lengths of proced work) | DIS 1.3 |
| No Rosest Secretion for cil. Our easing program is as follows: 300° of 10-1/A° 00 (32.75°) easing - commited with 290 sits. Fog. commit - circulated of 5-1/A° 00 (15.5°) easing - commited with 500 sits. Fog. commit - halifornic file decilented drilling unit is the Ne/A Ne/A of Section 5-243-5°, Ric Applies foundly, New Hunder. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company SKELLY OIL COMPANY Box 426 Address Earmington, New Maxico By (Signed) P. E. Cosper | | | | A |
| JOO' of 10-3/A" 60 (32.7%) eacing — committed with 250 size, reg. commit — circulate 1000' of 5-1/2" 60 (15.56) eacing — committed with 200 size, reg. commit — Ballibraries (15.56) eacing — committed with 200 size, reg. commit — Ballibraries (15.56) eacing — committed with 200 size, reg. commit — Ballibraries (15.56) eacing — committed with 200 size, reg. commit — Ballibraries (15.56) eacing — committed with 200 size, reg. commit — Ballibraries (15.56) eacing — committed with 200 size, reg. commit — Ballibraries (15.56) eacing — committed with 200 size, reg. commit — Ballibraries (15.56) eacing — committed with 200 size, reg. commit — Ballibraries (15.56) eacing — committed with 200 size, reg. commit — Ballibraries (15.56) eacing — committed with 200 size, reg. commit — Ballibraries (15.56) eacing — committed with 200 size, reg. commit — Ballibraries (15.56) eacing — committed with 200 size, reg. commit — Ballibraries (15.56) eacing — committed with 200 size, reg. commit — Ballibraries (15.56) eacing — committed with 200 size, reg. commit — Ballibraries (15.56) eacing — committed with 200 size, reg. commit — Ballibraries (15.56) eacing — committed with 200 size, reg. commit — Ballibraries (15.56) eacing — committed with 200 size, reg. commit — Ballibraries (15.56) eacing — committed with 200 size, reg. commit — Ballibraries (15.56) eacing — committed with 200 size, reg. commit — Ballibraries (15.56) eacing — committed with 200 size, reg. commit — Ballibraries (15.56) eacing — committed with 200 size, reg. commi | to to our intention to dril | 10 manus mas 6 mm . | A Audina | 1000 |
| The designated crilling unit is the NW/A Re/A of Section 5-MR-SW, Ric Ayriba Comby, New Munico. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company SKELLY OIL COMPANY Box 426 Address Farmington, New Waxioo By (Signed) P. E. Cosper | he Beauth Sumstian for at | 1. Our mains p | LOGLAW TO WE LATTERED. | |
| The designated crilling unit is the NW/A Re/A of Section 5-MR-SW, Ric Ayriba Comby, New Munico. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company SKELLY OIL COMPANY Box 426 Address Farmington, New Waxioo By (Signed) P. E. Cosper | | | | amont a strautet |
| Tunderstand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company SKELLY OIL COMPANY Box 426 Address Farmington, New Wexico By (Signed) P. E. Cosper | 200" of 20-3/4" 00 (32.75) | | BOR WILL AND SECTION | ment - hillfunte |
| I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company SKELLY OIL COMPANY Box 426 Address Farmington, New Wexico By (Signed) P. E. Cosper | | erente - semano | W ATOM Son must sale . | |
| I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company SKELLY OIL COMPANY Box 426 Address Farmington, New Wexizo By (Signed) P. E. Cosper | Desired Just Land (170-121) | | . A. Daniston B. S. S. S. | r. No Arriba |
| Company SKELLY OIL COMPANY Box 426 Address Farmington, New Mexico By (Signed) P. E. Cosper | | :A 2 - A - A - A - A - A - A - A - A - A | IN SI DESCRIPTION AND AND AND AND AND AND AND AND AND AN | |
| Company SKELLY OIL COMPANY Box 426 Address Farmington, New Mexico By (Signed) P. E. Cosper | | To The Arms master and | * * | |
| Company SKELLY OIL COMPANY Box 426 Address Farmington, New Mexico By (Signed) P. E. Cosper | | TO THE ARMS MANA | • | |
| Company SKELLY OIL COMPANY Box 426 Address Farmington, New Mexico By (Signed) P. E. Cosper | | | • • | |
| Company SKELLY OIL COMPANY Box 426 Address Farmington, New Mexico By (Signed) P. E. Cosper | | 76 Te mm me/4 | • • | |
| Company SKELLY OIL COMPANY Box 426 Address Farmington, New Mexico By (Signed) P. E. Cosper | | 16 18 mm ma/4 ma | • • | |
| Company SKELLY OIL COMPANY Box 426 Address Farmington, New Mexico By (Signed) P. E. Cosper | The designated drilling uniterity, New Hunter. | | | |
| Box 426 Address Earmington, New Mexico By (Signed) P. E. Cosper | the designated drilling uniterate, New Hestler. | | | |
| Address Farmington, New Mexico By (Signed) P. E. Cosper | The decignated drilling uniformly, New Munico. | receive approval in writing by | y the Geological Survey before operatio | |
| By (Signed) P. E. Cosper | I understand that this plan of work must Company SKELLY OIL COMPANY | receive approval in writing by | y the Geological Survey before operatio | |
| By (Signed) P. E. Cosper | I understand that this plan of work must Company SKELLY OIL COMPANIES Box 426 | receive approval in writing by | y the Geological Survey before operatio | |
| Title Matrict Superintendent | I understand that this plan of work must Company SKELLY OIL COMPANIES Box 426 | receive approval in writing by | y the Geological Survey before operatio | ns may be commenced. |
| Title Matrict Superintental | I understand that this plan of work must Company SKELLY OIL COMPANIES BOX 426 | receive approval in writing by | y the Geological Survey before operatio | ns may be commenced. |
| | I understand that this plan of work must Company SKELLY OIL COMPANIES BOX 426 | receive approval in writing by | y the Geological Survey before operations of the Geological Survey b | ns may be commenced. |
| | I understand that this plan of work must Company SKELLY OIL COMPANIES BOX 426 | receive approval in writing by | y the Geological Survey before operations of the Geological Survey b | ns may be commenced. |



NEW MEXICO OIL CONSERVATION COMMISSION

Well Location and Agreage Dedication Plat

| ection A. | | | | | Date | 10.5, 13.77 | |
|--|----------------|-------------|--------------|----------------------------|----------------------|------------------------------------|--------------|
| ⊬erator <u>sk¤ily ol</u> | I. COMPANY | | Lease | JIMMILL | . | | |
| ell No. 3-3 Uni | it Letter | Section | 5 | Townshi | 24 NORTH | Range 5 WEST | NMPN |
| ocated 660 | Feet From t | the NOTTI I | ine, | 660F | eet From | t e WEST | Line |
| ounty RIO ARRI3 | G. L. | . Elevation | | | | K | Acres |
| me of Producing I | Formation | | min de de de | Pool_s | outlined or | the plat belo | ? |
| Yes <u>*</u> No | | wher in th | ie dedica | ted acreage | outlined of | i the plat belo | y y : |
| If the answer consolidated by "yes," Type of | to question o | ation agree | " have t | he interests otherwise? | of all the YesNo_ | e owners been If answ | er is |
| If the answer below: | to question | two is "no, | " list a | ll the owner | s and their | resp e ctive in | terests |
| <u>Cw</u> | <u>ner</u> | | | Land De | scription | RECEIVER O 1995 |) |
| | | | | | | OF CEIVE | - The |
| | | | | | | RECOLORIONE NEW | MEXICO |
| ction B | | · | | | | U.S. CHEFON | M |
| | | į | | | | ENRY ALL | AtV) |
| 9 | | | | | This is | s to certify; th | n#=#bo |
| 9 | | | | | | | |
| 660´-Ö | | | 1 | | above | ation in Sections is the angone | Coa |
| li li | | | i | | to the | best of moist | veledge |
| ĺ | | | 1 | | and be | lief. | |
| | | | | | 01-13 | - 641 6 | |
| | | | | | - | y 011 Company (Coerator) | |
| i | | | | | (Signed | i) P. E. Cosper | |
| 1 | | | i I | | (Re | epresentative) | |
| j | | | Ì | | Box 1/26 | . Farmington, | Now Man |
| | | | 1 | | BOX 420 | Address | |
| | | | | | | Address | |
| | | | ; | | | | |
| | | 1 | : | | This i | s to certify th | at the |
| | | | ! | | | ocation shown o | |
| İ | | | 1 | | | n Section B was | |
| } | | | j | | 9 | ield notes of a | |
| | | | | | | s made by me or ervision and th | |
| | | | | | | s true and corr | |
| | | | 1 | | | st of my knowle | |
| | | | 1 | | belief | - | ~ |
| | | | 1 | | Date S | urvayed <u>l inn</u> | 1957 |
| | | | | | Con | e ! Lea | |
| | | | ł | | | ered Profession | |
| <u>i</u> | <u> </u> | | | | Engine | er and/or Land | Surveyo |
| 330 660 990 1320 | 1650 1980 2310 | 2640 200 | 1500 | 1000 500 | | James P. Los | 98 e |
| | | | | | | | } |

INSTRUCTIONS FOR COMPLETION:

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the platter the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3, Section A, please use space below

^{* &}quot;Owner" means the person who has the right to drill into and to produce from any pool and to appropriate the production either for himself or for himself and another. (65-3-29 (e) NMSA 1953 Comp.)