

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Indian Agency Jicarilla  
Tribal Cont. No. 66  
Allottee Jicarilla B  
Lease No. \_\_\_\_\_


SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 20, 1961

Well No. 16 is located 1090 ft. from S line and 900 ft. from W line of sec. 33  
S.W. Section 33 25-N, 4-W N.M.P.M.  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
So. Blanco Pictured Cliffs Rio Arriba New Mexico  
(Field) (County or Subdivision) (State or Territory)


The elevation of the derrick floor above sea level is 6030 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudlogging jobs, cementing points, and all other important proposed work)

Spudded 6-3-61, Total Depth 125'. Ran 4 joints 3 5/8", 24 J-55 casing. (123') set @ 124'. Cemented with 140 sacks Best. Circulated to surface. Held 600#/30 minutes.

On 6-11-61, Total Depth 3196'. Ran 110 joints 2 7/8" 6.45, J-55 casing (3180') set @ 3190'. Cemented w/165 sacks HEB-400 plus 10 sacks regular, 2% gel, 1/4 cu.ft. Straps-Crete 6"/ok. Held 1500#/30 minutes.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company El Paso Natural Gas Company

Address Box 900  
Farmington, New Mexico

By ORIGINAL SIGNED A.M. SMITH

Title Petroleum Engineer