



2310' FEET, 1690' FEET

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Budget Bureau No. 42-R358.4.
Approval expires 12-31-60.

Land Office **New Mexico**
Lease No. **000068 A**
Unit **F**

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	<div style="text-align: center;"> <h2>RECEIVED</h2> <p>AUG 27 1962</p> </div>
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

U. S. GEOLOGICAL SURVEY
FARMINGTON, NEW MEXICO
1962

August 23

Federal 17-32
Well No. **2** is located **2310** ft. from **[N]** line and **1690** ft. from **[W]** line of sec. **32**

SW 1/4 of NW 1/4, Sec. 32 (1/4 Sec. and Sec. No.)
SW 1/4 (Twp.) **1E** (Range) **104N** (Meridian)
Arroyo Blanco-Cortilla Area (Field) **Rio Arriba** (County or Subdivision) **New Mexico** (State or Territory)

The elevation of the derrick floor above sea level is **7010** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spudded well 12:45 on 8-4-62. Drilled 1 1/2" hole to 137 ft. Run and cemented 137 feet of 8-5/8", 24#, 3-95, SMC casing with 100 cu. cement. Circulated estimated 20 cu. to surface. WOC 10:10 p.m., 8-6-62. After WOC total of 20 hours, tested 8-5/8" casing to 1000 psi for 30 minutes, OK. Drilled 7-7/8" hole to depth of 3796 feet. Run logs. Landed & cemented 3796 feet of 3", 14#/ft., 3-95 SMC new casing at 3796 feet with 100 cu. cement. WOC 7:35 A.M., 8-18-62. After WOC total of 24 hours, tested 3" casing to 1200 psi for 30 minutes, OK. Now drilling 4-3/4" hole below 4000 feet, substituting air for drilling fluid.

I understand that this plan of work must receive approval in writing by the Geological Survey before operation of the well can be commenced.

Company **Standard Oil Company of Texas, A Division of California Oil Company**

Address **Boxer "B"**

Houston, Texas

By *J. L. Anderson*
J. L. Anderson
Title **District Engineer**