

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYLand Office Santa Fe
Lease No. S.F. 079602
Unit L. L. McConnell

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	<u>Production</u> <u>X</u>
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....	<u>Report of perforation</u> <u>X</u>	
	<u>Report of sand-fracing</u> <u>X</u>	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 29, 1956

L. L. McConnell
Well No. 5 is located 820 ft. from N line and 110 ft. from E line of sec. 31
NE 1/4 Section 31 25N 3W N. M. P. M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Undesignated Rio Arriba New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK


(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Ran 5-1/2" casing (124 ints.) - Set at 3885' w/150 sks. reg. cement.

Perforated 5-1/2" casing from 3821' to 3864' with 4 (9/16) Schlumberger bullets per foot for total of 172 shots.

Sand-fraced through perforations from 3821' to 3864' with 40,000# of sand, 36,000 gals. of water. Flushed with 10,290 gals of water. Total gals. water 46,290. Breakdown pressure 1700#. Max. treating pressure 1600#, Min treating pressure 1500#. Injection rate 64.1 BPM. Treating time 17 min.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Skelly Oil CompanyAddress Box 426Farmington, New MexicoTitle District Foreman