

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Indian Agency _____

 Allottee _____
 Lease No. _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING JUN 12 1959
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	First Perforations (Date)
	First Sand Free (Date)

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

_____ June 9, 19__

Howells "B"

Well No. **22** is located **790** ft. from **[N]** line and **790** ft. from **[W]** line of sec. **22**

1/4 - 1/4 Section 22 **22N** **27** **1234**
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Oboro - Gallup **Rio Arriba** **New Mexico**
DeWitt - Mildred (Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 6736 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudlogging jobs, cementing points, and all other important proposed work)

FIRST PERFORATIONS: Perforated 7" casing with 4 Schlumberger bullets per foot as follows: (Dakota formation.)

7040 - 7050	(10')	40 Nails
7050 - 7060	(10')	40 Nails
TOTAL	(20')	80 Nails

SAID FRAC. JOB NO. 1. Casing Perforations 2510-2520' & 2512-2522'. (Dakota Formation)
Ran 2" tubing and displaced mud with water and water with oil.
Pumped down 2" tubing and 7" casing 20,000' of 10/10 sand and 35,000 gallons of
crude oil. Breakdown pressure 2200#. Maximum treating pressure 3000#. Minimum
treating pressure 2000#. Flushed with 205 barrels of crude oil. Injection rate
21.5 BPM. Shut down and standing pressure 2700#. Left well shut in 3 hours and
pressure dropped to 1000#.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company SKELLY OIL COMPANY
Address Box 496
Farmington, New Mexico

By (Signed) P. E. Gosper
Title District Superintendent

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000