

8/4/58

F. Loc. 660/N; 1980/E Elev. 6743.2' Spd. 8-8-58 Comp. 8-23-58 TD 6245 PB 6142
 Casing S. 16 3/4 @ 313 W 200 Sx. Int. @ W Sx. Pr. 5 1/2 @ 6244 W 750 Sx T 2 @ 6162
 Csg. Perf. 6653-6155 Prod. Stim. SOF

I.P. 106 BO/D 106 After 106 Hrs. SICP 106 PSI After 106 Days GOR 106 Grav. 40.9 1st Del. 7-16-58

TOPS		NITD	X	Well Log	TEST	DATA					
Kirtland		C-102		Plat	Schd.	PC	Q	PW	PD	D	Ref. No.
Fruitland		C-103	✓✓	Electric Log	DATE	GOR	BELS	DATE	GOR	BELS	
Pictured Cliffs	2700	C-104	✓✓	C-110 7-18-58 ✓✓	7/1/58	3414	47	7/3/69	4250	8	
Cliff House	4242				3/14/59	3414	47				
Menefee	4378	Ditr		Dfa	7/1/60	3008	29	7/71	T.A.		
Point Lookout	4907	Datr		Dac	9/28/60	3489	24				
Mancos	5064	Remarks DHC - 269 PC - chae.				5/14/61	7479	10	8/72	T.A.	
Gallup	5990					5/20/62	7571	8	8/13/73	13000	1
Dakota		2A 1-27-79				7/22/63	34700	1	6/74	S.I.	
Morrison						7/3/64	4557	7	6/75	S.I.	
Entrada						8/19/65	16750	4	6/76	S.I.	
						6/28/66	6206	10	6/77	S.I.	
						7/6/67	10333	3	6/78	S.I.	
		1 Shelly O. Co.				7/22/68	7000	8			

P
 O
 Cterc Gal Co BA S 32 T25N R 5W J1 B Onor Jan. Feb. Mar. Apr. May June July Aug. Sept. Oct. Nov. Dec.
 Getty Oil Co. Jicarilla "B" No. 13

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE
(Other instructions on re-
verse side)

Budget Bureau No. 42-R1424

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL ☐ GAS WELL ☒ OTHER		5. LEASE DESIGNATION AND SERIAL NO. Fed. Cont. #68	
2. NAME OF OPERATOR Getty Oil Company		6. IF INDIAN, ALLOTTEE OR TRIBE NAME Jicarilla Apache	
3. ADDRESS OF OPERATOR Box 3360, Casper, WY 82602		7. UNIT AGREEMENT NAME	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 660' FNL, 1950' FEL NW/4 NE/4		8. FARM OR LEASE NAME Jicarilla "B"	
14. PERMIT NO.		9. WELL NO. 13	
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 6743' DF		10. FIELD AND POOL, OR WILDCAT S. Blanco Pictured Cliffs	
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 32-25N-5W	
		12. COUNTY OR PARISH Rio Arriba	13. STATE NM

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

☐

PULL OR ALTER CASING

☐

FRACTURE TREAT

☐

MULTIPLE COMPLETE

☐

SHOOT OR ACIDIZE

☐

ABANDON*

☐

REPAIR WELL

☐

CHANGE PLANS

☐

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

☐

REPAIRING WELL

☐

FRACTURE TREATMENT

☐

ALTERING CASING

☐

SHOOTING OR ACIDIZING

☐

ABANDONMENT*

☐

(Other)

Plug Back

☒(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

1-27-79 - Ran Baker Cement Retainer to 5913'. Pumped 100 sks. cement down tubing. Squeezed Gallup perforations at 6053'-6155'. Ran cast iron B.P. set at 3740' and dumped 1 sack cement on top of B.P. PBTD 3727'. Perforated Chacra formation 3526'-3644', with 16 shots. Fraced perf. 3526'-3644' with 58,000 gals. water and 14,500# 20/40 sd; 93,000# 10/20 sd. Ran Retrievable Baker B.P. set at 2750'. Perforated Pictured Cliffs from 2690'-98' - 16 shots. Treated P.C. perms. with 27,840 gals. gelled water and 13,000# 20/40 sd. and 45,200# 10/20 sd. Attempts to commingle and flow P.C. and Chacra Zones failed due to high volume of water in Chacra Zone.

3-15-79 - Ran Baker Model "N" Bridge plug set at 2820'. Dumped 3 sks. cement on top of B.P. Completed as a single zone gas well in the Pictured Cliffs.

18. I hereby certify that the foregoing is true and correct

SIGNED



TITLE

Area Superintendent

DATE

4/12/79

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side



General: This form is designed for submitting proposals to permit a well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 17: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.