

F. Loc. 1190/S; 1450/W Elev. 7257 DF Spd. 8-15-55 Compl. 12-29-55 TD 9011 PB 3750
 Casing SI 13 3/8 @ 385 W 500 Sx. Int. @ W Sx. Pr. 5 1/2 @ 8170 W 700 Sx. T. 1 3/8 @ 3670
 Csg. Perf. 3595-3665 Prod. Stim. SWF 3595-3665

I.P. 1200 ~~500/8~~ MCF/D After 3 Hrs. SICP 950 PSI After 2 Days GOR Grav. 1st Del. 4-2-57 s 15897

TOPS		NITD	X	Well Log	X	TEST DATA						Ref.No.
Kirtland		C-103		Plat	X	Schd.	PC	Q	PW	PD	D	
Fruitland		C-104	XX	Electric Log	X	1/26/67	387	13	231	310	8	
Pictured Cliffs	3595	5-17-57	6-3-57	C-122 -B	X	1/27/68	377	17	239	302	11	
Cliff House		Ditr	5-24-57	Dfa	6-28-57 (R-1015)	3/1/84	319	14	149	255	7	
Menefee		Datr	11-5-57	Dac		7/9/84	304	17	149	259	9	
Point Lookout			12-10-57			9/25/85	328	11	147	197	9	
Mancos			1-9-63			10-8-87	512					
Gallup						1/4/88	335	23	150	203	24	3268
Sanostee												
Greenhorn	7752											
Dakota	42 7839											
Morrison												
Entrado	8782											
Graneros	7816											

P. B. 1. dat. - 556

S. Blanco PG. RA S 30 T 23N R 3W UN Oper. TEXACO, INC. Lse. L. L. McConnell No. 1

