Budget Bureau No. 42-R359.4. Approval expires 12-31-60.

# UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

indian Agen	cy & Marsh			
	Tribal			
Allottee	ilearille "C"			
i anan No	Continue 1			

#### SUNDRY NOTICES AND REPORTS ON WELLS

SUNDAT NOTICE			<del></del>		
NOTICE OF INTENTION TO DRILL	SUBSEQU	ENT REPORT OF WATER SHUT-OFF			
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQU	ENT REPORT OF SHOOTING OR ACIDIZIN	G		
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQU	SUBSEQUENT REPORT OF ALTERING CASING			
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQU	ENT REPORT OF REDRILLING OR REPAIR			
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQU	ENT REPORT OF ABANDONMENT			
NOTICE OF INTENTION TO PULL OR ALTER CASING.	SUPPLEM	ENTARY WELL HISTORY			
NOTICE OF INTENTION TO ABANDON WELL			Test Test		
			<u></u>		
93 mm #13 m 1998	***************************************	PORT, NOTICE, OR OTHER DATA)	OLOGICAL Miran		
Well No. 19 is located 15	ft. from $\{S\}$ line	and 993 ft. from E line	e of sec.		
SEA Sockion 27 256	94	n.n.p.m.			
(14 Sec. and Sec. No.) (Twp.)	(Range)	(Meridian)			
Understand-toute	tie Arriba	None 14			
		(State or Terri	tory)		
(Field)	(County or Subdivision)	(01010 02 2021			
		• •	/atit		
The elevation of the derrick floor above	sea level is	ft.	RELECTION		
The elevation of the derrick floor above	sea level is	ork	REUE: 125 NOV 3 1958		
The elevation of the derrick floor above	sea level is	ork	udding jobs, coment-		
The elevation of the derrick floor above	sea level is	ork	elL C●N. C●M.		
The elevation of the derrick floor above  [State names of and expected depths to objective sands; ing points,  It is our intention to drill to	sea level is  DETAILS OF W show sizes, weights, an and all other importar  11 See 19 to	ork	udding jobs, coment-		
The elevation of the derrick floor above  [State names of and expected depths to objective sands; ing points,  It is our intention to drill to	sea level is  DETAILS OF W show sizes, weights, an and all other importar  11 See 19 to	ork	elL C●N. C●M.		
The elevation of the derrick floor above  [State names of and expected depths to objective sands; ing points,  It is our intention to drill the 1900 to test the inde formation.	sea level is  DETAILS OF We show sizes, weights, and all other importants.  11 No. 19 to the constant of the constant o	ORK d lengths of proposed casings; indicate ret proposed work) appreciantely appreciantely	elL C●N. C●M.		
The elevation of the derrick floor above  [State names of and expected depths to objective sands; ing points,  It is our intention to drill the 1900 to test the inde formation.	sea level is  DETAILS OF We show sizes, weights, and all other importants.  11 No. 19 to the constant of the constant o	ork	elL C●N. C●M.		
The elevation of the derrick floor above  [State names of and expected depths to objective sands; ing points,  It is our intention to drill the 1900 to test the inde formation.	sea level is  DETAILS OF We show sizes, weights, and all other importants.  11 No. 19 to the constant of the constant o	ORK d lengths of proposed casings; indicate ret proposed work) appreciantely appreciantely	elL C●N. C●M.		
The elevation of the derrick floor above  [State names of and expected depths to objective sands; ing points,  It is one intention to drill he appears to the intention of an appearance formation of 20-3/4" OD 32.756 1-40 to be disculated.	sea level is DETAILS OF W show sizes, weights, an and all other importar 11 So. 19 to co. Our cast	ORK  d lengths of proposed casings; indicate not proposed work)  apprendentally	elL C●N. C●M.		
The elevation of the derrick floor above  [State names of and expected depths to objective sands; ing points,  It is one intention to drill he appears to the intention of an appearance formation of 20-3/4" OD 32.756 1-40 to be disculated.	sea level is DETAILS OF W show sizes, weights, an and all other importar 11 So. 19 to co. Our cast	ORK  d lengths of proposed casings; indicate not proposed work)  apprendentally	elL C●N. C●M.		
The elevation of the derrick floor above  [State names of and expected depths to objective sands; ing points,  It is our intention to drill we specify the test the index formation of 10-3/4" OB 32.75/ 1-40	sea level is DETAILS OF W show sizes, weights, an and all other importar 11 So. 19 to co. Our cast	ORK  d lengths of proposed casings; indicate not proposed work)  apprendentally	elL C●N. C●M.		
The elevation of the derrick floor above  [State names of and expected depths to objective sands; ing points,  It is our intention to drill No. 3900' to test the Loude formation of 10-3/4" OD 32.75/ H-40 to be circulated.  3900' of 5-1/2" OD 15.5/ J-55 o	sea level is  DETAILS OF W.  show sizes, weights, an and all other important  11 No. 19 to  co. Our cast  cosing with	ORK dlengths of proposed casings; indicate not proposed work) approximately ag program is as falls 250 sacks regular cases  Description of the cases  Company of the cases  Comp	elL C●N. C●M.		
The elevation of the derrick floor above  [State names of and expected depths to objective sands; ing points,  It is one intention to drill he appears to the intention of an appearance formation of 20-3/4" OD 32.756 1-40 to be disculated.	sea level is  DETAILS OF W.  show sizes, weights, an and all other important  11 No. 19 to  co. Our cast  cosing with	ORK dlengths of proposed casings; indicate not proposed work) approximately ag program is as falls 250 sacks regular cases  Description of the cases  Company of the cases  Comp	elL C●N. C●M.		
The elevation of the derrick floor above  [State names of and expected depths to objective sands; ing points,  It is our intention to drill No. 3900' to test the Loude formation of 10-3/4" OD 32.75/ H-40 to be circulated.  3900' of 5-1/2" OD 15.5/ J-55 o	sea level is  DETAILS OF W.  show sizes, weights, an and all other important  11 No. 19 to  co. Our cast  cosing with	ORK dlengths of proposed casings; indicate not proposed work) approximately ag program is as falls 250 sacks regular cases  Description of the cases  Company of the cases  Comp	elL C●N. C●M.		
The elevation of the derrick floor above  [State names of and expected depths to objective sands; ing points,  It is our intention to drill the 1900' to test the inde formation of 10-3/4" OD 32.75/ H-40 to be circulated.  3900' of 5-1/2" OD 15.5/ J-55 of the designated drilling unit is	sea level is  DETAILS OF W.  show sizes, weights, an and all other important  11 No. 19 to  co. Our cast  cosing with	ORK dlengths of proposed casings; indicate not proposed work) approximately ag program is as falls 250 sacks regular cases  Description of the cases  Company of the cases  Comp	elL C●N. C●M.		
The elevation of the derrick floor above  [State names of and expected depths to objective sands; ing points,  It is our intention to drill We year to test the inde formation of 10-3/4" OD 32.75/ H-40 to be circulated.  3900' of 1-1/2" OD 15.5/ J-55 of the designated drilling unit is nice Arriba County, New Membro.	sea level is DETAILS OF W. show sizes, weights, an and all other importar 11 No. 19 to the case with the salar with the	ORK d lengths of proposed casings; indicate rest proposed work) appreciantely ag pregren is as fello 250 sector regular common D sacks regular common Section 27-258-56,	ell CON. COM.  DIST. 3		
The elevation of the derrick floor above  [State names of and expected depths to objective sands; ing points,  It is our intention to drill the 1900' to test the inde formation of 10-3/4" OD 32.75/ H-40 to be circulated.  3900' of 5-1/2" OD 15.5/ J-55 of the designated drilling unit is	sea level is DETAILS OF W. show sizes, weights, an and all other importar 11 No. 19 to the case with the salar with the	ORK d lengths of proposed casings; indicate rest proposed work) appreciantely ag pregren is as fello 250 sector regular common D sacks regular common Section 27-258-56,	ell CON. COM.  DIST. 3		
The elevation of the derrick floor above  [State names of and expected depths to objective sands; ing points,  It is our intention to drill the proof to test the inde formation of 10-3/4" OD 32.75/ H-40  to be circulated.  3900' of 5-1/2" OD 15.5/ J-55 of the designated drilling unit is no Arriba County, New Mexico.  I understand that this plan of work must receive ap	sea level is  DETAILS OF W.  show sizes, weights, an and all other importar  11 No. 19 to the case  cooling with 4.  the SE/4 of	ORK d lengths of proposed casings; indicate rest proposed work) appreciantely ag pregren is as fello 250 sector regular common D sacks regular common Section 27-258-56,	ell CON. COM.  DIST. 3		
The elevation of the derrick floor above  [State names of and expected depths to objective sands; ing points,  It is our intention to drill We year to test the inde formation of 10-3/4" OD 32.75/ H-40 to be circulated.  3900' of 1-1/2" OD 15.5/ J-55 of the designated drilling unit is nice Arriba County, New Membro.	sea level is  DETAILS OF W.  show sizes, weights, an and all other importar  11 No. 19 to the case  cooling with 4.  the SE/4 of	ORK d lengths of proposed casings; indicate rest proposed work) appreciantely ag pregren is as fello 250 sector regular common D sacks regular common Section 27-258-56,	ell CON. COM.  DIST. 3		
The elevation of the derrick floor above  [State names of and expected depths to objective sands; ing points,  It is our intention to drill his 3900° to test the inute formation of 10-3/4° co 32.75/ H-40 to be circulated.  3900° of 5-1/2° op 15.5/ J-55 of the dealgranted drilling unit is the Arriba County, Herr Mention.  I understand that this plan of work must receive ap Company	sea level is DETAILS OF W. show sizes, weights, an and all other importar 11 So., 19 to come. Our consistency with 4.5  the SE/A of approval in writing by the	ORK d lengths of proposed casings; indicate rest proposed work) appreciantely ag pregren is as fello 250 sector regular common D sacks regular common Section 27-258-56,	ell CON. COM.  DIST. 3		
The elevation of the derrick floor above  [State names of and expected depths to objective sands; ing points,  It is our intention to drill the proof to test the inde formation of 10-3/4" OD 32.75/ H-40  to be circulated.  3900' of 5-1/2" OD 15.5/ J-55 of the designated drilling unit is no Arriba County, New Mexico.  I understand that this plan of work must receive ap	sea level is DETAILS OF W. show sizes, weights, an and all other importar 11 So., 19 to come. Our consistency with 4.5  the SE/A of approval in writing by the	ORK  Idlengths of proposed casings; indicate rate proposed work)  Approximately	ell CON. COM.  IST. 3  Ist. and the second of the second o		
The elevation of the derrick floor above  [State names of and expected depths to objective sands; ing points,  It is our intention to drill his 3900° to test the inute formation of 10-3/4° co 32.75/ H-40 to be circulated.  3900° of 5-1/2° op 15.5/ J-55 of the dealgranted drilling unit is the Arriba County, Herr Mention.  I understand that this plan of work must receive ap Company	sea level is DETAILS OF W. show sizes, weights, an and all other importar 11 So., 19 to come. Our consistency with 4.5  the SE/A of approval in writing by the	ORK  Idlengths of proposed casings; indicate rate proposed work)  Approximately	ell CON. COM.  IST. 3  Ist. and the second of the second o		
The elevation of the derrick floor above  [State names of and expected depths to objective sands; ing points,  It is our intention to drill the proof to test the invite formation of the formation of the formation of the designated.  300' of 10-3/4" OD 32.75/ H-40 to be circulated.  300' of 5-1/2" OD 15.5/ J-55 of the designated drilling unit is like Arriba County, flow Mexico.  I understand that this plan of work must receive ap Company  Address SKELLY OIL COMPANY  Box 426	sea level is  DETAILS OF W.  show sizes, weights, an and all other importar  11 No. 19 to  co. 19 to  c	ORK d lengths of proposed casings; indicate rest proposed work) appreciantely ag pregren is as fello 250 sector regular common D sacks regular common Section 27-258-56,	ell CON. COM.  IST. 3  Ist. and the second of the second o		
The elevation of the derrick floor above  [State names of and expected depths to objective sands; ing points,  It is our intention to drill the proof to test the invite formation of the factor of the factor of the design to the design to the design to drilling unit is the Arriba County, New Mondon.  I understand that this plan of work must receive ap Company  Address SKELLY OIL COMPANY	sea level is  DETAILS OF W.  show sizes, weights, an and all other importar  11 No. 19 to  co. 19 to  c	ORK  Idlengths of proposed casings; indicate rate proposed work)  Approximately	ell CON. COM.  IST. 3  Ist. and the second of the second o		

趣

-10h -10h 100 ±10

-

.

## NEW MEXICO OIL CONSERVATION COMMISSION

## Well Location and Acreage Dedication Plat

Sec	tion A.			Date October 29, 1958			
Oper	rator CKELLY OIL CALADY	Lease	Jic (RILLA				
'e1.	l No. <u>c-19</u> Unit Letter <u>r</u> Section	n <u>2<b>7</b></u>	Township	25 NOWTH Range 5 WIST. NMPM			
Loca	ated 1450 Feet From The SOUTH	_Line, <u> </u>	O Fee	et From THE BAST Line			
Name	nty <u>RIC ARRIBA</u> G. L. Elevati e of Producing Formation	7. 7.2 % 1		ed Acreage <u>Mo</u> Acres			
1.	Is the Operator the only owner* in	the dedicate	d acreage ou	utlined on the plat below?			
2	Yes No No If the answer to question one is "n	o !! barro tha	: m.t	of -11 4h h-			
۷.	If the answer to question one is "no consolidated by communitization agr	o, have the eement or ot	interests o herwise? Ye	or all the owners been es No . If answer is			
_	"yes," Type of Consolidation						
3.	If the answer to question two is "no," list all the owners and their respective interests below:  Ref. GLO Flat dated 4 Nov. 1832						
	<u>Owner</u>	A STANDARD	Land Desc	cription			
			- 44 - 15	And the state of t			
		14. July	<u></u>				
		- wind to	353				
		OIL COM	CLAR				
Sect	ion.B	Tela "					
		The same of the sa					
	!	i I		This is to certify that the			
		I I		information in Section A			
				above is true and complete to the best of my knowledge			
	•	İ		and belief.			
<u> </u>				SKRILY OTL COMPANY			
		l I	i	(Operator)			
	j	ļ		(Signed) P. E. Cosper			
	i	<u> </u>		(Representative)			
}		!		•			
	27			Hax A26 - Parsington, Wer Made			
				71002 000			
		1		This is to contifu that the			
		!		This is to certify that the well location shown on the			
				plat in Section B was plotted			
			'	from field notes of actual			
İ			— <i>990'</i> —	surveys made by me or under my supervision and that the			
				same is true and correct to			
	1	0		the best of my knowledge and			
	1	1 8		belief. Date Surveyed <u>23 Oct. 1958</u>			
	į	i		- 1 P			
				Registered Professional			
				Engineer and/or Land Surveyor.			
33	0 660 990 1320 1650 1980 2310 2640 20	00 1500 1000	) 500 C	James P. Leese			
	(See instructions for		_	Certificate No. 1463 n the reverse side)			

#### INSTRUCTIONS FOR COMPLETION:

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plate the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3, Section A, please use space below

<sup>\* &</sup>quot;Owner" means the person who has the right to drill into and to produce from any pool and to appropriate the production either for himself or for himself and another. (65-3-29 (e) NMSA 1953 Comp.)