Form (A)	n <b>9-3</b> oril 19 <i>8</i>	31 b 52)	
	T		

## (SUBMIT IN TRIPLICATE)

## UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Indian Am	Dev Hi	carilla
Fribal		
Allottee		
Lense No.	Jicar	illa

	SUPERIOR DEPORT OF WATER CHILT OFF	X
NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF ALTERING CASING.	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF REDRILLING OF REPAR	MIM
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL.	SUBSEQUENT REPORT OF ABANDONMENT	- II - I
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SOFFLEMENTARY WELL MISTORY	9 19
NOTICE OF INTENTION TO ABANDON WELL		
(INDICATE ABOVE BY CHECK MARK NA	TURE OF REPORT, NOTICE, OR OTHER DATA)  U. S. GEOLOG  December 7  FARMENTON	ICAL S , NEV: 19 <u>.5</u> 9
(38 Don's start from 1404)	N.M.P.M. Range) (Meridian)	30
# 35 000 0 DULLO 000	rriba New Mexico	
(Field) (County or	Subdivision) (State or Territory)	
	S OF WORK  , weights, and lengths of proposed casings; indicate mudding joler important proposed work)	bs, ceme
State names of and expected depths to objective sands; show sizes, ing points, and all oth Spud date 12-6-59.  On 12-6-59 Total Depth 180'.	weights, and lengths of proposed casings; indicate mudding joing important proposed work)	120
State names of and expected depths to objective sands; show sizes ing points, and all oth Spud date 12-6-59.  On 12-6-59 Total Depth 180'.  Ran 4 joints 10 3/4", 32.75#, S. W. Calculate regular cement, 25 Gel, 25 Calculate and sizes.	weights, and lengths of proposed casings; indicate mudding joing important proposed work)	120
State names of and expected depths to objective sands; show sizes ing points, and all oth Spud date 12-6-59. On 12-6-59 Total Depth 180'. Ran 4 joints 10 3/4", 32.75#, S. W. G. sacks regular cement, 25 Gel, 25 Calcicirculated to surface.	weights, and lengths of proposed casings; indicate mudding joing important proposed work)	120
Spud date 12-6-59.  On 12-6-59 Total Depth 180'.  Ran 4 joints 10 3/4", 32.75#, S. W. Calcicirculated to surface.	weights, and lengths of proposed casings; indicate mudding joing important proposed work)	120
State names of and expected depths to objective sands; show sizes, ing points, and all oth  Spud date 12-6-59.	weights, and lengths of proposed casings; indicate mudding joint important proposed work)  casing (161.35') set at 174.35' with tium Chloride & 60 cu. ft. Strata-Ca	120
Spud date 12-6-59.  On 12-6-59 Total Depth 180'.  Ran 4 joints 10 3/4", 32.75#, S. W. Calcicirculated to surface.	weights, and lengths of proposed casings; indicate mudding joing important proposed work)	120
State names of and expected depths to objective sands; show sizes ing points, and all oth Spud date 12-6-59.  On 12-6-59 Total Depth 180'.  Ran 4 joints 10 3/4", 32.75#, S. W. Calcarda regular cement, 25 Gel, 25 Calcarda circulated to surface.	weights, and lengths of proposed casings; indicate mudding joint important proposed work)  casing (161.35') set at 174.35' with item Chloride & 60 cu. ft. Strata-Ca	120
State names of and expected depths to objective sands; show sizes ing points, and all oth Spud date 12-6-59.  On 12-6-59 Total Depth 180'.  Ran 4 joints 10 3/4", 32.75#, S. W. Calcarda regular cement, 25 Gel, 25 Calcarda circulated to surface.	weights, and lengths of proposed casings; indicate mudding joint important proposed work)  casing (161.35') set at 174.35' with tium Chloride & 60 cu. ft. Strata-Ca	120
State names of and expected depths to objective sands; show sizes ing points, and all oth Spud date 12-6-59.  On 12-6-59 Total Depth 180'.  Ran 4 joints 10 3/4", 32.75#, S. W. Calcarda regular cement, 25 Gel, 2% Calcarda to surface.  Held 500#/30 minutes.	easing (161.35') set at 174.35' with tium Chloride & 60 cu. ft. Strata-Cr. DEC 1 01959 OIL CON. COM. DIST. 3	120 rete
State names of and expected depths to objective sands; show sizes ing points, and all oth Spud date 12-6-59.  On 12-6-59 Total Depth 180'.  Ran 4 joints 10 3/4", 32.75#, S. W. G. Backs regular cement, 25 Gel, 25 Calcorculated to surface.  Held 500#/30 minutes.	easing (161.35') set at 174.35' with tium Chloride & 60 cu. ft. Strata-Cr. DEC 1 01959 OIL CON. COM. DIST. 3	120 rete
Spud date 12-6-59.  Spud date 12-6-59.  On 12-6-59 Total Depth 180'.  Ran 4 joints 10 3/4", 32.75#, S. W. C. sacks regular cement, 25 Gel, 2% Calc. circulated to surface.  Held 500#/30 minutes.	easing (161.35') set at 174.35' with tium Chloride & 60 cu. ft. Strata-Cr. DEC 1 01959 OIL CON. COM. DIST. 3	120 rete
State names of and expected depths to objective sands; show sizes ing points, and all oth Spud date 12-6-59.  On 12-6-59 Total Depth 180'.  Ran 4 joints 10 3/4", 32.75#, S. W. G. sacks regular cement, 25 Gel, 25 Calcoriculated to surface.  Held 500#/30 minutes.	weights, and lengths of proposed casings; indicate mudding joint important proposed work)  casing (161.35') set at 174.35' with item Chloride & 60 cu. ft. Strata-Cr.  DEC 1 0 1959  OIL CON. COM.  DIST. 3  Triting by the Geological Survey before operations may be com	120
Spud date 12-6-59.  Spud date 12-6-59.  On 12-6-59 Total Depth 180'.  Ran 4 joints 10 3/4", 32.75#, S. W. C.  Backs regular cement, 2% Gel, 2% Calcerculated to surface.  Held 500#/30 minutes.  I understand that this plan of work must receive approval in w.  Company El Paso Natural Gas Company	easing (161.35') set at 174.35' with tium Chloride & 60 cu. ft. Strata-Cr. DEC 1 01959 OIL CON. COM. DIST. 3	120
Spud date 12-6-59.  Spud date 12-6-59.  On 12-6-59 Total Depth 180'.  Ran 4 joints 10 3/4", 32.75#, S. W. C.  Backs regular cement, 2% Gel, 2% Calcerculated to surface.  Held 500#/30 minutes.  I understand that this plan of work must receive approval in w.  Company El Paso Natural Gas Company  Address Box 997	easing (161.35') set at 174.35' with tium Chloride & 60 cu. ft. Strata-Cr. DEC 1 0 1959  OIL CON. COM. DIST. 3	120