



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Indian Agency
Jicarilla Tribal
Allottee **Jicarilla "C"**
Lease No. **Contract #34**
Tract #79

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

U. S. GEOLOGICAL SURVEY
FARMINGTON, NEW MEXICO

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 22, 1960

Jicarilla "C"
Well No. 2 is located 1295 ft. from N line and 1295 ft. from W line of sec. 28
NE 1/4 Section 28 25N 5W NM 7N
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
South Blaine FC Rio Arriba New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

This well is producing from 5 1/2" OD casing perforations 2630-2667' (FC) and since completion has had an increase in water. The casing is parted in this well at 2640'. With the casing parted at this point, we feel it is needless to squeeze and recomple the well. The Jicarilla "C" well No. 17, located approximately 100' from this well can be recompleted in the Pictured Cliffs and Chacra formations. The Pictured Cliffs production for this 160 acres will be transferred to the Jicarilla "C" No. 17.

Our plugging program is as follows:

- Squeeze perforations 2630-67' with 100 sacks cement.
- Set 50' cement plug on 5 1/2" casing cut off.
- Set 50' cement plug 325-275'.
- Set 25 cement plug in top of 10 3/4" surface casing.
- Install permanent well marker.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Skelly Oil Company

Address Drawer 510

Farmington, New Mexico

By (Signed) P. E. Cosper

Title District Superintendent

