SUBMIT IN TRIPLICATE*

(Other instructions on reverse side)

Form approved. Budget Bureau No. 42-R1425.

UNITED STATES DEPARTMENT OF THE INTERIOR

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK TYPE OF WORK DRILL DEEPEN DEEPEN DIJECT STATE ASSESSMENT AND THE ASSESSM		5. LEASE DESIGNATION AND SERIAL NO.						
DELL DEPEN DELL MINISTER OF WHILE SAME OF STREET OF WHILE SAME OF STREET OF	A DDI ICATIO				BACK	6. IF INDIAN, ALLOTTI	E OR TRIBE NAME	
DRILL DEPEN PLUG BACK STATE OF THE STATE OF		N FOR PERMIT	O DRILL, DE	EPEN, OK PLOG I	DACK_	Restille A	pache	
TYPE OF WELL ONLY		RILL 🍱	DEEPEN 🗌	PLUG BA	ск 🗆 📗	7. UNIT AGREEMENT	NAME	
WELL OTHER TOTHER CONTINUES OF CASHAGE CONTINUES OF CASHAGE P. O. See 3312 - Paramage, Colorade 10. First, 1823' FML - NM/A At proposed prof. code 11. Rec. Table, 1823' FML - SM/A At proposed prof. code 12. COUNTY OR FARMER 13. FYRE DISTANCE FROM PROTUSSIO' PROFESSION OR PROTUSSIO' 10. NO. OF ACRES IN LEASE 11. NO. OF ACRES AND NOW. 12. COUNTY OR FARMER 13. FYRE PROFESSION OR FROM TOWN OR POST OFFICE' 12. COUNTY OR FARMER 13. FYRE Rise ATTILE 13. FYRE 14. NO. OF ACRES AND NOW. 14. NO. OF ACRES IN LEASE 15. NO. OF ACRES AND NOW. 16. NO. OF ACRES IN LEASE 17. NO. OF ACRES AND NOW. 18. PART 18. ACRES OF FARMER 13. FYRE 18. PART 18. ACRES OF FARMER 13. FYRE 19. NO. OF ACRES IN LEASE 19. NO. OF ACRES AND NOW. 10. NO. OF ACRES IN LEASE 10. NO. OF ACRES IN LEASE 11. NO. OF ACRES AND NOW. 12. APPROX. COUNTY OR FARMER 13. FYRE 13. FYRE 14. ACRES OF ACRES OF ACRES OF ACRES IN LEASE 15. PART 18. ACRES OF CASING AND CEMENTING PROCRAM 11. 18. FYRE 12. APPROX. DATE WORK WILL STANT'S 12. ATTILE PROPOSED CASING AND CEMENTING PROCRAM 12. ACRES OF CASING AND CEMENTING PROCRAM 13. ACRES OF CAS	TYPE OF WELL			SINGLE [7] MILTIE	PT.RC [0		
DEFENCE OF TREATOR P. O. See 3312 - Descripto. P. O. See 3312 - Descripto. P. O. See 3312 - Descripto. 10. FIELD AND FOOL, OR WILDCAT DECORATION OF WILD AND FOOL, OR WILDCAT DECORATION OF WILL (Report location clearly and in accordance with any State requirements.) At proposed prod. zone DISTANCE FROM PROPOSED. DISTANCE FROM PROPOSED. DISTANCE FROM PROPOSED. LOCATION TO NAMES. LOCATION TO NAME	WELL							
ADDRESS OF O'PERATOR P. O. Does 3312 - Decembe, Colorado 10. Fill, 1825 Pid SM/A At proposed prod. some 10. Fill, 1825 Pid SM/A At proposed prod. some 11. SEC. T. R. N. O. BEC. 12. O. December 1. SEC. 13. SEC. S.		and Add Commons					-	
P. C. See 3312 - Deresso, Colorado 10. FEL. 1825 P. L SW/A At proposed prod. some 210 FEL. 1825 P. L SW/A At proposed prod. some DETANCE IN MILES AND DERECTION FROM NEAREST TOWN OR FORT OFFICE* DETANCE IN MILES AND DERECTION FROM NEAREST TOWN OR FORT OFFICE* DETANCE IN MILES AND DERECTION FROM NEAREST TOWN OR FORT OFFICE* DETANCE FROM PROPOSED DEATHOR COLORATOR TO NEAREST TOWN OR FORT OFFICE* DETANCE FROM PROPOSED LOCATION* TO NEAREST W. C. S.						2	7	
DESTANCE IN MILES AND SURVEY OR AREA ALT SURFACE 100° FR., 1825° FR SW/A AL SURFACE DISTANCE IN MILES AND DERECTION FROM NEAREST TOWN OR FORT OFFICE* DISTANCE IN MILES AND DERECTION FROM NEAREST TOWN OR FORT OFFICE* 12. COUNTY OF PARIES 13. STATE DISTANCE IN MILES AND DERECTION FROM NEAREST TOWN OR FORT OFFICE* 16. NO. OF ACRES IN LEASE PROPERTY OR SHAREST TOWN OR FORT OFFICE* 17. NO. OF ACRES ASSESSMENT TO THIS WELL. AD ADVANCES CRASSING PROPOSED CASING AND CEMESTRE, OR APPLIED TO STATE WELL. AD ADVANCES CRASSING PROPOSED CASING AND CEMESTRING PROGRAM SITE OF HOLE SITE OF HO			. Colorado		,	10. FIELD AND POOL,	OB WILDCAT	
At proposed prod. zone DETAINE 1825 FR NM/A At proposed prod. zone DETAINE IN MILES AND DERCTION FROM NEAREST TOWN OR POST OFFICE* 12. COUNTY OR PARKET DETAINED IN MILES AND DERCTION FROM NEAREST TOWN OR POST OFFICE* 12. COUNTY OR PARKET RIGHT AT THE SECOND COUNTY OR PARKET TO NEAREST TOWN FROM PRODUCED. TO NEAREST WILL, SHALLEND, COMPLETED, TO NEAREST WALL, SHALLEND, COMPLETED, TO NEAREST WALLEND, COMPLETED, TO NEAREST WALL	LOCATION OF WELL (Report location clearly and	in accordance with	any State requirements.*)		Undestgnate	d Gallup	
DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE* DISTANCE FROM PROPOSED* DISTANCE FROM PROPOSED* DISTANCE FROM PROPOSED* DISTANCE FROM PROPOSED* DISTANCE FROM PROPOSED LOCATION* DI		PML. 1825' FIG.	- HW/4			11. SEC., T., R., M., OR AND SURVEY OR A	BLK. Rea	
DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE* 12. COUNTY OR PARISH 13. STATE LINE AND DIRECTION FROM PROPOSED.* 15. NO. OF ACRES IN LDASE TO CHAIR STATE LOCATION TO SEAREST TOWN OR DISTANCE FROM PROPOSED LOCATION.* 10. NO. OF ACRES ASSEMBLE TO CHAIR STATE LOCATION TO SEAREST TOWN PROPOSED LOCATION.* 10. PROPOSED LOCATION.* 10. PROPOSED LOCATION.* 10. PROPOSED LOCATION.* 10. PROPOSED LOCATION.* 11. PROPOSED LOCATION.* 12. APPROX. DATE WORK WILL STATE.* 13. APPROX. DATE WORK WILL STATE.* 14. APPROX. DATE WORK WILL STATE.* 15. SETING DEPTH QUANTITY OF CEMENT AND STATE PROPOSED FROM THE PROPOSED CASING AND CEMENT HIS P			•			Sec. 29, 72	SE. BAW	
DISTANCE FROM PROPOSED* O'ADDITION OF ACRES IN LEASE IT. NO. OF ACRES IN LEASE IT. NO. OF ACRES IN LEASE O'ADDITION PROPOSED LOCATION* (Also to nearest drig, line, if any) DISTANCE FROM PROPOSED LOCATION* (Also to nearest drig, line, if any) DISTANCE FROM PROPOSED LOCATION* DISTANCE FROM PROPOSED LOCATION* ID. PROPOSED LOCATION* ID. PROPOSED LOCATION* PROPOSED CASING AND CEMENTING PROGRAM SIZE OF ROLE SIZ	DIGMANCE IN MILES	ANI, DIDECTION FROM NEA	REST TOWN OR POST (OFFICE*			_ 	
DISPANCE PROPERTY OF LEASE LINE, TO THE MANUAL PROPERTY OF LEASE LINE, TO THIS WILL. 16. NO. OF ACRES IN LEASE 17. NO. OF ACRES ASSESSED 17. NO. OF ACRES ASSESSED 17. NO. OF ACRES ASSESSED 18. NO. OF ACRES ASSESSED 19. PROPOSED LOCATION: 19. PROPOSED DEPTH 20. ROTAST OR CASHE TOOLS 22. APPROX. DATE WORK WILL START: 11. 13. 4. 11.	DISTANCE IN MILES	AND DIGECTION FROM 1121			:	Bin Arriba	Many March	
ABOVE SPACE DESCRIBE PROPOSED EDGEAM: If proposal is to deepen or plug back, give data on present productive some sun proposed by the first of the proposal is to deepen or plug back, give data on present productive some sun proposed deep productive. If proposal is to deepen or plug back, give data on present productive some sun proposed deep productive. If proposal is to deepen or plug back, give data on present productive some sun proposed deep productive. If proposal is to defile or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blown corner program, if any. Original Signed By: H. D. HALEY TILLE MARKETING DEPTH 20. ROTARY OR CABLE TOOL 22. APPROX. DATE WORK WILL STARTY 23. APPROX. DATE WORK WILL STARTY 24. APPROX. DATE WORK WILL STARTY 25. APPROX. DATE WORK WILL STARTY 26. APPROX. DATE WORK WILL STARTY 27. APPROX. DATE WORK WILL STARTY 28. APPROX. DATE WORK WILL STARTY 29. APPROX. DATE WORK WILL STARTY 20. ROTARY OR CABLE TOOL 20. ROTAR			1	6. NO. OF ACRES IN LEASE	17. No. 0	F ACRES ASSIGNED	,	
THE PROPOSE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive some and measured and true vertical depths. APPLES 1.2. APPCORAM: If proposal is to deepen or plug back, give data on present productive some and measured and true vertical depths. Give blowor venter program, if any. Original Signed By: It Places 1.1. APPCORAM: IT Proposal is to deepen or plug back, give data on present productive some and measured and true vertical depths. Give blowor venter program, if any. Original Signed By: It Places 1.1. APPCORATE NO. BALKET IN THE PROPOSED PROGRAM: If proposal is to defill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowor venter program, if any. Original Signed By: IT I	PROPERTY OR LEASE L	INE, FT.	810°	2560	10 11	AD WELL	*	
ELEVATIONS (Show whether DF, RT, GR, etc.) 22. APPROX. DATE WORK WILL START PROPOSED CASING AND CEMENTING PROGRAM SIZE OF HOLE SIZE OF CASING WEIGHT FER FOOT SETTING DEPTH QUANTITY OF CEMENT 12.1/4" 15.5f 15.5f 4.5/8" 4" Slotted Linear Propose to drill this well to an estimated dupth of 7100 to test the Gallup Symmetries. Approximately 300 of 8.5/8" O.B. surface casing will be true a commenced with stage collers at approximately collers will be burg in 5.1/2" casing from 6475'-7100' ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive Some and proposed new productive. If proposal is to deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blower venter program, if any. Original Signed By: H. D. HALEY TITLE PLEATING PROGRAM 11.45-43 22. APPROX. DATE WORK WILL START 12.45-43 22. APPROX. DATE WORK WILL START QUANTITY OF CEMENT QUANTITY OF CEMENT 4.12-5-43 22. APPROX. DATE WORK WILL START 4.12-6-43 22. APPROX. DATE WORK WILL START 4.12-6-43 22. APPROX. DATE WORK WILL START 4.12-6-63 22. APPROX. DATE WILL START 4.12-6-63 2	DISTANCE FROM PRO	POSED LOCATION*	1	9. PROPOSED DEPTH	20. вота	. ROTARY OR CABLE TOOLS		
PROPOSED CASING AND CEMENTING PROGRAM SIZE OF ROLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH QUANTITY OF CEMENT 12 1/4" 8 5/8" 24 100° 154 souths regular 7 7/8" 5 1/2" 15.54 4375 300 souths regular 4 5/8" 4" Slotted Light 11.40 4475 -7100 to test the Gallup Frequence to defill this well to an estimated depth of 7100 to test the Gallup Frequence to defill this well to an estimated depth of 7100 to test the Gallup Frequence to defill this well to an estimated depth of 7100 to test the Gallup Frequence to defill this well to an estimated depth of 7100 to test the Gallup Frequence to defile the second of 8 5/8" 0.D. surface casing will be run to annoted Frequence to defile the second of 8 5/8" 0.D. surface casing will be run to annoted Frequence to defile the second of 8 5/8" 0.D. surface casing will be run to annoted Frequence to defile the second of 8 5/8" 0.D. surface casing will be run to annoted Frequence to defile the second of 8 5/8" 0.D. surface casing will be run to annoted Frequence to defile the second of 8 5/8" 0.D. surface casing will be run to annoted Frequence to defile the second of 8 5/8" 0.D. surface casing will be run to annote the second of 8 5/8" 0.D. surface casing will be run to annote the second of 8 5/8" 0.D. surface casing will be run to annote the second of 8 5/8" 0.D. surface casing will be run to annote the second of 8 5/8" 0.D. surface casing will be run to annote the second of 8 5/8" 0.D. surface casing will be run to annote the second of 8 5/8" 0.D. surface casing will be run to annote the second of 8 5/8" 0.D. surface casing will be run to annote the second of 8 5/8" 0.D. surface casing will be run to annote the second of 8 5/8" 0.D. surface casing will be run to annote the second of 8 5/8" 0.D. surface casing will be run to annote the second of 8 5/8" 0.D. surface casing will be run to annote the second of 8 5/8" 0.D. surface casing will be run to annote the second of 8 5/8" 0.D. surface casing will be run to annote the second of 8 5/8" 0.D. surface casing will	OR APPLIED FOR, ON THIS LEASE, FT.		1876'	71.00		Retery		
PROPOSED CASING AND CEMENTING PROGRAM SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH QUANTITY OF CEMENT 12 1/4"	ELEVATIONS (Show w	hether DF, RT, GR, etc.)		-		22. APPROX. DATE W	ORK WILL START	
IZE OF HOLE SIZE OF CASING WEIGHT PER POOT SETTING DEPTH QUANTITY OF CEMENT 12 1/A** 13 1/F* 13 1/F* 14 5/8** 4" Slotted 11.44 (A//3*-7100*) Frequence to drill this well to an estimated dupth of 7100* to test the Callup Structure. Approximately 300* of \$ 5/8** 0.D. surface casing will be run a secondary surface. If commercial production is encountered, 1/2" casing will be run as presented with stage collars at approximately 6575* a commercial with stage collars at approximately 6575* a commercial with stage collars at approximately 6575. A commercial secondary from 6475*-7100*. ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive enter program, if any. Original Signed By: H. D. HALEY TITLE Maskriet Manager DATE 11-11-53	7025' G				<u>:</u>	11-25	-63	
12 1/4" 3 5/8" As 300' 134 codes regular 100 m. 4 5/8" A" Slotted 11.44 (A75'-7100' to test the Callup remation. Approximately 300' of \$ 5/8" O.D. surface casing will be run a constant of current of the constant of the co		1	PROPOSED CASING	AND CEMENTING PROGR	AM	<u> </u>		
4 5/8" 4 5/8" 4" Slotted Liner 11.44	SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOO	T SETTING DEPTH		QUANTITY OF CEMI	ENT	
to propose to drill this well to an estimated depth of 7109 to test the Callup examples. Approximately 300 of 8 5/8" 0.D. surface easing will be run a compated extraction. Approximately 505 to commercial production is encountered, 5 1/2" easing will be run to premium tely 6575 to commented with stage collect at approximately 100 of 8 5/8" casing from 6475 -7100. ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blower program, if any. Original Signed By: H. D. HALEY THEE Biskriet Manager DATE 11-15-63	12 1/4"	8.5/8"	244		150	soths regular		
Expression to drill this well to an estimated depth of 7100° to test the Stillup stransion. Approximately 200° of \$ 5/8" 0.D. surface easing will be run a camental of surface. If commercial production is encountered, \$ 1/7" eaging will be run to present the form the proposed that the stage college at approximately 6575' & commercial production as a second with stage college at approximately local linear will be hung in \$ 1/8" casing from 6475'-7100'. ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive some and proposed new productive rener program, if any. Original Signed By: H. D. HALEY TITLE Playing Memory DATE TITLE Playin	7 7/10"	5 1/2"		6575	300_	enges rediffer	4 200 m.	
ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive in the proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Original Signed By: H. D. HALEY TITLE PLANTIFF NAME TOTAL TO	4 5/8"	4" Slotted	11.40	4475"-7100"	,	* · · · · · · · · · · · · · · · · · · ·	stratector	
ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive in the proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Original Signed By: H. D. HALEY TITLE Placeria valid or cassing with the proposed proposed new productive zone and proposed new productive program, if any. Original Signed By: H. D. HALEY TITLE Placeria valid or cassing with the proposed proposed new productive program, if any. Original Signed By: H. D. HALEY TITLE Placeria valid or cassing with the proposed proposed new productive program, if any. Original Signed By: H. D. HALEY TITLE Placeria valid or cassing with the proposed proposed new productive program, if any. Original Signed By: H. D. HALEY TITLE Placeria valid or cassing with the proposed proposed new productive program, if any. Original Signed By: H. D. HALEY TITLE Placeria valid or cassing with the proposed new productive proposed new productive program, if any. Original Signed By: H. D. HALEY TITLE Placeria valid or cassing with the proposed new productive proposed new productive program, if any.		Liner						
ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive new productive new productive new proposed is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowed exercise program, if any. Original Signed By: H. D. HALEY TITLE PLANTIST MEASURE DATE 11-13-13-13-14-13-15-15-15-15-15-15-15-15-15-15-15-15-15-	ornetion. A morrelece. morrelectory	pproximately 30 If commercial p (6575' & comme	0° of 8 5/8" reduction is ad with stage	0.D. surface easi encountered, 5 1/ collar at approx	ing will '2' eagl cimately	A LINE	ne to	
PERMIT NO APPROVAL DATE	e. If proposal is to eventer program, if a Common C	o drill or deepen direction any. Original Signed By: H. D. HALEY	ally, give pertinent of	data on subsurface locations a	present proc	d and true vertical dep	sed new productiviths. Give blowo	
	PERMIT NO							
				APPROVAL DATE				

CONDITIONS OF APPROVAL, IF ANY:

Instructions

General: This form is designed for submitting proposals to perform certain well operations, as indicated, on all types of lands and leases for appropriate action by either a Federal or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 1: If the proposal is to redrill to the same reservoir at a different subsurface location or to a new reservoir, use this form with appropriate notations. Consult applicable State or Federal regulations concerning subsequent work proposals or reports on the well.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 14: Needed only when location of well cannot readily be found by road from the land or lease description. A plat, or plats, separate or on this reverse side, showing the roads to, and the surveyed location of, the well, and any other required information, should be furnished when required by Federal or State agency offices.

Items 15 and 18: If well is to be, or has been directionally drilled, give distances for subsurface location of hole in any present or objective production zone.

Item 22: Consult applicable Federal or State regulations, or appropriate officials, concerning approval of the proposal before operations are started.

U.S. GOVERNMENT PRINTING OFFICE: 1963-O-685231

* =====	E.O.		_
TRIBUTIO	Y		
OIL			
GAS	ŀ	<u> </u>	
PRORATION OFFICE			
	OIL	gas .	OIL GAS

NEW MEXICO OIL CONSERVATION COMMISSION

FORM C-128 Revised 5/1/57

U.S.Q.S. LAND OFFICE		WELL	LOCATIO	N AND	ACREA	GE DEDI	CATION	PLAT]
TRANSPORTER GAS		SEE INST	RUCTIONS F	OR COMP	LETING TH	IS FORM ON	THE REVE	RSE SIDE		
PRORATION OFFICE										
OPERATOR		1				 				
				ECTION	<u> </u>			1 107	11 37	
Operator Con	timental Oi	i Compeny	1	Lease	Hear	111a 30		we we	·II No.	
Unit Letter	Section	Township		Range		County			<u> </u>	
C	29	Township	25M	range	AM		io Arrib	4		
Actual Footage L	ocation of Well:									
810	feet from the	Morth	line and	1825	fe	et from the	West	line		
Ground Level Ele	v. Producing	Formation	F	Pool				Dedicated	Acreage:	
70251		Gallup		Und	esignate	d Gallup			40 Acre	es
another. (65- 2. If the answer t	ght to drill into a -3-29 (e) NMSA i o question one is NO	ind to produce ; 1935 Comp.) s ''no,'' have the If answer is ''	from any pool of the interests of yes,'' Type of	and to app all the over Consolidated their re	ropriate the wners been o	production e	by community:	nself or for	himself and	
							7		T. 3	
		SECTI	ON B	 -				CERTIFI	CATION	
-4		PROPOSED LOCATION T 25 H LARIBA COU	段 4 幹	EX100			in SECTI plete to t belief. Name Position Plet Company Contin Date I hereby c shown on plotted fro surveys m supervision	on A above the best of the plat in the pla	the information re is true and comy knowledge a my knowledge a second the weil location SECTION B was test of actual or under my at the same is treest of my knowledge.	on as
0 330 660	990 1320 1650	1980 2310 29	40 2000	1500	1000	500 0	Registere	eyed Jer 3. d Professi and Surveyor	onal Engineer	

INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.