

(SUBMIT IN TRIPLICATE)

## UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Budget Bureau No. 42-R358.4. Approval expires 12-31-60.
Land Office SANTO Fe
Lease No. 5F. 680536
Unit

NOTICE OF INTENTION TO DRILL  NOTICE OF INTENTION TO CHANGE PLANS				UBSEQUENT REPORT OF WATER SHUT-OFF														
				SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.  SUBSEQUENT REPORT OF ALTERING CASING.  SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.  SUBSEQUENT REPORT OF ABANDONMENT.														
											(INDICATE	ABOVE BY CHECK M	ARK NAT	TURE OF REPORT, NOTICE, OR OTHER DATA)				
														<u> </u>				
										mem	illan - Hal	l		, Y				
										Zall No. 4	ie located	1 550 fr fr	om Ĵ	$ \begin{array}{c} N \\ S \end{array} $ line and 890 ft. from $ \begin{bmatrix} E \\ W \end{bmatrix} $ line of sec. 21				
										CII 140	15 located	A	OIII_	S) into and the second with the second secon				
.L. 2, 15 C.	21-25-3 Sec. No.)	25%	<b>3</b> .,	M. (Meridian)														
(½ Sec. and	Sec. No.)	RIC RRI		(Meridian)														
(Field	<u>a</u> ∃ ( )			bdivision) (State or Territory)														
itate names of and	expected depths to o			is 7350 is OF WORK  veights, and lengths of proposed casings; indicate mudding jobs, cemer r important proposed work)														
LL 12 2 hal	le with rotat	bjective sands; showing points, and	v sizes, v all other	OF WORK  weights, and lengths of proposed casings; indicate mudding jobs, cemer r important proposed work)  50 of 8 5/8 surface pasing— cement w/10														
LL 12,2 hal	le with rota r coment. dr	bjective sands; shoving points, and ry tools, s ill 7 7/8"	v sizes, wall other	of WORK  weights, and lengths of proposed casings; indicate mudding jobs, cemer important proposed work)  of 8 5/8 surface pasing— cament w/10 through pictured cliffs formation at														
L 12,2 holeks regular	le with rota r coment. dr Set 141bx 5	bjective sands; showing points, and ry tools, so ill 7 7/8"	v sizes, v all other et 15 hole	of WORK  veights, and lengths of proposed casings; indicate mudding jobs, cemer important proposed work)  50° of 8 5/8 surface pasing— cament w/10 through pictured cliffs formation at at with 200 sacks regular cament.														
LL 12.2 holeks regular lorx. 3500° lplete by pa	le with rota r coment. dr Set 141bx 5	bjective sands; showing points, and ry tools, so ill 7 7/8"	v sizes, v all other et 15 hole	of WORK  weights, and lengths of proposed casings; indicate mudding jobs, cemer important proposed work)  of 8 5/8 surface pasing— cament w/10 through pictured cliffs formation at														
LL 12.2 holeks regular lorx. 3500° lplete by pa	le with rota r coment. dr Set 141bx 5	bjective sands; showing points, and ry tools, so ill 7 7/8"	v sizes, v all other et 15 hole	of WORK  veights, and lengths of proposed casings; indicate mudding jobs, cemer important proposed work)  io' of 8 5/8 surface pasing— cament w/10 through pictured cliffs formation at at with 200 sacks regular cament.														
LL 12.2 holeks regular lorx. 3500° lplete by pa	le with rota r coment. dr Set 141bx 5	bjective sands; showing points, and ry tools, so ill 7 7/8"	v sizes, v all other et 15 hole	of WORK  veights, and lengths of proposed casings; indicate mudding jobs, cemer important proposed work)  io' of 8 5/8 surface pasing— cament w/10 through pictured cliffs formation at at with 200 sacks regular cament.														
LL 12.2 holeks regular lorx. 3500° lplete by pa	le with rota r coment. dr Set 141bx 5	bjective sands; showing points, and ry tools, so ill 7 7/8"	v sizes, v all other et 15 hole	of WORK  veights, and lengths of proposed casings; indicate mudding jobs, cemer important proposed work)  50° of 8 5/8 surface pasing— cament w/10 through pictured cliffs formation at at with 200 sacks regular cament.														
L 12.2 haleks regular orx. 3500° plete by pa	le with rota r coment. dr Set 141bx 5	bjective sands; showing points, and ry tools, so ill 7 7/8"	v sizes, v all other et 15 hole	of WORK  veights, and lengths of proposed casings; indicate mudding jobs, cemer important proposed work)  50° of 8 5/8 surface pasing— cament w/10 through pictured cliffs formation at at with 200 sacks regular cament.														
il 12:2 hal eks regular orx. 3500° plete by pa	le with rota r coment. dr Set 141bx 5	bjective sands; showing points, and ry tools, so ill 7 7/8"	v sizes, v all other et 15 hole	of WORK  veights, and lengths of proposed casings; indicate mudding jobs, cemer important proposed work)  50° of 8 5/8 surface pasing— cement w/10 through pictured cliffs formation at at with 200 sacks regular cement.														
L 12.2 hol cks regular orx. 3500° plete by pa	le with rota r coment. dr Set 141bx 5	bjective sands; showing points, and ry tools, so ill 7 7/8"	v sizes, v all other et 15 hole	of WORK  veights, and lengths of proposed casings; indicate mudding jobs, cemer important proposed work)  50° of 8 5/8 surface pasing— cement w/10 through pictured cliffs formation at at with 200 sacks regular cement.														
il 12,2 holes regular or 3500° plete by production.	ie with rota r coment. dr Set 141tm 5; erforating p	bjective sands; showing points, and ry tools, s ill 7 7/8" ill assing, bj. sone, wa	v sizes, v all other et 15 hole cemen	of WORK  weights, and lengths of proposed casings; indicate mudding jobs, cemer important proposed work)  io' of 8 5/8 surface pasing— cement w/10 through pictured cliffs formation at at with 200 sacks regular cement.  and sand frac. run 2 3/8 tubing for														
cks regular orx. 3500° plete by pa duction.	e with rotal rement. dr. Set 141tx 5; erforating po	bjective sands; showing points, and ry tools, s ill 7 7/8" ill assing, bj. sone, wa	v sizes, v all other et 15 hole cemen	of WORK  veights, and lengths of proposed casings; indicate mudding jobs, cemer important proposed work)  50° of 8 5/8 surface pasing— cament w/10 through pictured cliffs formation at at with 200 sacks regular cament.														
il 12,2 holes regular form. 3500° iplete by production.	e with rotal rement. dr. Set 141tx 5; erforating po	bjective sands; showing points, and ry tools, s ill 7 7/8" ill assing, bj. sone, wa	v sizes, v all other et 15 hole cemen	of WORK  weights, and lengths of proposed casings; indicate mudding jobs, cemer important proposed work)  io' of 8 5/8 surface pasing— cement w/10 through pictured cliffs formation at at with 200 sacks regular cement.  and sand frac. run 2 3/8 tubing for														
eks regular ora. 3500° plete by production.	te with rotal rement. dr. Set 141bx 5; erforating porforating porforating porforations porforati	bjective sands; showing points, and ry tools, s ill 7 7/8" ill assing, bj. sone, wa	v sizes, v all other et 15 hole cemen	of WORK  weights, and lengths of proposed casings; indicate mudding jobs, cemer important proposed work)  io' of 8 5/8 surface pasing— cement w/10 through pictured cliffs formation at at with 200 sacks regular cement.  and sand frac. run 2 3/8 tubing for														
eks regular orx. 3500° plete by production.	te with rotal rement. dr. Set 141bx 5; erforating porforating porforating porforations porforati	bjective sands; showing points, and ry tools, s ill 7 7/8" ill assing, bj. sone, wa	v sizes, v all other et 15 hole cemen	of WORK  weights, and lengths of proposed casings; indicate mudding jobs, cemer important proposed work)  io' of 8 5/8 surface pasing— cement w/10 through pictured cliffs formation at at with 200 sacks regular cement.  and sand frac. run 2 3/8 tubing for														
I understand the	te with rotal rement. dr. Set 141bx 5; br forsting portions of the Medical ALABARA	bjective sands; showing points, and ry tools, s ill 7 7/8" ill assing, bj. sone, wa	v sizes, v all other et 15 hole cemen	of WORK  weights, and lengths of proposed casings; indicate mudding jobs, cemer important proposed work)  io' of 8 5/8 surface pasing— cement w/10 through pictured cliffs formation at at with 200 sacks regular cement.  and sand frac. run 2 3/8 tubing for														
I understand the	te with rotal rement. dr. Set 141bx 5; br forsting portions of the Medical ALABARA	bjective sands; showing points, and ry tools, s ill 7 7/8" ill assing, bj. sone, wa	v sizes, v all other et 15 hole cemen	of WORK  weights, and lengths of proposed casings; indicate mudding jobs, cemer important proposed work)  io' of 8 5/8 surface passing—cement w/lo through pictured cliffs formation at at with 200 sacks regular cement.  and sand frac. run 2 3/8 tubing for														

## NEW MEXICO OIL CONSERVATION COMMISSION

~ \*\*

## Well Location and Acreage Dedication Plat

Section	n A.					Date	9/22/1957	
	or Hugh McMillar				Hall		<del></del>	
Well N	o. 4 Unit	Letter	Section	21	Township	p 25 Nor	th Range 3 We	st nmpm
			South Line,		Feet F	rom	East	Line
	Rio Arriba					reage	160	Acres
-	Producing Format				Pool Und			130
1.	Is the Operator th							14/-
	Yes XX No	_						~ <i>J</i> .
	If the answer to qu		e is "no. " have	the inte	rests of all t	the owner	rs been consoli	dated
	by communitization							ua • • • • • • • • • • • • • • • • • • •
	Type of Consolida				· * · · · · · · · · · · · · · · · · ·		,,	
3.	If the answer to qu		o is "no. " list	all the c	wners and the	ir respe	ctive interest	s below:
	<u>О</u> w		Land Description					
							EP 24 1957	· · · · · · · · · · · · · · · · · · ·
								Y
						<del>ા છે. ઉ. ધી</del>	NEW MEXT	<del>0</del> 2
						FARMIN	GTON, NEW MEXI	*
Sectio				<del></del>				
			OH COM. COM.		<b>⊕</b> — <i>₹90</i> ′	information above to the and be to the and be the series of the series o	Address is to a large to lace to a large to be large t	ion A complete wledge
				8	50'	Regis	st V. Echohawk stered Land Su	_
						Certi	ficate No. 154	5