(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office	Surta Te
Lease No	079177
••	1/2

SUNDRY NOTICES AND REPORTS ON WELLS

	SUBSEQUENT REPORT OF WATER SHUT-OFF]
OTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.	
OTICE OF INTENTION TO CHANGE PLANS.	SUBSEQUENT REPORT OF ALTERING CASING	
OTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.	
OTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF ABANDONMENT.	
OTICE OF INTENTION TO SHOOT OR ACIDIZE.	SUPPLEMENTARY WELL HISTORY	
OTICE OF INTENTION TO PULL OR ALTER CASING	- SOFFEENER THE STATE OF THE ST	
OTICE OF INTENTION TO ABANDON WELL		
ADOLE BY CHECK MAPK NA	TURE OF REPORT, NOTICE, OR OTHER DATA)	
(IRDICATE ADOVE D. CALLED		
	April 10,, 195	7.
	-	
lebults-Comyon Lorgo Unit 900	S line and 1,100 ft. from E line of sec. 23	
ll No. 3-23 is located 990 ft. from 7	S ine and a same it. If on a sec.	
m/h annten 92 # SK.H B fu	w n.m.p.m.	
(½ Sec. and Sec. No.) (Twp.) (Ra	ange) (Meridian)	
W. 1367 Pile Arriba	Country Newton	
(Field) (County or Su	ubdivision) (State or Territory)	
M,	/ RLs	
e elevation of the derrick floor above sea level	is 6,652 ft.	
	_	
DETAILS	S OF WORK	
condemnated depths to chiective sands: show sizes.	weights, and lengths of proposed casings; indicate mulding jobs, com	dut-
te names of and expected depths to dojustite and an arrange of the state of the sta	was immediately proposed work)	
ing points, and all othe	weights, and lengths of proposed casings; indicate musting lobe, comer important proposed work)	3. 3
and have an amoton 92 to delicated	to this well.	_
East half of Section 23 is dedicated	to this well.	
East half of Section 23 is dedicated	to this well.	
Propose to sped with "shot hole" I	to this well. rig; them drill with rotary tools to the	out
Propose to spud with "shot hole" s pottom of the Pictured Cliffs formati	to this well. rig; then drill with rotary tools to the ion, the top of which is expected at about the purforming and water fracturing, and/or	out
Propose to spud with "shot hole" s pottom of the Pictured Cliffs formati	to this well. rig; then drill with rotary tools to the ion, the top of which is expected at about the purforming and water fracturing, and/or	out
Propose to spud with "shot hole" a pottom of the Pictured Cliffs formati fest. Completion with cable tools, a shooting with mitro-glycerin as condi-	to this well. rig; then drill with rotary tools to the ion, the top of which is expected at about the performing and water fracturing, and/or itions wereaut.	out r
Propose to sped with "shot hole" a pottom of the Pictured Cliffs formati feet. Completion with cable tools, a shooting with mitro-glycerin as condi-	to this well. rig; then drill with rotary tools to the ion, the top of which is expected at she performing and water fracturing, and/or itions wereast. or 8 rd. thd. 24 ensing. Circulate on	out r
Propose to spud with "shot hole" a sottom of the Pictured Cliffs formations. Completion with cable tools, a shooting with mitro-glycerin as conditioning program: 90 feet of 8-5/8" marks condition of the program:	to this well. rig; then drill with rotary tools to the ion, the top of which is expected at she performing and water fracturing, and/or itions wereauxt. or 8 rd. thd. 24 easing. Circulate con- ent.	out :
Propose to sped with "shot hole" a pottom of the Pictured Cliffs formati test. Completion with cable tools, a shooting with mitro-glycerin as condi- casing program: 90 feet of 8-5/8" as purface, using at least 70 sacks came 5-1/2" O.D. 2-95 lbd or better or	to this well. rig; then drill with rotary tools to the ion, the top of which is expected at she performing and water fracturing, and/or itions wereant. or 8 rd. thd. 24 ensing. Circulate ca- ent. neing - to be set through Pictured Clift	out :
Propose to spud with "shot hole" a bottom of the Pictured Cliffs formatifest. Completion with eable tools, a shooting with mitro-glycerin as conditioning program: 90 feet of 8-5/8" me surface, using at least 70 sacks came 5-1/2" A.B. 2-95 lbd or better of	to this well. rig; then drill with rotary tools to the ion, the top of which is expected at she performing and water fracturing, and/or itions wereast. or 8 rd. thd. 24 ensing. Circulate on	out :
Propose to sped with "shot hole" a sottom of the Pictured Cliffs formation. Completion with cable tools, I shooting with mitro-glycerin as conditioning program: 90 feet of 8-5/8" as surface, using at least 70 seeks come 5-1/2" O.D. 3-55 lbf or better or formation - commuted with 100 seeks :	to this well. rig; then drill with rotary tools to the ion, the top of which is expected at she performing and water fracturing, and/or itions wereant. or 8 rd. thd. 24 ensing. Circulate ca- ent. neing - to be set through Pictured Clift	out :
Propose to sped with "shot hole" a sottom of the Pictured Cliffs formation. Completion with cable tools, I shooting with mitro-glycerin as conditioning program: 90 feet of 8-5/8" as surface, using at least 70 seeks come 5-1/2" O.D. 3-55 lbf or better or formation - commuted with 100 seeks :	to this well. rig; then drill with rotary tools to the ion, the top of which is expected at she performing and water fracturing, and/or itions wereaut. or 8 rd. thd. 24 ensing. Circulate on ent. naing - to be set through Pictured Clift regular coment. To be perforated for	out :
Propose to spud with "shot hole" a pottom of the Pictured Cliffs formations. Completion with cable tools, a shooting with mitro-glycerin as conditioning program: 90 feet of 8-5/8" me purface, using at least 70 sacks come 5-1/2" 0.D. 3-55 lef or better of formation - commuted with 100 sacks to who-fracturing, etc. as mecascary. 1" taking to be set within 20 feet	to this well. rig; then drill with rotary tools to the com, the top of which is expected at she performing and water fracturing, and/or itions warrant. ow 8 rd. thd. 24 casing. Circulate on ent. naing - to be set through Pictured Clift regular coment. To be perforated for t of total depth for production.	out : r ment
Propose to spud with "shot hole" a ottom of the Pictured Cliffs formations. Completion with cable tools, a shooting with mitro-glycerin as conditioning program: 90 feet of 8-5/8" me purface, using at least 70 sacks come 5-1/2" 0.D. 3-55 lbf or better of commution - commuted with 100 sacks a price-fracturing, etc. as mecascary. 1" taking to be set within 20 feet	to this well. rig; then drill with rotary tools to the com, the top of which is expected at she performing and water fracturing, and/or itions warrant. ow 8 rd. thd. 24 casing. Circulate on ent. naing - to be set through Pictured Clift regular coment. To be perforated for t of total depth for production.	out : r ment
Propose to spud with "shot hole" a settem of the Pictured Cliffs formation. Completion with cable tools, y shooting with mitro-glycerin as conditioning program: 90 feet of 8-5/8" merice, using at least 70 sacks came 5-1/2" 0.B. 3-55 lef or better of committee - committee with 100 sacks in who-fracturing, etc. as mecaseary. 1" taking to be set within 20 feet	to this well. rig; then drill with rotary tools to the ion, the top of which is expected at she performing and water fracturing, and/or itions wereaut. or 8 rd. thd. 24 ensing. Circulate on ent. naing - to be set through Pictured Clift regular coment. To be perforated for	out : r ment
Propose to spud with "shot hole" a settem of the Pictured Cliffs formation. Completion with cable tools, y shooting with mitro-glycerin as conditioning program: 90 feet of 8-5/8" merice, using at least 70 sacks came 5-1/2" 0.B. 3-55 lef or better of committee - committee with 100 sacks in who-fracturing, etc. as mecaseary. 1" taking to be set within 20 feet	to this well. rig; then drill with rotary tools to the com, the top of which is expected at she performing and water fracturing, and/or itions warrant. ow 8 rd. thd. 24 casing. Circulate on ent. naing - to be set through Pictured Clift regular coment. To be perforated for t of total depth for production.	out : r ment
Propose to sped with "shot hole" a sottom of the Pictured Cliffs formation. Completion with cable tools, I shooting with mitro-glycerin as conditioning program: 90 feet of 8-5/8" mesurface, using at least 70 sacks came 5-1/2" 0.B. 3-55 lbf or better of formation - communical with 100 sacks: hydro-fracturing, etc. as mecascary. 1" taking to be set within 20 feet	to this well. rig; then drill with rotary tools to the com, the top of which is expected at she performing and water fracturing, and/or itions warrant. ow 8 rd. thd. 24 casing. Circulate on ent. naing - to be set through Pictured Clift regular coment. To be perforated for t of total depth for production.	out : r ment
Propose to spud with "shot hole" a sottom of the Pictured Cliffs formatifest. Completion with cable tools, y shooting with mitro-glycerin as conditioning program: 90 feet of 8-5/8" mereface, using at least 70 sacks came 5-1/2" O.B. 3-55 lbf or better of formation - commented with 100 sacks a hydro-fracturing, etc. as mecasary. 1" taking to be set within 20 feet of the sacks of the sack within 20 feet of the sacks of the sack within 20 feet of the s	to this well. rig; then drill with rotary tools to the com, the top of which is expected at she performing and water fracturing, and/or itions warrant. ow 8 rd. thd. 24 casing. Circulate on ent. naing - to be set through Pictured Clift regular coment. To be perforated for t of total depth for production.	out : r ment
Propose to spud with "shot hole" a pottom of the Pictured Cliffs formatifest. Completion with cable tools, a shooting with mitro-glycerin as conditioning program: 90 feet of 8-5/8" mesurface, using at least 70 seeks completion - communication with 100 seeks a hydro-fracturing, etc. as mecascary. 1" taking to be set within 20 feet	to this well. rig; then drill with rotary tools to the com, the top of which is expected at she performing and water fracturing, and/or itions warrant. ow 8 rd. thd. 24 casing. Circulate on ent. naing - to be set through Pictured Clift regular coment. To be perforated for t of total depth for production.	out : r ment
Propose to spud with "shot hole" a sottom of the Pictured Cliffs formation. Completion with cable tools, y shooting with mitro-glycerin as conditioning program: 90 feet of 8-5/8" merface, using at least 70 sacks came 5-1/2" O.B. 3-55 lef or better of formation - commented with 100 sacks in the program of the complete of the complete of the complete of the company. I understand that this plan of work must receive approval in whom pany Frank A. Schultz.	to this well. rig; then drill with rotary tools to the com, the top of which is expected at she performing and water fracturing, and/or itions warrant. ow 8 rd. thd. 24 casing. Circulate on ent. naing - to be set through Pictured Clift regular coment. To be perforated for t of total depth for production.	out : r ment
Propose to spud with "shot hole" a ottom of the Pictured Cliffs formation. Completion with cable tools, a hooting with mitro-glycerin as conditioning program: 90 feet of 8-5/8" marface, using at least 70 sacks come 5-1/2" O.B. 3-55 lef or better or consistion - commented with 100 sacks a sydro-fracturing, etc. as measuremy. 1" taking to be set within 20 feet and understand that this plan of work must receive approval in warmany. Frank A. Schultz.	to this well. rig; then drill with rotary tools to the com, the top of which is expected at she performing and water fracturing, and/or itions warrant. ow 8 rd. thd. 24 casing. Circulate on ent. naing - to be set through Pictured Clift regular coment. To be perforated for t of total depth for production.	out : r ment

U. S. GOVERNMENT PRINTING OFFICE 16-8437-6

(x,y) = (x,y) + (x,y

 $\bullet = \{ (1, 1) \mid (1,$ the state of the s

NEW MEXICO OIL CONSERVATION COMMISSION

OIL CONSERVATION COMMISSION Form C-128 Well Location and/or Gas Proration Plat Date April 10 , 1957 FRANK A. XCHULTZ Santa Fe 079177 Canyon Largo Unit Range 6 WEST, NMPM Well No. 3-23 Section 23 Township 25 NORTH Feet From the EAST Line, Feet From the SOUTH Line, 1100 900 Located County, New Mexico. G. L. Elevation 6644.0 UNGRADED. RIO ARRIBA Name of Producing Formation Pictured Cliffs Pool Canyon Largo Dedicated Acreage (Note: All distances must be from outer boundaries of Section) Santa Fe Santa Fe 079177 079177 REALE State #E-291-36 Elkins, Wilcox Merrion Trusts (El Paso (Fee Land) Natural Gas Co.) OIL CONL COM DIST. 3 State #E-291-36 Elkins, Wilcox (El Paso Merrion Trust Natural Gas (Fee Land) NOTE Co.) This section of form is to be used for gas Santa Fe wells only. 079177 Q-1100' Santa Fe 079177 SCALE: 1" = 1000' This is to certify that the above plat was 1. Is this Well a Dual Comp. ? Yes prepared from field notes of actual surveys made by me or under my supervision and 2. If the answer to Question 1 is yes, are there that the same are true and correct to the any other dually completed wells within the best of my knowledge and belief. dedicated acreage? Yes Name Position Grant Sees on Neal, Agent in Farmington 12 FEBRUARY 1957 Date Surveyed 🦪

Representing Frank A. Schultts

Address P. D.Box 728

Registered Professional Engineer and/or James P. Leese
Land Surveyor
N. Mex. Reg. No. 1463