


UNITED STATES



UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Sundry Notices and Reports on Wells

1. Type of Well GAS 2. Operator El Paso Natural Gas Company 3. Address & Phone No. of Operator PO Box 4289, Farmington, NM 87499 4. Location of Well 990'S, 990'E	5. Lease Number SF-079177 6. If Indian, All.or Tribe Name 7. Unit Agreement Name Canyon Largo Unit 8. Farm or Lease Name Canyon Largo Unit 9. Well No. 41 10. Field, Pool, Wildcat S. Blanco Pic. Cliffs 11. Sec. T. R. M. or Blk Sec. 24, T-25-N, R-6 -W NMPM <table border="0" style="width: 100%;"><tr><td style="width: 50%;">14. Permit No.</td><td style="width: 50%;">15. Elevations 6479' GR</td></tr><tr><td style="width: 50%;">12. County Rio Arriba</td><td style="width: 50%;">13. State NM</td></tr></table> 16. Intent to/Subsequent Report of : 17. Describe proposed or completed operations:	14. Permit No.	15. Elevations 6479' GR	12. County Rio Arriba	13. State NM
14. Permit No.	15. Elevations 6479' GR				
12. County Rio Arriba	13. State NM				

It is intended to plug back the Pictured Cliffs and recomplete in the Fruitland Coal formation in the following manner:

Set packer at 2400'. Pressure test casing to 3000 psi. Run CBL, set CIBP at 2469'. Spot 200 gal. 7 1/2% HCl at 2460'. Perforate at 2328-34', 2380-84', 2490-96', 2410-22', 2435-44', 2453-64'. Break down perfs with 4 gal. acid per/perf. Evaluate well. Fracture stimulate well with 110,500# sand and 59,600 gal. fluid. Flow well back. Land 2 3/8" tbq at 2448'.

18. Authorized by: [Signature]
Regulatory Affairs

RECEIVED

OCT 11 1989

OIL CON. DIV.

DIST. 39-12-89

Date

NOTE: This format is issued in lieu of US BLM Form 3160-5

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____
CONDITION OF APPROVAL, IF ANY:

**APPROVED
AS AMENDED**


OCT 05 1989
DATE
[Signature]
AREA MANAGER

SET 4 Cement Retainer @ 2400' and
squeeze the perforations in the pictured cliffs.

Canyon Largo Unit #41

WELLBORE DIAGRAM

CURRENT



PROPOSED

8 5/8" 24.0# J-55
SET AT 100'
CMT TO SURFACE

