

(SUBMIT IN TRIPLICATE)


Indian Agency Alamogordo

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Contract #124

Allottee _____

Co. 19600



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY <u>Perf. & free</u>	<u>2</u>
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

JICARILLA APACHE TRIBE "W"

Farmington, New Mexico December 4, 1957

Well No. 4 is located 1613 ft. from SW line and 1110 ft. from E line of sec. 24

SE 1/4 Section 24
(1/4 Sec. and Sec. No.)

T-25-N R-4-W
(Twp.)

(Range)

(Meridian)

So. Blanco Platted 01422
(Field)

Elizabethton
(County or Subdivision)

New Mexico
(State or Territory)

The elevation of the derrick floor above sea level is 7851 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

12/2/57: Moved in and rigged up completion unit.

12/3/57: Perforated 4-1/2" casing 3630' - 3640' w/4 bullet shots per foot. Water flowed w/41,470 gals. (including fill up and breakdown) and 50,000' 20-40 sand. Break down at 2500'. Treated at 2100' to 1750' at 40 lbs./min. 5 min. SIP 400'. Used 21 rubber balls. 2nd compl. 2:18 PM, 12-3-57.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Humble Oil & Refining Company

Address Box 1268

Farmington, New Mexico

By J. C. Shuckey

Title Agent