

Form 9-731a
(Feb. 1951)


(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office SANTA FE.

Lease No. 230536

Unit _____



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

6/16/58, 1958

Well No. 5 is located 1850 ft. from N line and 790 ft. from W line of sec. 21

SW-1/4 Sec 21
(1/4 Sec. and Sec. No.)

25N
(Twp.)

3E
(Range)

N19W
(Meridian)

(Field)

RIC ARIZONA
(County or Subdivision)

NEW MEXICO
(State or Territory)

The elevation of the derrick floor above sea level is 7364 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Drill 125' of 12 1/2" hole w/ rotary tools- set 125'x24 lbx 8 5/8" Casing. cement w/150 sks regular cement. Drill with rotary tools through pictured cliffs formation at 3800'. Set 5 1/2" x 14 lb. Casing Cement w/ 200 Sks Regular cement. Sand & water Frac. Run 2 3/8" Tubing.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company HUGH M. WILLAM

Address 4201 ALABAMA ST.

EL PASO TEXAS

By H. E. Jackson

Title AGENT