

B. & R. SERVICE, INC.

TEMPERATURE SURVEY

COMPANY EL PASO NATURAL GAS COMPANY

WELL JICARILLA #C-10

FIELD

COUNTY KTU ARKIBA

STATE NEW MEXICO

SEC.

TWP.

RGE.

APPROX. TOP CEMENT 2730'

Survey Begins at 2000'

Ft. Ends at 3456'

Approx. Fill-Up

Max. Temp. 100° F

Log Measured From G.L.

Run No. 1

Casing Size
2 3/4" from

Casing Depth
to 3459'
to

Diam of Hole
7 7/8" from

Depth
to

Date of Cementing

6-7-61

Time 9:00 AM

Date of Survey

6-8-61

Time 6:30 AM

Amount of Cement

100 BAGS

Type 5% POZ MIX

Amount of Admix

2% GEL

Type

Recorded by GATT

Witnessed by DRILLER

REMARKS OR OTHER DATA JUN 20 1961

OIL CO. OM.
DIST. 3

NO PRESSURE ON WELL

TEMPERATURE IN DEGREES FAHRENHEIT

D	C	B	A
E	F	G	H
X			

PRODUCING INTERVAL -

Perforations 3392-3402; 3406-3416

Open Hole None

Depth Casing Shoe 3475

Depth Tubing

OIL WELL TEST -

B. & R. SERVICE, INC.

TEMPERATURE SURVEY

COMPANY EL PASO NATURAL GAS COMPANY
WELL JICARILLA #C-10 FIELD
COUNTY JOHNS BOWEN STATE NEW MEXICO
SEC. TWP. RGE.

APPROX. TOP CEMENT 2730'

Survey Begins at 2000' Ft. Ends at 3456' Ft.
Approx. Fill-Up Max. Temp. 100° F
Log Measured From G.L. Run No. 1

Casing Size	Casing Depth	Diam of Hole	Depth
2 1/2" from	to 3459'	7 1/8" from	to
from	to	from	to
Date of Cementing	6-7-61	Time	9:00 AM
Date of Survey	6-8-61	Time	6:30 AM
Amount of Cement	100 BAGS	Type	5% POZ MIX
Amount of Admix	2% GEL.	Type	
Recorded by	CATT	Witnessed by	DRILLER

REMARKS OR OTHER DATA JUN 20 1961

NO PRESSURE ON WELL

OIL CO. OM.
DIST. 3

TEMPERATURE IN DEGREES FAHRENHEIT

B. & R. SERVICE, INC.

TEMPERATURE SURVEY

COMPANY EL PASO NATURAL GAS COMPANY

WELL JICARILLA #C-10

FIELD

COUNTY RIO ARKIBA

STATE NEW MEXICO

SEC. TWP.

RGE.

APPROX. TOP CEMENT 2730'

Survey Begins at 2000' Ft. Ends at 3456' Ft.

Approx. Fill-Up Max. Temp. 106° F

Log Measured From G.L. Run No. 1

Casing Size	Casing Depth	Diam of Hole	Depth
2 3/8" from	to 3459'	7 7/8" from	to
from	to	from	to

Date of Cementing 6-7-61 Time 9:00 AM

Date of Survey 6-8-61 Time 6:30 AM

Amount of Cement 100 SACKS Type 5% POZ MIX

Amount of Admix 2% GEL. Type

Recorded by CATT Witnessed by DRILLER

REMARKS OR OTHER DATA JUN 20 1961

NO. PRESSURE ON WELL

OIL CO. OM.
DIST. 3

TEMPERATURE IN DEGREES FAHRENHEIT

