Form 9-331a (Feb. 1951)

X			
	!		
L	1	!	

## (SUBMIT IN TRIPLICATE)

## UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Offic	Seats Pe	_
	07 <b>806e</b>	
		_
linie <sup>(</sup>	Canyon Largo	

## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
IOTICE OF INTENTION TO CHANGE PLA	NS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	1
OTICE OF INTENTION TO TEST WATER	R SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
OTICE OF INTENTION TO RE-DRILL O	R REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	1 1
OTICE OF INTENTION TO SHOOT OR			
OTICE OF INTENTION TO PULL OR AL			
OTICE OF INTENTION TO ABANDON W			
(INDICATI	E ABOVE BY CHECK MARI	K NATURE OF REPORT, NOTICE, OR OTHER DATA)	
LAGRE - GOVERNMENT /A	- <b>-8</b> 0	April 3	, 19 <b>5</b>
		- ·	
IINI S en la la cata	d she ft from	N line and	of sec. 20
ell 140 15 10cate	d	[W]	
M/A. Section 30		(Range) (Meridian)	
( Sec. and Sec. No.)	(IWP.)		•
Vildent	(County	or Subdivision) (State or Territor	y)
(Field)	(00	#	
ate names of and expected depths to	t to attend and a show of	ILS OF WORK  izes, weights, and lengths of proposed casings; indicate mother important proposed work)	udding jobs, cemen
-94-56 Perforeted Mi -94-56 Sendfreed po Max press 175 injection red	objective sands; show sing points, and all ing points, and all ing points are with a second points with a second points with a present and a second points.	izes, weights, and lengths of proposed casings; indicate mother important proposed work)  1.65', 2681'-87' & 2690'-96' v/6  sand v/84,500 sallone veter, fill 1100f. Final press 1300f, 217	i bullata po mahad w/165
-84-56 Perforated 26 -24-56 Sandfraced po Max proce 175 injection rei -84-56 to 3-26-56 Sa	objective sands; show sing points, and all 125'-30', 2655' write w/30,000' with pressure and the same and the	sees, weights, and lengths of proposed casings; indicate mother important proposed work)  1.65', 2681'-87' a 2690'-96' v/6  seest v/24,500 sellows veter, 1100f. Final press 1300f. 217' a 27 contains out after free job  APR OIL CO	bullete personal ve/165 toof, American 27 1955
-84-56 Perforated Si -84-56 Sendfraced po Max proce 175 injection rei -84-56 to 3-26-56 St	objective sands; show sing points, and all 125'-30', 2655' write w/30,000' with pressure and the same and the	izes, weights, and lengths of proposed casings; indicate mother important proposed work)  1.65', 2681'-87' & 2690'-96' v/6  sand v/84,500 sallone veter, fill 1100f. Final press 1300f, 217	bullete po matest w/165 loof, America 271955
-24-56 Perference 26 -24-56 Sendfreed policy proce 17; injection rai -24-56 to 3-26-56 Se	objective sands; show sing points, and all 185 - 30 , 2655	izes, weights, and lengths of proposed casings; indicate mother important proposed work)  1.65, 2681 - 87 a 2690 - 96 v/d  2.65, 268	bullete po matest w/165 loof, America 271955
Perference 26  24-56 Semifraced policy proce 17; injustice ref.  1 understand that this plan of work ompany	objective sands; show sing points, and all left of the w/90,000 for the w/	izes, weights, and lengths of proposed casings; indicate mother important proposed work)  1.65, 2681 - 87 a 2690 - 96 v/d  2.65, 268	mated w/165 loof, According 271955
Perference 26 -24-56 Sendfraced policy proce 17; injustice ref24-56 to 3-26-56 Sendfraced policy proces 17; injustice ref.	objective sands; show sing points, and all left of the w/90,000 for the w/	izes, weights, and lengths of proposed casings; indicate mother important proposed work)  1.65', 2681'-87' a 2690'-96' v/6  2007. Final press 1500', 217'  APR OIL Co	271956
-24-56 Perforated 26 -24-56 Sendfraced policy proce 17; injustion red -24-56 to 3-26-56 Se	objective sands; show sing points, and all left of the w/90,000 for the w/	izes, weights, and lengths of proposed casings; indicate mother important proposed work)  1.65, 2681 - 87 a 2690 - 96 v/d  2.65, 268	271956