Box E Bloomfield, New Mexico October 16, 1957

Mr. A. L. Porter, Secretary and Director Oil Conservation Commission Box 871 Santa Fe, New Mexico

Dear Sir:

This is to request administrative approval for a well dually completed in the Graneres Formation and Chacra Formation. The Amerada Petroleum Corporation's Jicarilla Apache "F" #6 is located 990' FNL and 1140' FWL, Section 22, T-25-N, R-5-W, Rio Arriba County, New Mexico.

This well has been completed in the Graneros Formation and the Chacra Formation. Completion has been accomplished in the following manner.

Spudded 15" hole @ 8 PM 8-16-57, and drilled to 242!. Ran 7 jts. 10-3/4" Csg. and set at 231' and cemented w/ 175 sacks cement mixed 2% jel. Pumped plug to 220' with Max. Pressure of 500# - Cement Circulated. W.O.G. - Tested Csg. with 600# press. - held OK. Started drilling 9-7/8" hole @ 4 PM 8-18-57, and drilled to 3960', ren Schlumberger Surveys, and ran 97 jts. 7-5/8" OD Csg. and set @ 3960' & cemented w/ 400 sacks cement mixed 2% jel. Pumped plug down with 1500#. WOC - Ran temperature survey and found top of cement outside of 7-5/8" Csg. at 1935' or 99% fill. Started drilling 6-3/4" hole, with gas, at 3:30 PM 8-30-57, and drilled to 7195'. Ran 133 jts. 44" OD Liner to 7164', and top of liner hanging in 7-5/8" Csg. @ 3919'. Cemented 4½" OD Liner with 200 sacks cement mixed 2% jel. Squeezed top of liner with 100 sacks cement. WOC - Tested 4-1/2" Liner with 2000# pressure & did not held. Set a Baker Cast Iron Bridge Plug @ 7156' and tested with 3000# press. - Held OK. Perforated 4½! OD Liner (Graneros Zone) from 7108' - 7144', and perforated 7-5/8" OD Casing (Chacra Zone) from 3780' to 3808'. Set Baker Model D Production Packer at 3845' in 7-5/8" Casing below Chacra Perforations. Ran 3-1/2" Reg. Tbg. and set @ 3845' in top of Baker Packer. Swabbed Graneros Zone in. Well flewed 288 bbl. distillate in 24 hours, Gas Volume 4,257,000 CFPD thru 24/64" choke, TP 1750#. (24 hr. test based on 4 hour test). Sand eil fraced 7-5/8" Csg. (Chacra Zone) from 3780' to 3808' with 30,000 gallons diesel oil and 30,000# sand. Max. Press. 2350#, Min. 2250#, Avg. Inj. rate 39.9 BPM. Started well flewing by injecting gas from Graneros Zone. Well tested 768,000 CFPD thru 3/4" choke, CP 630#.

Approval is asked for this dual completion to allow production from both known producing formations without the high initial cost of drilling two wells.

The offset operators of this dual well have been notified and also enclosed are: Skematic Diagram of the mechanical installations: Platt showing the location of this well and the offset operators; Affidavit from the packer setting company stating that the packer was set at the depth shown; Packer Leakage tests as observed by a member of the Oil Conservation Commission.

Any further information required will be furnished upon your request.

Yours very truly,

1.4. Jure

D. F. Furse

DFF/ore

cc: Mr. Emery Arnold - OCC - Aztec
Mr. Phil T. McGrath - USGS - Farmington
Tulsa
Midland
Monument
File





.

NEW MEXICO OIL CONSERVATION COMMISSION 8-15-56

PACKER LEAKAGE TEST (SAN JUAN BASIN)

Operator Amerada Pet	troleum Cerperat Espl	(Upper Co	mpletion)	Otero Chacra
Location: Unit > b'	Pool (,S. 22 ,T. 25N R.	COMET CO	mprecion/	Otero Graneros County, N. Mex.
nocacion. onic_n				County, N. Mex.
	Pre-Test	Shut-In		
		Uppe	r Completio	n Lower Completion
Shut-in (date)			101069	10-12-57
Pressure Measured	(Dwt.) (date)		10-10-37	101001
	FIOW TE	est No. 1		
Test commenced at Completion produci	(hour, date) <u>11:45 AM</u> ng	10-31-57 Comp	C letion shut	hoke size 3/4"
				n Lower Completion
Drossumo at hogina	ing of tost		- A - III	ai
Maximum pressure d	ing of test uring test		91.7 P	si <u>20%</u> psi si 2100 psi
Minimum pressure d	uring test	· ·	P P	
Pressure at end of	test		173 ps	si 2109 psi
maximum pressure c	nange during test.		774 p	si 13 psi
Oil flow rate duri	ng test: BOF	D based	onB	0 in hours
Gas Flow rate duri	_	,	uann u	1 2/275
				volumeMCFD.
	Mid-Test	Shut-In		
				n Lower Completion
Shut-in (date)	• • • • • • • • •	•		
Pressure measured	(Dwt) (date)			
	Flow Te			
West commoned at				a.
Completion produci	(nour, date)		ompletion s	Choke sizehut-in
oomprovide product	·		ompletion s	
		Uppe	r Completio	n Lower Completion
Dresure at heginn	ing of test		~ .	sipsi
Maximum pressure d	uring test	• •	p: n	si psi
	uring test			si psi
Pressure at end of	test			si psi
	hange during test .		p	si psi
Oil flow rate duri	ng test: BOF	D based	onB	0 in hours
Gas flow rate duri			~=-	-
	Choke Volume	M	CFD; Meter	volume MCFD.
Test performed by_	Custin A. Colem	Title	Farm Bos	
Witnessed by				
REMARKS:	Mr. A. R. Kendrick		From State La	l Conservation Complission
CANAMAR.	HA A H H ACHGILUR		THE THEFT - 01	T compet action committee for
No. 1 hours 2 hours from the second s		· · · · · · · · · · · · · · · · · · ·		
NOTE: Recording gar	uga proceuro chenta	+ + -	ata abaat	
deniction of all n	uge pressure charts hases of the test s	hall be	ata sneet, a	and a graphic
AFFIDAVIT:	nases of the test s	mair de .	Submitted w	ith this report.
· · · · · · · · · · · · · · · · · · ·	FY that all conditi	ons pres	cribed by t	he Oil Conservation
Commission of the	State of New Mexico	for thi	s packer le	akage test were
complied with and	carried out in full	, and the	at all date	s and facts set
forth in this form	and all attached m	aterial a	are true and	d correct.
1012	? m			
(Representative of	f Company	Amerada J	Pe troleum Cor Company Mak	ing Test)
making test		(Company mak	ing rest/


INSTRUCTIONS

(NORTHWEST NEW MEXICO ONLY)

- 1. At least seventy-two hours prior to the commencement of this test, the operator shall have notified the Aztec Office of the Oil Conservation Commission in writing of the exact time said test is to be commenced.
- 2. The packer leakage test shall commence with both sides of the completion shut-in. Both sides of the completion must be shut-in at least seven days. This shut-in must show on the charts of the pressure recorder and also must appear on the data sheets.
- 3. For Flow Test No. 1, one side of the dual completion shall be produced with the other side shut-in. Such test shall be continued for seven days, and shall be at a rate of flow approximating the normal rate of flow for the zone being produced. Note: Where gas is flowed to the atmosphere in taking the initial packer test, the well shall be flowed for three hours.
- 4. Following the completion of flow test No. 1, the well will again be shut-in for seven days.
- 5. Flow Test No. 2 shall be performed with the previously shut-in side of the dual completion flowing and with the flowing side of the completion used in Flow Test No. 1 remaining shut-in. This test shall be conducted exactly as outlined under Flow Test No. 1, and must be performed even though no leak was indicated by Flow Test No. 1.
- 6. All pressures, throughout the entire test, must be continuously measured and recorded with recording pressure gauges.
- 7. The accuracy of the recording gauges shall be checked at regular intervals throughout the test with a dead weight test gauge (Dwt), and such readings shall be recorded on the test data sheet provided.
- 8. This form must be completed and filed in duplicate with the Aztec Office of the Oil Conservation Commission within 15 days following the completion of the testing, and must be accompanied by:
 - a. all of the charts, or copies thereof, used on the pressure recorders during the test.
 - b. The test data-sheet (s), or copies thereof, required under paragraph 7 above.
 - c. a graph depicting the pressures and their changes, for both sides of the completion over the entire test.
- 9. This packer leakage test shall be performed upon the dual completion of any new wells so approved by the Commission. This test shall also be required each year during the annual deliverability test on gas wells. This test shall be required until such time as the Commission has sufficient information on testing dual completions in San Juan Basin on which to base a simplified packer leakage test. The Commission may also request packer leakage tests at any time they feel that a new test is desirable.

STATE OF NEW MEXICO
COUNTY OF SAM JUAN

I, Mack Mahaffey	, being first duly sworn upon
my oath depose and say as follows:	
I am an employee of Paker Oil Too	ls, Inc., and that on October 6,
1957, I was called to the location of	the Amerada Petroleum Corporation (Mame of Company)
Jicarilla Apache "F" #6 (Well Mumber)	Well located in the NW/4 NW/4
of Section 22, Founship 25N	, Range 5-W , N.M.P.M., for
edvisory service in connection with in	stallation of a production packer. In
my presence, a Baker Model D	Production Facker was set in this well
at 3845! feet in accordance	with the usual practices and customs of
the industry.	
	mark mahaffy
	Branch Manager
•	
Subscribed and sworn to before me	, a Motary Public in and for San Juan
County, New Mexico, the 15th da	by of October , 19 57 .
AY COMMISSION	EXPIRES MAY 25,1960 Sharing Camping
Notary Pub.	Lie in and for San Juan County, New Mexico



AMERADA PERTOLEUM CORPORATION
RIO ARRIBA Co., NEW MEXICO
JICARILLA APACHE "F" No. 6
Sec. 18, T-25-N, R-5-W

NEW MEXICO OIL CONSERVATION COMMISSION

Well Location and Acreage Dedication Plat

Section A.				Date Jam	ary 3, 1958	
Operator Amerad	a Petroleum Corporation	_Lease Ji	earilla Apa	che "F"		
Well No. 6	Unit Letter D Section Feet From NorthLi	22	_Township_	25-N	Range	NMPM
County Rio Arr	G. L. Elevation	6764	Dedicate	d Acreage	West 328	Line Acres
Name of Produci	ing Formation Charte & Gran	eros	Pool Ote	re Chaere	-Otern Granaros	(Ilmdeet
1. Is the Oper	rator the only owner st in the	e dedicated	acreage ou	tlined on	the plat below	? ated
2. If the answ	No ver to question one is "no,"	have the i	ntorocts o	f all +ba	aumana haan	
consolidate	ed by communitization agreem	ment or othe	rwise? Ye	s No	• If answe	r is
"yes," Type	e of Consolidation					
3. If the answ below:	ver to question two is "no,'	' list all t	the owners	and their	respective int	erests
	_					
	Owner		Land Desc:	ription		
					······································	
Section.B	R-5-W	-				
1	Amerada					
990′		ļ		This is	to certify tha	t the
6				informa [.]	tion in Section	Α
. ¥	¦	!			s true and comp.	
< 1/40' >A	16	l		and bel	pest of my know! lef.	reage
	_					
					Petroleum Corpo	ration
	·			De la	operator)	/
	1	1		Jul.	Capp	
		i		(Rep	oresentative)	
		1	į	Day Hill.	BloomMeld New	. Mand an
	J. Apache "F"	, 			ddress	CHEXT CO
	2 2					
	Skelly	!		This is	to certify that	tho
		l			ation shown on	
•] •			Section B was p	
] 	※ /-с │		eld notes of act made by me or u	
_ :					vision and that	
***************************************	10-C			same is	true and correc	t to
		j	1		. of my knowledg	e and
		İ		belief. Date Sur	veved	
	i	i		,	- 1 - 7	
	1			Dacie - 4 -	ad Dacfee 1 1	
	Jicarilla	1			ed Professional and/or Land Su	
330 660 990 13				-1.9211061	unity of Dana Ou	_ , . ,
390 13	200	1500 1000	500 ò	Certific	ate No.	
	(See instructions for c	ompleting th	nis form on	the rose	non nidal	

INSTRUCTIONS FOR COMPLETION:

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plate the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3, Section A, please use space below

^{* &}quot;Owner" means the person who has the right to drill into and to produce from any pool and to appropriate the production either for himself or for himself and another. (65-3-29 (e) NMSA 1953 Comp.)

	11 0 11	_	
Humble	Pan American	Pan American	
7 ❖	7 ☆	9.₩	
8	9	10	
		* *	
6 次 ·	8 🌣		
Jicarilla "J"	Jicarilla	Jicarilla	
Amerada	Amerada	Pan American	1
2 🛱			Т
`		6☆	
17	16	15	25
։ ս ∰	5 🕾		
		9 券 7 券	N
Jicarilla "F"	J.Apache "F"	Jicarilla	╛
Caswell Silver	Amerada	Amerada 39 1100 - Ange	
20	√ Apache "F"	J.Apache F	
20	Skelly	22 Skelly	
		1-C茶	
67-1 * ;	C-3 ☆ C-7 ☆	10 0 74	
Jicarilla	Jicarilla	Jicarilla	

OPERATOR OF LEASE Amerada Petroleum Compo	oration Nave of Lease Jicarilla Apache "F"	
TOTAL ACRES IN 1 SASE 2.559.40	ACRES COVERED BY THIS PLAT 1,920	
111 Que 16 17 8	18, N/2 Sec. 21 & N/2 Sec. 22 T25N R5W	
COUNTY Rio Arriba		
Scale of Plat 1" = 2000	Dual Gas Well - Pictured C Dual Gas Well - Graneros &	
STATE OF		
COUNTY OF		
7.00 12 1 2/11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ED HEREON IS TO THE BEST OF MY KNOWLEDGE TRUE AND C LS THEREON. AND THAT THE NUMBER AND LOCATION OF W	
-		
SUBSCRIBED AND SWORN TO BEFORE ME THIS.	DAY OF195	
	NOTARY PUBLIC IN AND FOR	
AMERADA P-288	County	