


Form 9-331b  
(April 1952)

J. W. LONG

(SUBMIT IN TRIPLICATE)

Indian Agency Hicarilla Tribal

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Allottee \_\_\_\_\_

Lease No. Cont. #63, Tract #122

## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	<input type="checkbox"/>
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	<input type="checkbox"/>
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	<input type="checkbox"/>
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	<input type="checkbox"/>
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	<input type="checkbox"/>
NOTICE OF INTENTION TO ABANDON WELL		<input type="checkbox"/>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

May 11, 1956

Hicarilla  
Well No. B-C is located 990 ft. from N line and 835 ft. from W line of sec. 15  
section 15 (1/4 Sec. and Sec. No.) 25N 40 100W  
(Twp.) (Range) (Meridian)  
Hildesheim Hicarilla New Mexico  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 7050 ft.

### DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

On 4-15-56 Total Depth 3537'.

Run 29 joints 5 1/8", 15.50#, J-95 casing (3537') set at 3537' with 75 sacks regular cement and 75 sacks Premix.

Hold 1000# 30 minutes.

Top of cement by temperature survey at 2670'.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations are commenced.

El Paso Natural Gas Company

Company \_\_\_\_\_

Box 997

Address \_\_\_\_\_

Farmington, New Mexico

By \_\_\_\_\_

Title \_\_\_\_\_

