

(SUBMIT IN TRIPLICATE)

Indian Agency Dulce, New Mexico

UNITED STATES

Jicarilla Apache Tribe

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee J. Apache "P"

Lease No. Cont. #149-Tract #246

T25N
R5W

Sec-16		

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	<u>Subsequent Report of Sand-Water Treating Graneros Zone</u>	<u>X</u>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 8, 1962

Well No. 9 is located 1120' ft. from S line and 1120' ft. from E line of sec. 16

NW-SE-SE-Sec-16, 25N 5W MPM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Basin Dakota Rio Arriba New Mexico
(Field) (County or Subdivision) (State or Territory)


The elevation of the derrick floor above sea level is 6757' ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

June 7 & 8, 1962: Set Halliburton Retrieveable Retainer at 7210'; Sand-Water treated 2-7/8" casing perforations from 7140'-7200' in Graneros Zone, (Long String) with 55,440 Gals. water and 40,000# 20-40 Mesh sand, Max. treating press. 4850#, final press. 4450#, avg. inj. rate 13.9 Bbls/Min. Finish at 1:30 AM 6/8/62.

Preparing to test.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Amerada Petroleum Corporation

Address Box 1469

Durango, Colorado

PH-247-5353

By R.F. Furke D.F. Furke

Title Foreman