


(SUBMIT IN TRIPLICATE)

Indian Agency Navajo Agency

Contact No. 200-200

Allottee \_\_\_\_\_

Lease No. Navajo Agency 77



**APPROVED**  
UNITED STATES  
DEPARTMENT OF THE INTERIOR  
AUG 7 1956  
GEOLOGICAL SURVEY  
A. P. KLEEMAN  
ACTING DISTRICT ENGINEER

## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 1, 1956

Well No. 1 is located 3400 ft. from S line and 1400 ft. from E line of sec. 27  
27 (1/4 Sec. and Sec. No.) 2-27-2 (Twp.) 2-27-2 (Range) 114°E (Meridian)  
Navajo (Field) Navajo (County or Subdivision) Navajo (State or Territory)

The elevation of the derrick floor above sea level is 3400 ft.

### DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement-  
 1956 70 - 3000' PDS - Perforated 5" line from 1956' to 2000', cement w/700 gals.  
 regular acid, washed day, sand-kill with 5000 gals. crude oil & 2000' sand, washed day  
 water, set perforator at 1956' & equipped perforations 1956' to 2000' with 75 sacks cement.  
 Perforated 5" line from 1956' to 2000', cement w/700 gals. reg. acid, sand-kill w/  
 6000 gals. diesel oil & 3000' sand, washed day, Perforated 5" line from 1956' to 2000'.  
 Treated w/150 lbs. sodium acid & 70 gals. diesel. Perforated 5" line from 1956' to 2000'.  
 at 1956' & equipped 1 sack cement on top to 1956'. Perforated 5" line 1956' to 2000'.  
 sand-kill w/20,000 gals. diesel oil & 10,000' sand w/2000' sand, washed good show of  
 gas. Perforated 5" line from 1956' to 2000', set bridge plug at 1956'. sand-kill partly  
 1956' to 2000' w/20,000 gals. diesel oil & 20,000' sand. Filled bridge plug. Perforated  
 1-1/2" casing from 1956' to 2000' & 2000' to 2000'. Set Baker Model 1" foundation pulser  
 at 1956'. Run 100 lbs. 1-1/2" tubing & latched onto Baker pulser at 1956'. RIG string  
 and blank off tool at 1956'. sand-kill fractured parts. 1956' to 2000' & 2000' to 2000'

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  
 CONTINUED ON NEXT SHEET

Company \_\_\_\_\_

Address \_\_\_\_\_

By \_\_\_\_\_

Title \_\_\_\_\_



CHAMBERLAIN



(SUBMIT IN TRIPLICATE)


UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Indian Agency **Montezuma Agency**

**Section 24, Twp. 24**

Allottee \_\_\_\_\_

Lease No. **Montezuma Agency 270**



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL _____	SUBSEQUENT REPORT OF WATER SHUT-OFF _____
NOTICE OF INTENTION TO CHANGE PLANS _____	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING _____
NOTICE OF INTENTION TO TEST WATER SHUT-OFF _____	SUBSEQUENT REPORT OF ALTERING CASING _____
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL _____	SUBSEQUENT REPORT OF REDRILLING OR REPAIR _____
NOTICE OF INTENTION TO SHOOT OR ACIDIZE _____	SUBSEQUENT REPORT OF ABANDONMENT _____
NOTICE OF INTENTION TO PULL OR ALTER CASING _____	SUPPLEMENTARY WELL HISTORY _____
NOTICE OF INTENTION TO ABANDON WELL _____	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

**RECEIVED**  
AUG 6 1956  
U. S. GEOLOGICAL SURVEY  
FARMINGTON, NEW MEXICO

**August 2,**

19**56**

Well No. \_\_\_\_\_ is located \_\_\_\_\_ ft. from  $\left\{ \begin{matrix} N \\ S \end{matrix} \right\}$  line and \_\_\_\_\_ ft. from  $\left\{ \begin{matrix} E \\ W \end{matrix} \right\}$  line of sec. \_\_\_\_\_

(1/4 Sec. and Sec. No.)

(Twp.)

(Range)

(Meridian)

(Field)

(County or Subdivision)

(State or Territory)

The elevation of the derrick floor above sea level is \_\_\_\_\_ ft.

DETAILS OF WORK


(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

**REMARKS**

**with 20,000 gallons water & 40,000 lbs. Daily completed.**

**PIEDMONT CLIFFS - Estimated Open Flow 2,000,000 cubic feet of gas per day.**

**LA VENTURA - Estimated Open Flow 2,377,000 cubic feet of gas per day.**



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **América Petroleum Corporation**

**Branch 2**

Address **Montezuma, New Mexico**

By   
Title **Foreman**

RECEIVED  
JAN 10 1964  
U.S. GEOLOGICAL SURVEY  
WASHINGTON, D.C.

