Form 9-331a (Feb. 1951)

## (SUBMIT IN TRIPLICATE)

## UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. NM 0245711
Unit Canada Ojitos

Undesignated  County or Subdivision)  Fig. 18  County or Subdivision)  The elevation of the derrick floor above sea level is 7203 ft.  DETAILS OF WORK  State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; ir licate mudding poblecting points, and all other important proposed work)  Gallup test. Estimated total depth 5000'.  Proposed Casing Program:  200' of 10-3/4" OD 30% casing cemented to surface.  Approximately 3500' of 7" OD 20% casing gemented with 150 sacks 5-1/2" OD 14% liner from 3500' to 5000', cemented with 50 sacks  If commercial production is indicated, the producing section will be sand-oil fractured.  Company BOLACK-GREER, INC.				
NOTICE OF INTENTION TO CHANGE PLANS.  NOTICE OF INTENTION TO TEST WATER SHUT-OFT  NOTICE OF INTENTION TO TEST WATER SHUT-OFT  NOTICE OF INTENTION TO TEST WATER SHUT-OFT  NOTICE OF INTENTION TO SHOOT OR ACIDIZE.  NOTICE OF INTENTION TO PULL OR ATTER CASINS.  NOTICE OF INTENTION TO PULL OR ATTER CASINS.  NOTICE OF INTENTION TO ADAIDON WELL.  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  June 18 , 19  Well No. B-18 is located 335 ft. from Ready well History.  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  June 18 , 19  Well No. B-18 is located 335 ft. from Ready well History.  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  June 18 , 19  Well No. B-18 is located 335 ft. from Ready well history.  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  Well No. B-18 is located 335 ft. from Ready well history.  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  June 18 , 19  Well No. B-18 is located 335 ft. from Ready well history.  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  June 18 , 19  Well No. B-18 is located 335 ft. from Ready well history.  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  June 18 , 19  Well No. B-18 is located 335 ft. from Ready well history.  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF READY WELL HISTORY.  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF READY REPORT OF READY REPORT OF READY REPORT OF READY REPORT OF READY.  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF READY REPORT OF	SUNDRY N	OTICES AND	REPORTS ON	WELLS
NOTICE OF INTENTION TO CHANGE PLANS.  NOTICE OF INTENTION TO TEST WATER SHUT-OFT  NOTICE OF INTENTION TO SHOOT OR ACIDIZE.  NOTICE OF INTENTION TO PULL OR ALTER CASINS.  NOTICE OF INTENTION TO PULL OR ALTER CASINS.  NOTICE OF INTENTION TO ABANDON WELL.  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  June 18 , 19  Well No. B-18 is located 835; ft. from Report of Report, NOTICE, OR OTHER DATA)  Well No. B-18 is located 835; ft. from Report of Report, NOTICE, OR OTHER DATA)  Well No. B-18 is located 835; ft. from Report of Report, NOTICE, OR OTHER DATA)  Well No. B-18 is located 835; ft. from Report of Report, NOTICE, OR OTHER DATA)  Well No. B-18 is located 835; ft. from Report of Report, NOTICE, OR OTHER DATA)  Well No. B-18 is located 835; ft. from Report of Report, NOTICE, OR OTHER DATA)  Well No. B-18 is located 835; ft. from Report of Report, NOTICE, OR OTHER DATA)  Well No. B-18 is located 835; ft. from Report of Report, NOTICE, OR OTHER DATA)  June 18 , 19  Well No. B-18 is located 835; ft. from Report of Report, NOTICE, OR OTHER DATA)  Well No. B-18 is located 835; ft. from Report of Re	NOTICE OF INTENTION TO DRIVE	<b>1</b>   cu	DOEGUENT DEPORT OF WATER	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	1	30		
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL  NOTICE OF INTENTION TO SHOOT OR ACIDIZE  NOTICE OF INTENTION TO PULL OR ALTER CASINS.  NOTICE OF INTENTION TO PULL OR ALTER CASINS.  NOTICE OF INTENTION TO PULL OR ALTER CASINS.  NOTICE OF INTENTION TO DRILL OR ALTER CASINS.  NOTICE OF INTENTION TO PULL OR ALTER CASINS.  NOTICE OF INTENTION TO PULL OR ALTER CASINS.  NOTICE OF INTENTION TO ABANDON WELL  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  June 18  June 18  June 18  Note	1			デース さい あわれの 1
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.  NOTICE OF INTENTION TO PULL OR ALTER CASINS.  NOTICE OF INTENTION TO PULL OR ALTER CASINS.  NOTICE OF INTENTION TO ABANDON WELL.  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  June 18 , 19  Well No. B-18 is located 335. ft. from [N] line and 1495. ft. from [E] line of sec. 18  NN/4 NE/4 Sec. 18 25N 1B N.M.P.M.  (Range) (Meridian)  Undesignated Rio Arriba (Meridian)  Undesignated (Pads) (County or Subdivision)  The elevation of the derrick floor above sea level is 7293. ft.  DETAILS OF WORK  State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; ir licate mudding points, and all other important proposed work)  Gallup test. Estimated total depth 5000'.  Proposed Casing Program: 200' of 10-3/4" OD 30% casing cemented to surface. Approximately 3500' of 7" OD 20% casing cemented with 150 sacks 5-1/2" OD 14% liner from 3500' to 5000', cemented with 50 sacks  If commercial production is indicated, the producing section will be sand-oil fractured.  Lunderstand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  Company BOLACK-GREER, INC.		1 1	·	
NOTICE OF INTENTION TO PULL OR ALTER CASING.  NOTICE OF INTENTION TO ABANDON WELL.  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  June 18.  June 18.  June 18.  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  June 18.  June 18.  June 18.  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  June 18.  June 18.  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  June 18.  June 18.  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  June 18.  June 18.  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  June 18.  June 18.  June 18.  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  June 18.  June 1		1 1		
Well No	i			Of Or the about the Court of
Well No. B-18 is located .835 ft. from [N] line and .1495 ft. from [E] line of sec. 18  NW/4 NE/4 Sec. 18  25 N 1E N.M.P.M.  (A Sec. and Sec. No.)  Undesignated Rio. Arriba (State or Territory)  The elevation of the derrick floor above sea level is 7293 ft.  State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; in licate mudding states ing points, and all other important proposed work)  Gallup test. Estimated total depth 5000'.  Proposed Casing Program: 200' of 10-3/4" OD 30% casing cemented to surface.  Approximately 3500' of 7" OD 20% easing gemented with 150 sacks 5-1/2" OD 14% liner from 3500' to 5000', cemented with 50 sacks If commercial production is indicated, the producing section will be sand-oil fractured.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  Company BOLACK-GREER, INC.	1		PPLEMENIARI WELL HISTORY.	रणार के ही राज्यसम्बद्धियाँ है। है इस के सामग्री होता <mark>बहर गर</mark> ी है।
Well No. B-18 is located .835; ft. from	NOTICE OF INTENTION TO ABARDON WEL	<b></b>		
Well No B-18 is located .835. ft. from No No.	(INDICATE A	BOVE BY CHECK MARK NATURE	OF REPORT, NOTICE, OR OTHER	DATA)
Well No B-18 is located .835. ft. from No No.			J.	ine 18 10 63
NW/4 NE/4 Sec. 18  (% Sec. and Sec. No.)  (Range)  (Range)  (Range)  (Meridian)  (State (* Territor)  (State (* Te		B=	<b>%</b>	, 19.93
Undesignated  Rio Arriba (County or Subdivision)  The elevation of the derrick floor above sea level is 7203 ft.  DETAILS OF WORK  State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; ir licate mudding pobsising points, and all other important proposed work)  Gallup test. Estimated total depth 5000'.  Proposed Casing Program: 200' of 10-3/4" OD 30# casing cemented to surface.  Approximately 3500' of 7" OD 20# casing cemented with 150 sacks 5-1/2" OD 14# liner from 3500' to 5000', cemented with 50 sacks  If commercial production is indicated, the producing section will be sand-oil fractured.  Lunderstand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  Company  BOLACK-GREER, INC.	Well No. <b>B-18</b> is located	835. ft. from. ${N \choose S}$	line and 1495 ft. fro	om $\left\{ egin{array}{c} \mathbf{E} \\ \mathbf{Y} \end{array} \right\}$ line of sec. <b>18</b>
Undesignated  (County or Subdivision)  (State or Territory  (Pield)  (Pield)  (County or Subdivision)  (State or Territory  (Pield)  (Pield)  (County or Subdivision)  (State or Territory  (Pield)  (Pield)  (Pield)  (County or Subdivision)  (State or Territory  (Pield)  (Pield)  (Pield)  (County or Subdivision)  (State or Territory  (Pield)  (Pield)  (Pield)  (Pield)  (County or Subdivision)  (State or Territory  (Pield)  (Pield)  (Pield)  (State or Territory  (Pield)  (Pield)  (State or Territory  (Pield)  (Pield)  (State or Territory  (State or Territory  (Pield)  (Pield)  (State or Territory  (State or Territory  (State or Territory  (State or Territory  (Pield)  (State or Territory  (State or Territory  (Pield)  (State or Territory  (State or Territory	NW/4 NE/4 Sec. 18	25N 1E	N.M.P.	<b>4.</b>
The elevation of the derrick floor above sea level is 7203 ft.  DETAILS OF WORK  State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; ir dicate mudding lobs/clossing points, and all other important proposed work)  Gallup test. Estimated total depth 5000¹.  Proposed Casing Program: 200¹ of 10-3/4" OD 30# casing cemented to surface.  Approximately 3500¹ of 7" OD 20# casing gemented with 150 sacks 5-1/2" OD 14# liner from 3500¹ to 5000¹, cemented with 50 sacks  If commercial production is indicated, the producing section will be sand-oil fractured.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  Company  BOLACK-GREER, INC.	• • • • • •	, , , , , , , , , , , , , , , , , , , ,		
DETAILS OF WORK  State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; ir licate mudding jobs/school dealing points, and all other important proposed work)  Gallup test. Estimated total depth 5000'.  Proposed Casing Program: 200' of 10-3/4" CD 30% casing cemented to surface.  Approximately 3500' of 7" OD 20% casing cemented with 150 sacks 5-1/2" OD 14% liner from 3500' to 5000', cemented with 50 sacks  If commercial production is indicated, the producing section will be sand-oil fractured.  Tunderstand that this plan of work must receive approval in writing by the Geological Eurvey before operations may be commenced.  Company BOLACK-GREER, INC.  Address 158 Petroleum Center Bldg.		(County or Subdivi	sion)	
DETAILS OF WORK  State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; ir licate mudding jobs/school ing points, and all other important proposed work)  Gallup test. Estimated total depth 5000'.  Proposed Casing Program: 200' of 10-3/4" OD 30% casing cemented to surface.  Approximately 3500' of 7" OD 20% casing cemented with 150 sacks 5-1/2" OD 14% liner from 3500' to 5000', cemented with 50 sacks  If commercial production is indicated, the producing section will be sand-oil fractured.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  Company BOLACK-GREER, INC.  Address 158 Petroleum Center Bldg.	The elevation of the derrick flo	oor above sea level is	7203 ft.	RFITIEN
Gallup test. Estimated total depth 5000'.  Proposed Casing Program: 200' of 10-3/4" OD 30# casing cemented to surface.  Approximately 3500' of 7" OD 20# casing cemented with 150 sacks 5-1/2" OD 14# liner from 3500' to 5000', cemented with 50 sacks  If commercial production is indicated, the producing section will be sand-oil fractured.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  Company BOLACK-GREER, INC.				
Proposed Casing Program:  200' of 10-3/4" OD 30# casing cemented to surface.  Approximately 3500' of 7" OD 20# casing gemented with 150 sacks 5-1/2" OD 14# liner from 3500' to 5000', cemented with 50 sacks  If commercial production is indicated, the producing section will be sand-oil fractured.  Tunderstand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  Company BOLACK-GREER, INC.	State names of and expected depths to obj	jective sands; show sizes, weigh	ts, and lengths of proposed cas ortant proposed work)	ings; ir dicate mudding jobs/celiant-
Proposed Casing Program:  200' of 10-3/4" OD 30# casing cemented to surface.  Approximately 3500' of 7" OD 20# casing cemented with 150 sacks  5-1/2" OD 14# liner from 3500' to 5000', cemented with 50 sacks  If commercial production is indicated, the producing section will be sand-oil fractured.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  Company BOLACK-GREER, INC.	Gallup test. Estim	anted total dep	th 5000'.	
Approximately 3500' of 7" OD 20# casing cemented to surface.  Approximately 3500' of 7" OD 20# casing cemented with 150 sacks 5-1/2" OD 14# liner from 3500' to 5000', cemented with 50 sacks  If commercial production is indicated, the producing section will be sand-oil fractured.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  Company BOLACK-GREER, INC.	<del>-</del>	•		
Approximately 3500' of 7" QD 20# easing cemented with 150 sacks 5-1/2" QD 14# liner from 3500' to 5000', cemented with 50 sacks If commercial production is indicated, the producing section will be sand-oil fractured.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  Company BOLACK-GREER, INC.  Address 158 Petroleum Center Bldg.	Proposed Casing Pro	gran:		
5-1/2" OD 14# liner from 3500' to 5000', cemented with 50 macks  If commercial production is indicated, the producing section will be sand-oil fractured.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  Company BOLACK-GREER, INC.  Address 158 Petroleum Center Bldg.	200' of 10-3/4" OD	JOF casing cem	ented to surface	
If commercial production is indicated, the producing section will be sand-oil fractured.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  Company BOLACK-GREER, INC.  Address 158 Petroleum Center Bldg.	Approximately 5500'	OI I OD SOM	sasing cemented	With 150 sacks.
I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  Company BOLACK-GREER, INC.  Address 158 Petroleum Center Bldg.	2-1/5 OD 148 TYESSE	. Them DOOD. CO	DOOD. A CAMBELLES	ra with on sacks.
I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  Company BOLACK-GREER, INC.  Address 158 Petroleum Center Bldg.	If commencial mundu	atten to india	stad the monds	iaiva maatiaa
I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  Company BOLACK-GREER, INC.  Address 158 Petroleum Center Bldg.			road' etta brodr	tering excerou
Company BOLACK-GREER, INC.  Address 158 Petroleum Center Bldg.	WITT DO OBING-OIT II	CO DATE OF		
Company BOLACK-GREER, INC.  Address 158 Petroleum Center Bldg.				
Company BOLACK-GREER, INC.  Address 158 Petroleum Center Bldg.		•		
Company BOLACK-GREER, INC.  Address 158 Petroleum Center Bldg.				
Address 158 Petroleum Center Bldg.	I understand that this plan of work my	ust receive approval in writing l	y the Geological Survey before	operations may be commenced.
Address 158 Petroleum Center Bldg.	O BOLACK-GREEK	two.		
///h. 0 1//2 a	ompany	A SANY 4		
Farmington, New Mexico	Address 158 Petroleu	m Center Bldg.		
11 t/ Dy	Farmington,	New Mexico	By All	et per
Title Vice-President		LM 	Title	/ice-President

## NEW MEXICO OIL CONSERVATION COMMISSION

## Well Location and Acreage Dedication Plat

BOLACK-GREER, INC.  Operator XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	Section A.			<sub>Date</sub> Jun	e 18, 196	3
Well No. B-18 Unit Letter B Section 18 Township 25 NORTH Range 1 EAST Nocated 635 Feet From the NORTH Line, 1495 Feet From the SAST County RIO ARRIBA G. L. Elevation 7194.* Dedicated Acra age 40 Name of Producing Formation Gallup Pool Wildcat  1. Is the Operator the only owner in the dedicated acreage outlined on the plat below?  Yes X No  2. If the answer to question one is "no", have the interests of all the owners been consolidated by communitiz agreement or otherwise? Yes No If answer is "yes", Type of Consolidation.  3. If the answer to question two is "no", list all the owners and their respective interests being 10 June 1963 OIL CON. COM.  Owner Land Description  United States and Complete to the best of my knowledge and belief.  BOLACK-GREER, INC.  (Representative)  (Representative)  (Representative)  (Address)  Farmington, New Mexico	BOLACK-GREER, I					
Located 835 Feet From the NORTH Line 1495 Feet From the SAST County RIO ARRIBA G. L. Elevation 7194.* Dedicated Acre age 40 A Name of Producing Formation Gallup Pool Wildcat  1. Is the Operator the only owner in the dedicated acreage outlined on the plat below?  Yes X No  2. If the answer to question one is "no", have the interests of all the owners beet consolidated by communitiz agreement or otherwise? Yes No If answer is "yes", Type of Consolidation.  3. If the answer to question two is "no", list all the owners and their respective interests below District 3  Owner Land Description Jun20 1963  OIL CON. COM. DIST. 3  Section B.  Note: All distances must be from outer boundaries of section.  This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief.  BOLACK-GREER, INC.  (Representative)  158 Petroleum Center Bldg.  (Address)  Farmington, New Mexico			de	CANADA OJ	ITOS	
Located 832 Feet From the NORTH Line, 1495 Feet From the SAST County RIO ARRIBA G. L. Elevation 7194. Dedicated Acreage 40 Ammed Producing Formation Gallup Pool Wildcat  1. Is the Operator the only owner in the dedicated acreage outlined on the plat below?  Yes X No  2. If the answer to question one is "no", have the interests of all the owners been consolidated by communitiz agreement or otherwise? Yes No If answer is "yes", Type of Consolidation.  3. If the answer to question two is "no", list all the owners and their respective interests be No Dist. 3  Section B.  Note: All distances must be from outer boundaries of section.  This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief.  BOLACK-GREER, INC.  (Representative)  158 Petroleum Center Bldg.  (Address)  Farmington, New Mexico			Townshi	p 25 NORTH R	ange 1 EAST	NMP
County RIO ARNIBA G. L. Elevation 7194. Dedicated Acre age 40 Mame of Producing Formation Gallup Pool Wildcat  Name of Producing Formation Gallup Pool Wildcat  1. Is the Operator the only owner in the dedicated acreage outlined on the plat below?  Yes X No  2. If the answer to question one is "no", have the interests of all the owners been consolidated by communitiz agreement or otherwise? Yes No If answer is "yes", Type of Consolidation.  3. If the answer to question two is "no", list all the owners and their respective interests below III  Owner Land Description  Note: All distances must be from outer boundaries of section.  This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief.  BOLACK-GREER, INC.  (Representative)  158 Petroleum Center Bldg.  (Address)  Farmington, New Mexico	Located 835 Feet From the NOR	TH Line	.495	Feet From	the EAST	L ir
Name of Producing Formation (32.110) Pool Wildcat  1. Is the Operator the only owner in the dedicated acreage outlined on the plat below?  Yes X No  2. If the answer to question one is "no", have the interests of all the owners been consolidated by communitiz agreement or otherwise? Yes No If answer is "yes", Type of Consolidation.  3. If the answer to question two is "no", list all the owners and their respective interests below the constant of the constant	County RIO ARRIBA G. L. Elevati	on 7194•	Dedicat	ed Acreage	40	Acre
1. Is the Operator the only owner in the dedicated acreage outlined on the plat below?  Yes X No 2. If the answer to question one is "no", have the interests of all the owners been consolidated by communitiz agreement or otherwise? Yes No If answer is "yes", Type of Consolidation.  3. If the answer to question two is "no", list all the owners and their respective interests below IEVID  Owner Land Description  UN20 1963 OIL CON. COM. DIST. 3  Section B.  Note: All distances must be from outer boundaries of section.  This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief.  BOLACK-GREER, INC.  (Representative) 158 Petroleum Center Bldg.  (Address)  Farmington, New Mexico		lup	Pool	Wilde	at	
2. If the answer to question one is "no", have the interests of all the owners been consolidated by communitize agreement or otherwise? Yes						
Agreement or otherwise? Yes No If answer is "yes", Type of Consolidation.  3. If the answer to question two is "no", list all the owners and their respective interests be a section of the content of th	YesXNo		_			
Agreement or otherwise? Yes No If answer is "yes", Type of Consolidation.  3. If the answer to question two is "no", list all the owners and their respective interests be a section of the content of th	2. If the answer to question one is "no", h	ave the interests of	of all the owne	ers been consolic	lated by commu	nitizati
3. If the answer to question two is "no", list all the owners and their respective interests be will be a complete.    Land Description   JUN20 1963     OIL CON. COM. DIST. 3     DIST. 3     Section B.   Note: All distances must be from outer boundaries of section.    This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief.    BOLACK-GREER, INC.   MM 0:245711     Gregorous   Gadress   Gadress     Farmington, New Mexico   18	agreement or otherwise? YesN	lo If an	nswer is "yes	". Type of Cons	solidation.	
Section B.  Note: All distances must be from outer boundaries of section.  This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief.  BOLACK-GREER, INC.  (Representative)  158 Petroleum Center Bldg.  (Address)  Farmington, New Mexico			v	, 31	-	_
Section B.  Note: All distances must be from outer boundaries of section.  This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief.  BOLACK-GREER, INC.  (Representative)  158 Petroleum Center Bldg.  (Address)  Farmington, New Mexico	3. If the answer to question two is "no", list	t all the owners and	d their respect	ive interests bel	act LIVA	
Section B.  Note: All distances must be from outer boundaries of section.  This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief.  BOLACK-GREER, INC.  (Representative)  158 Petroleum Center Bldg.  (Address)  Farmington, New Mexico  18				1	QTI.IIVI	U/
Section B.  Note: All distances must be from outer boundaries of section.  This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief.  BOLACK-GREER, INC.  (Representative)  158 Petroleum Center Bldg.  (Address)  Farmington, New Mexico	<del></del>		134	nd Bedshiption	[[LULII L	ן כ
Section B.  Note: All distances must be from outer boundaries of section.  This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief.  BOLACK-GREER, INC.  (Representative)  158 Petroleum Center Bldg.  (Address)  Farmington, New Mexico				- 1	HINDO 108	:2
Section B.  Note: All distances must be from outer boundaries of section.  This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief.  BOLACK-GREER, INC.  (Representative)  158 Petroleum Center Bldg.  (Address)  Farmington, New Mexico		Manager Water Box St.			ACIA S O 130	13 1
Section B.  Note: All distances must be from outer boundaries of section.  This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief.  BOLACK-GREER, INC.  (Representative)  158 Petroleum Center Bldg.  (Address)  Farmington, New Mexico				\	OIL CON. CO	M./
Section B.  Note: All distances must be from outer boundaries of section.  This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief.  BOLACK-GREER, INC.  (Representative)  158 Petroleum Center Bldg.  (Address)  Farmington, New Mexico			THE CONTRACT MARKET AND A STREET AND A STREET			
This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief.  BOLACK-GREER, INC.  (Representative) 158 Petroleum Center Bldg.  (Address) Farmington, New Mexico				· .	<b>\</b> 5.5 \	
This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief.  BOLACK-GREER, INC.  (Representative) 158 Petroleum Center Bldg.  (Address) Farmington, New Mexico					-	
This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief.  BOLACK-GREER, INC.  (Representative) 158 Petroleum Center Bldg.  (Address) Farmington, New Mexico	Section B	Notes All diete		1		
in Section A above is true and complete to the best of my knowledge and belief.  BOLACK-GREER, INC.  Opermon  (Representative)  158 Petroleum Center Bldg.  (Address)  Farmington, New Mexico	Section B.	Note: All dista	nces must be it	om outer boundar	les of section.	
in Section A above is true and complete to the best of my knowledge and belief.  BOLACK-GREER, INC.  Opermon  (Representative)  158 Petroleum Center Bldg.  (Address)  Farmington, New Mexico	This is to cartify that the information		ı		1	
to the best of my knowledge and belief.  BOLACK-GREER, INC.  (Representative)  158 Petroleum Center Bldg.  (Address)  Farmington, New Mexico	•			50		1
BOLACK-GREER, INC.  OperMon  (Representative)  158 Petroleum Center Bldg.  (Address)  Farmington, New Mexico  18	-					1
BOLACK-GREER, INC.  Opermon  (Representative)  158 Petroleum Center Bldg.  (Address)  Farmington, New Mexico  18	to the best of my knowledge and belief.		'			_
(Representative) 158 Petroleum Center Bldg.  (Address) Farmington, New Mexico  18	BOLACK-GREER. INC.			1 ' - 1	1495'	
158 Petroleum Center Bldg.  (Address) Farmington, New Mexico  18				NM 0245711		
158 Petroleum Center Bldg.  (Address) Farmington, New Mexico  18	Willey Valer			1		7
Farmington, New Mexico	(Representative)		4		1	
Farmington, New Mexico	158 Petroleum Center Bldg.		0.5			1
N	Farmington, New Mexico		,			
ef: GLO plat dated 22 April 1918				18		
ef: GLO plat dated 22 April 1918						-1
ef: GLO plat dated 22 April 1918		1	i	1	ŀ	1
ef: GLO plat dated 22 April 1918				ı	1	NT.
ef: GLO plat dated 22 April 1918			1			l î
el: GLO plat dated 22 April 1918	and and an		1	1	1	
	el: GLO plat dated 22 April 1918		<b>t</b>		1	
						1
			,		•	
				!	ŀ	
		+	- II	1		
			T	1	1	
			i .	1	1	'
				L		_
0 330 660 990 1320 1650 1980 2310 2640 2000 1500 1000 500 0		0 330 440 000 ::::	14801055555			7



Farmington, New Mexico

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Date Surveyed	1 8 May	7 1963	
	0	P	
/ Jon	me C.	lene	
Registered Pr James P. L	ofessional En	gineer and or	Land Suryeyor
James P. L	eese, N.	Hex. Reg.	No. 1463

1227.

. .... *E*.