Mr. Philip T. McGrath United States Geological Survey P. O. Box 965 Farmington, New Mexico

Dear Mr. McGrath:

I am enclosing the Form 9-331a, "Sundry Notices and Reports on Wells", for intentions to drill on our "10-C Federal" well located in Section 10, Township 25 North, Range 2 West. San Juan Engineering Company surveyed this location and I have not as yet received the Form C-128 in my office; however, I will forward the Form C-128's to your office as soon as I can obtain them.

Very truly yours,

ROBERT C. LARSON

RCL:mar

cc: E. Alex Phillips

Mr. Emery C. Arnold

New Mexico Oil Conservation Commission
120 East Chaco

Aztec, New Mexico



المنتخ يقت في المناب

o, Mairiph, coursto Maired Mate. I Milyiul Marray 1. . . ox 900 May in par, ce a enico

11421 OM . 10 1439

iam enciosing the borne (-531a, "ememperations on store will be offered for intentions to still on our "10-0 evisual" well located in deciding a control of maship 25 fronts, earliers, earliers, and this location and the average got received the control of the control of the covery to ill force the borne (-) of a control office as soon as a control office.

very truly yours,

and the second second second

I Clamar

co: તે. ડ્રિકેર્ડ સ્થાસિક ક

and the second section

ew leader II Consulvation Constitution

ast Chaco

intec, New Leaden

RELIVED

OUL CON. COM.
DIST. 3

m 9-881a (. 'eb. 1951)

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Offic		a Fe
Lease No.	N. Ma	03756
Unit	ند	

OTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	1
NOTICE OF INTENTION TO CHANGE PLANS		
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	33331133111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131113111311131111	i
IOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		i
OTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT.	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
LLECIBLE	CK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)	, 19 .5
Il No. 10-C res located	t. from $\binom{N}{S}$ line and sec. ft. from $\binom{K}{W}$ line of sec.	10
(% Sec. and Sec. No.)	(Range) (Meritinan)	
(Field)	(County or Subdivision) (State or Territory)	
e elevation of the served floor above		
The first realization and the first state of the fi	10,0110	
	NETALL C. OF WORK	
	DETAILS OF WORK	h
te names of and expected depths to objective sands	DETAILS OF WORK show sizes, weights, and lengths of proposed casings; indicate mudding joi and all other important proposed work)	bs, cement
ite names of and expected depths to objective sands ing points	show sizes, weights, and lengths of proposed casings; indicate mudding jo and all other important proposed work)	bs, cement
pproximately 100 feet of 8-5	show sizes, weights, and lengths of proposed casings; indicate mudding jo and all other important proposed work)	bs, cement
pproximately 100 feet of 8-5	show sizes, weights, and lengths of proposed casings; indicate mudding joi and all other important proposed work) 84 24-pound surface casing.	bs, cemen
pproximately 100 feet of 8-5 pproximately 3600 feet of 4-	show sizes, weights, and lengths of proposed casings; indicate mudding joi and all other important proposed work) 84 24-pound surface casing.	bs, cement
pproximately 100 feet of 8-5	show sizes, weights, and lengths of proposed casings; indicate mudding joi and all other important proposed work) 84 24-pound surface casing.	bs, cement
te names of and expected depths to objective sands ing points pproximately 100 feet of 8-5 pproximately 3600 feet of 4- expect both surface and prob	show sizes, weights, and lengths of proposed casings; indicate mudding joi and all other important proposed work) 84 24-pound surface casing.	bs, cemen
pproximately 100 feet of 8-5 pproximately 3600 feet of 4-	show sizes, weights, and lengths of proposed casings; indicate mudding join and all other important proposed work) 84 24-pound surface casing. 12* 16.60-pound production casing. AUG 12 1057 OIL CON. CO	bs, cemen
te names of and expected depths to objective sands ing points pproximately 100 feet of 8-5 pproximately 3600 feet of 4- expect bitth surface and prob	show sizes, weights, and lengths of proposed casings; indicate mudding join and all other important proposed work) 84 24-pound surface casing. 12* 16.60-pound production casing. AUG 12 1957	M.
pproximately 100 feet of 8-5 pproximately 3600 feet of 4- pproximately 3600 feet of 4- pproximately 3600 feet of 4-	show sizes, weights, and lengths of proposed casings; indicate mudding join and all other important proposed work) 84 24-pound surface casing. 12* 16.60-pound production casing. AUG 12 1057 OIL CON. CO	
pproximately 100 feet of 8-5 pproximately 100 feet of 8-5 pproximately 3600 feet of 4- month buth surface and product up for surface	show sizes, weights, and lengths of proposed casings; indicate mudding join and all other important proposed work) 84 24-pound surface casing. AUG 12 1957 OIL CON. COIDIST. 3 proval in writing by the Geological Survey before operations may be communicated and surface casing.	
pproximately 100 feet of 8-5 pproximately 100 feet of 8-5 pproximately 3600 feet of 4- concet back surface and protect of 4- understand that this plan of work must receive ap	show sizes, weights, and lengths of proposed casings; indicate mudding join and all other important proposed work) 81 24-pound surface casing. AUG 12 1957 OIL CON. COLDIST. 3 proval in writing by the Geological Survey before operations may be communications.	
pproximately 100 feet of 8-5 pproximately 3600 feet of 4-6 ement high surface and prob	show sizes, weights, and lengths of proposed casings; indicate mudding join and all other important proposed work) 8" 24-pound surface casing. 12" 16.60 -pound production casing. AUG 12 1057 OIL CON. COLDIST. 3 proval in writing by the Geological Survey before operations may be communicated at 110.18	

l		1		
OIL CONSERVATION COMMISSION				
AZTEC DISTRICT OFFICE				
No. Copies Received				
DISTRIBUTION				
	NO.			
Operator	/			
Sarta Fe				
Proration Office				
State Land Office				
U. S. G. S	1 7			
Transporter				
file	/	~		