
# El Paso Natural Gas Company



POST OFFICE BOX 997 FARMINGTON, NEW MEXICO

Mr. A. L. Porter, Secretary and Director New Mexico Oil Conservation Commission Box 871 Santa Fe, Nev Nexico

Dear Mr. Forter:

This is a request for administrative approval for an amorthodox gas well location in the Gavalin Pictured Cliffs Pool Extension.

It is intended to locate the well, El Paso Natural Gas Company Federal No. 3-1-D, 600 feet from the South line and 800 feet from the West Line of Section 3, Township 25 North, Range 2 West, N.M.P.M., Rio Arriba County, New Mexico.

The Southwest quarter of Section 3 is dedicated to the well. Essentially, the entire dedicated acreage is covered with rocky bluffs rising to a high mesa. The only accessible land for a well is in the southwest of the dedicated acreage, thus making the location unorthodox. It is, therefore, planned to make the location unorthodox in order that the extremely high cost of constructing an orthodox location be avoided.

Since El Paso Natural Gas Company has control of the offset leases, approval for an unorthodox location has not been sought from other operators.

I am enclosing two copies of the certified well location plat and two copies of the intention to drill.

Yours very truly,

ORIGINAL SIGNED S. S. OBERLY

E. S. Oberly,

Division Petroleum Engine

ESO:CDC:dgb

cc: Sam Smith

C.C.C. (Emery Arnold) U.S.G.S. (Phil McGrath)

<b>9-331 ε</b> . 1951)



### (SUBMIT IN TRIPLICATE)

# Land Office New Mexico Lease No. 01397 Unit Pederal

# UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL X	CURCE CUENT DEPORT OF WATER COMME				
NOTICE OF INTENTION TO CHANGE PLANS					
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.	STATE OF STA				
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL					
NOTICE OF INTENTION TO SHOOT OR ACIDIZE					
NOTICE OF INTENTION TO PULL OR ALTER CASING.	The state of the s				
NOTICE OF INTENTION TO ABANDON WELL					
(INDICATE ABOVE BY CHECK MARK NA	TURE OF REPORT, NOTICE, OR OTHER DATA)				
	May 6 , 1959				
/ell No. 3-1-D is located 600 ft. from	$\binom{N}{S}$ line and $\binom{SOC}{S}$ ft. from $\binom{N}{W}$ line of sec. 3				
Sec. 3 25N 2 (1/2 Sec. and Sec. No.) (Twp.) (Ra	M R.H.P.M.  nge) (Meridian)				
velin P. C. Ext. Ric Arr (Field) (County or Su	iba New Mexico				
(Field) (County or Su	abdivision) (State or Territory)				
ne elevation of the derrick floor above sea level	is whole to				
ne elevation of the defiler hoof above sea level	18[494 It.				
	S OF WORK				
DETAILS  tate names of and expected depths to objective sands: show sizes, y					
DETAILS tate names of and expected depths to objective sands; show sizes, v ing points, and all other is intended to drill a well thru the perforate and water fracture possible	S OF WORK  weights, and lengths of proposed casings; indicate mudding jobs, cement- rimportant proposed work)  Pictured Cliff formation using rotary tool				
DETAILS  tate names of and expected depths to objective sands; show sizes, very sing points, and all other  is intended to drill a well thru the perforate and water fracture possible sing Program:  8 5/8" at 120' with 125 sacks:	S OF WORK  weights, and lengths of proposed casings; indicate mudding jobs, cement- rimportant proposed work)  Pictured Cliff formation using rotary tool				
DETAILS tate names of and expected depths to objective sands; show sizes, ving points, and all other is intended to drill a well thru the perforate and water fracture possible sing Program: 8 5/8" at 120' with 125 sacks:	of WORK  weights, and lengths of proposed casings; indicate mudding jobs, cement- rimportant proposed work)  Pictured Cliff formation using rotary tool e producing zones. Est. T. D. 3793'  regular lement circulated to surface. regular cement, 75 sacks Poznix.				
DETAILS tate names of and expected depths to objective sands; show sizes, very ling points, and all other is in intended to drill a well thru the perforate and water fracture possible sing Program:  8 5/8" at 120' with 125 sacks: 5 1/2" at 3793' with 75 sacks:	of WORK  weights, and lengths of proposed casings; indicate mudding jobs, cement- rimportant proposed work)  Pictured Cliff formation using rotary tool e producing zones. Est. T. D. 3793'  regular lement circulated to surface. regular cement, 75 sacks Poznix.				
DETAILS  tate names of and expected depths to objective sands; show sizes, very ling points, and all other  is intended to drill a well thru the perforate and water fracture possible sing Program:  8 5/8" at 120' with 125 sacks:  5 1/2" at 3793' with 75 sacks:  8 SW/4 of Section 3 is dedicated to the same same same same same same same sam	of WORK  weights, and lengths of proposed casings; indicate mudding jobs, cement- rimportant proposed work)  Pictured Cliff formation using rotary tool e producing zones. Est. T. D. 3793'  regular lement circulated to surface. regular cement, 75 sacks Poznix.				
DETAILS  tate names of and expected depths to objective sands; show sizes, very ling points, and all other  is intended to drill a well thru the perforate and water fracture possible sing Program:  8 5/8" at 120' with 125 sacks:  5 1/2" at 3793' with 75 sacks:  5 SW/4 of Section 3 is dedicated to the same of the same	Weights, and lengths of proposed casings; indicate mudding jobs, cement-rimportant proposed work)  Pictured Cliff formation using rotary tool e producing zones. Est. T. D. 3793'  regular 1 cement circulated to surface. regular cement, 75 sacks Pozmix.  his well.				
DETAILS  tate names of and expected depths to objective sands; show sizes, ving points, and all other  is intended to drill a well thru the perforate and water fracture possible sing Program:  8 5/8" at 120' with 125 sacks:  5 1/2" at 3793' with 75 sacks:  8 SW/4 of Section 3 is dedicated to the same of t	S OF WORK  weights, and lengths of proposed casings; indicate mudding jobs, cement- rimportant proposed work)  Pictured Cliff formation using rotary tool e producing zones. Est. T. D. 3793'  regular lement circulated to surface. regular cement, 75 sacks Pozmix.  his well.  ting by the Geological Survey before operations may be commenced.				
DETAILS  tate names of and expected depths to objective sands; show sizes, verifing points, and all other  is intended to drill a well thru the perforate and water fracture possible sing Program:  8 5/8" at 120' with 125 sacks:  5 1/2" at 3793' with 75 sacks:  8 SW/4 of Section 3 is dedicated to the same of the same	Weights, and lengths of proposed casings; indicate mudding jobs, cement-rimportant proposed work)  Pictured Cliff formation using rotary tool e producing zones. Est. T. D. 3793'  regular 1 cement circulated to surface. regular cement, 75 sacks Pozmix.  his well.				

#### TEW MEXICO OIL CONSERVATION COMME

### Well Location and Acreage Dedication Plat

Section A.			Date	TP 53° 1323	
Operator EL PASO NATURAL GAS COMPAI Well No. 3-1-D Unit Letter M. S. Located 600 Feet From SO County RIO ARRIBA G. L. Elev Name of Producing Formation PIC  1. Is the Operator the only owner in the ded Yes No 2. If the answer to question one is "no" agreement or otherwise? Yes	Section 3 UTH Line, ation 748L TURED CLIFF icated acreage out have the interest	Pool Gilined on the plat belts of all the owners	25-N From Acre age AVALIN PICT ow?	tange 2-W WEST 160 URED CLIFF	
3. If the answer to question two is "no", .	list all the owners	· · · · · · · · · · · · · · · · · · ·	e interests be Description	low:	
This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief.	Note: All-di	stances must be from	n outer bounds	uties of section	
(Operator) (Representative)		SECUTO	<b>Y</b> 3		
	800. 009 800. 009	Mesos 1/101 /	0 2000 1500	1000 500	

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

(Seal)

Raik Q. Villed Registered Professional Engineer and, or Land Sarveyor