Forr (A)	n 9-8 pril 19	181 b 52)	
	i		-

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Indian Agency	
Allottee	
Contract Se. 167	p e 1

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
OTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
OTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
OTICE OF INTENTION TO REDRILL OR REPAIR WELL.	SUBSEQUENT REPORT OF REDRILLING OR REPAIR!
OTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
OTICE OF INTENTION TO PULL OR ALTER CASING.	SUPPLEMENTARY WELL HISTORY
OTICE OF INTENTION TO ABANDON WELL	U. S. CEOLOGICAL SU
(Indicate above by Check Mark N	IATURE OF REPORT, NOTICE, OR OTHER DATA)
learille Controct 147	Farmington, Ser Mexico Merch 7 , 19 61
ell No is locatedit. from	$m \begin{bmatrix} N \\ \mathbf{x} \end{bmatrix}$ line and 790 ft. from $\begin{bmatrix} E \\ \mathbf{x} \end{bmatrix}$ line of sec. 6
WEAL NEAL of Section 6 T-853	B-94 N. N. P. N.
(¼ Sec. and Sec. No.) (Twp.)	(Range) (Meridian)
Did in Section of a second	Arribe Bev Sexico
(Field) (County o	r Subdivision) (State of Territory)
ne elevation of the derrick floor above sea lev	
	LS OF WORK
State names of and expected depths to objective sands; show size ing points, and all of	es, weights, and lengths of proposed casings; indicate mudding jobs, cement- ther important proposed work)
tate names of and expected depths to objective sands; show size ing points, and all of pudded 12-1/10 hole on February 25,	es, weights, and lengths of proposed casings; indicate mudding jobs, cement- ther important proposed work) 1961 and drilled to Sho. Set 6-5/6" casing using 2 percent calcium chloride. Circulated to commit, tested 3-5/6" casing with 1:00 per adication of pressure drap. Reduced hole to MAR 9 1961 OIL CON. COM
tate names of and expected depths to objective sands; show size ing points, and all of produced 12-1/10 hole on February 25. 2 Sign with 100 sector content contains of sector of consent. After waiting of the sector of sector, which held with no 1-7/10 at Sign and resumed drilling. I understand that this plan of work must receive approval in	ther important proposed work) 1961 and drilled to Sho. Set 8-5/8" coaing and 2 percent coloius chloride. Circulated in county, tested 8-5/8" coaing with 1900 per addression of pressure drop. Reduced hole to MAR 9 1961 OIL CON. COM. DIST. 3
pudded 12-1/10 hole on February 25, t 516 with 100 secks coment contains of secks of secks coment contains of secks of s	ther important proposed work) 1961 and drilled to Sho. Set 8-5/8" casing sing 2 percent calcium chloride. Circulated in casest, tested 3-5/8" casing with 100 per adjection of pressure drap. Reduced hole to MAR9 1961 OIL CON. COM. DIST. 3 writing by the Geological Survey before operations may be ommenced.
itate names of and expected depths to objective sands; show size ing points, and all of principal sands. It shall be in the principal sands of sands of seconds of seconds. After waiting a second of sands of seconds, which held with no is sand sand sand dealling. I understand that this plan of work must receive approval in Company. Pen American Petroleum Corp.	ther important proposed work) 1961 and drilled to Sho. Set 8-5/8" casing sing 2 percent calcium chloride. Circulated in casest, tested 3-5/8" casing with 100 per adjection of pressure drap. Reduced hole to MAR9 1961 OIL CON. COM. DIST. 3 writing by the Geological Survey before operations may be ommenced.
radded 12-1/10 hole on February 25, t 516 with hole of sector content content of sector of sector witing of cery) minutes, which held with no 1-7/30 at 516 and resumed drilling. I understand that this plan of work must receive approval in company Pen American Petrolous Corp	es, weights, and lengths of proposed casings; indicate mudding jobs, comentitier important proposed work) 1961 and drilled to Sid. Set 8-5/8" casing sing 2 percent calcium chloride. Circulated in coment, tested 8-5/8" casing with 1:00 per addression of pressure drop. Reduced hole to MAR 9 1961 OIL CON. COM. DIST. 3 In writing by the Geological Survey before operations may be ommenced.
I understand that this plan of work must receive approval in company Pen American Petrology Corp. After Mainten, which held with no it and recurred desired approval in company Pen American Petrology Corp. Address Box 450, Farmington, New New Medicals Corp.	es, weights, and lengths of proposed casings; indicate mudding jobs, cementative important proposed work) 1961 and drilled to 518. Set 8-5/8" casing raing? percent calcium chloride. Circulated in cement, tested 8-5/8" casing with 1900 per addrection of pressure drop. Reduced hole to MAR 9 1961 OIL CON. COM. DIST. 3 In writing by the Geological Survey before operations may be commenced. Coretion ORIGINAL SIGNED BY R. M. Bauer. Jr.

 $= \frac{1}{2} \sum_{i=1}^{n} \frac{\mathbf{A}_{i,i}^{(i)}}{\sum_{i=1}^{n} \frac{1}{\mathbf{A}_{i,i}^{(i)}}} \sum_{i=1}^{n} \frac{1}{\mathbf{A}_{i,i}^{(i)}} \sum_{i=1$

