

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Norman Gilbreath

3. Address and Telephone No.

P.O. Box 208, Aztec, NM 87410 (505)632-8845

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1780 FSL and 790 FWL
SW, Section 25, T25N, R6W

5. Lease Designation and Serial No.

NMNM-015014

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

McKenzie #3

9. API Well No.

10. Field and Pool, or Exploratory Area

S. Blanco P.C.

11. County or Parish, State

Rio Arriba, NM

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
☐ Notice of Intent	☒ Abandonment
☒ Subsequent Report	☐ Recompletion
☐ Final Abandonment Notice	☐ Plugging Back
	☐ Casing Repair
	☐ Altering Casing
	☐ Other
	☐ Change of Plans
	☐ New Construction
	☐ Non-Routine Fracturing
	☐ Water Shut-Off
	☐ Conversion to Injection
	☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Said well was plugged and abandoned on October 19, 1994 per the attached Plug and Abandonment Report.

RECEIVED
NOV - 3 1994
OIL CON. DIV.
DIST. 3

Approved as to plugging and abandonment.
Liability under bond is retained until
surface operations are completed.

070 PM OCT 27 1994
070 PM OCT 27 1994

14. I hereby certify that the foregoing is true and correct

Signed

Title Operator

Date 10/20/94

(This space for Federal or State office use)

Approved by

Title

Conditions of approval, if any:

NMOC

APPROVED

OCT 31 1994

WATER MANAGEMENT

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area, or regional procedures and practices, either are shown below or will be furnished by, or may be obtained from, the local Federal and/or State office.

SPECIFIC INSTRUCTIONS

Item 4—If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 5—Proposals to abandon a well and subsequent reports of abandonment should include special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.

NOTICE

The Privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et. seq., 351 et. seq., 25 U.S.C. et. seq.; 43 CFR 3160.

PRINCIPAL PURPOSE — The information is to be used to evaluate, when appropriate, approve applications, and report completion of secondary well operations, on a Federal or Indian lease.

ROUTINE USES:

(1) Evaluate the equipment and procedures used during the proposed or completed subsequent well operations.

(2) Request and grant approval to perform those actions covered by 43 CFR 3162.3-2(2).

(3) Analyze future applications to drill or modify operations in light of data obtained and methods used.

(4)(5) Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions.

EFFECT OF NOT PROVIDING INFORMATION — Filing of this notice and report and disclosure of the information is mandatory once an oil or gas well is drilled.

The Paperwork Reduction Act of 1980 (44 U.S.C. 3501, et. seq.) requires us to inform you that: This information is being collected in order to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

This information will be used to report subsequent operations once work is completed and when requested, to obtain approval for subsequent operations not previously authorized.

Response to this request is mandatory for the specific types of activities specified in 43 CFR Part 3160.

BURDEN HOURS STATEMENT

Public reporting burden for this form is estimated to average 25 minutes per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management, (Alternate) Bureau Clearance Officer, (WO-771), 18 and C Streets, N.W., Washington, D.C. 20240, and the Office of Management and Budget, Paperwork Reduction Project (1004-0135), Washington, D.C. 20503.

A - PLUS WELL SERVICE, INC.

P.O. BOX 1979
FARMINGTON, NM 87499
505-325-2627 • FAX: 505-325-1211

October 20, 1994

Page 1 of 1

NORMAN GILBREATH
McKenzie #3 (PC)
1780' FSL and 790' FEL
San Juan County, NM
NM 015014

PLUG & ABANDONMENT REPORT

Cementing Summary:

Plug #1 with 30 sxs Class B cement from 2565' to 2176' over Pictured Cliffs perforations and Fruitland formation top.

Plug #2 with 16 sxs Class B cement from 2215' to 2003' over Kirtland and Ojo Alamo formation tops.

Plug #3 with 100 sxs Class B cement from 496' to surface, circulated 1 bbl good cement out bradenhead.

Plugging Summary:

10-17-94 Safety Meeting. Drive rig and equipment from Bisti to Five Points. Too muddy to attempt to drive rig to location. SDFD.

10-18-94 Safety Meeting. Road rig to location. Rig up. Check pressures on well: casing 20#, tubing 0#. Lay out relief lines and bleed well down. PU on 1" tubing; found free. Set back in wellhead. Pump 50 bbls water down tubing, did not circulate. Plug #1 with 30 sxs Class B cement from 2565' to 2176' over Pictured Cliffs perforations and Fruitland formation top. POH and LD 120 joints 1" tubing on trailer. Shut in well and WOC. SDFN.

10-19-94 Safety Meeting. Open up well, no pressure. Remove 4-1/2" wellhead off and install a Larkin wellhead and flange. NU BOP. PU and RIH 80 joints 2-3/8"; tag cement at 2224', 138' above Fruitland top. POH to 2215'. Load well with 5 bbls water and attempt to pressure test casing to 500#, shallow leak, circulated out bradenhead. Plug #2 with 16 sxs Class B cement from 2215' to 2003' over Kirtland and Ojo Alamo formation tops. POH and LD tubing. Establish circulation down 4-1/2" casing and out bradenhead. Mix cement water tracer and pump down 4-1/2" casing; it took 30 bbls water to circulate cement water out bradenhead. Calculate hole to be at approximately 550'. Had good circulation. Perforate 2 squeeze holes at 496'. Establish circulation out bradenhead with 1 bbl water. Plug #3 with 100 sxs Class B cement from 496' to surface, circulated 1 bbl good cement out bradenhead. Shut in well and WOC. Dig out cellar around wellhead. Open up well. ND BOP and cut off wellhead. Install P&A marker with 10 sxs cement. RD rig and MOL.