028-25-4

BEFORE THE OIL CONSERVATION COMMISSION OF THE STATE OF NEW MEXICO

IN THE MATTER OF THE APPLICATION OF CONTINENTAL OIL COMPANY FOR AN ADMINISTRATIVE ORDER APPROVING COMMINGLING OF PRODUCTION IN JICARILLA 28 WELL NO. 8 LOCATED IN THE UNDESIGNATED GALLUP AND UNDESIGNATED DAKOTA POOLS, RIO ARRIBA COUNTY, NEW MEXICO)
--	---

APPLICATION

AUG ACON. COM. DIST. 3

COMES NOW CONTINENTAL OIL COMPANY, a Delaware corporation, (hereinafter called "Applicant"), authorized to do business in the State of New Mexico, and makes application to the Secretary-Director of the State of New Mexico Oil Conservation Commission for approval to commissle in the well bore the Undesignated Gallup and the Undesignated Dakota zones in the dually completed Jicarilla 28 Well No. 8 in accordance with Rule 303 C as set out in Case No. 4104, Order No. R-3845.

In support of this application, Applicant respectfully states and shows as follows:

- 1. Attached as Exhibit "A" is a map showing all drilling, producing and plugged and abandoned wells in the sixteen section Continental Oil Company West Lindrith Block which is outlined in red. The red arrow on Exhibit "A" points to Jicarilla 28 Lease, Well No. 8, located in the NW4 of Section 28, Township 25 North, Range 4 West, Rio Arriba County, New Mexico.
- 2. Applicant operates eleven (11) dually completed Gallup-Dakota wells in the West Lindrith Block and has location for over forty (40) additional similar wells on 160 acre spacing. The present wells as now operated are commingled down hole in accordance with Rule 112 A, Section VI. The average projected ultimate recovery from the aforementioned eleven wells is 60,000 barrels of oil and 450 MCF gas using present producing methods. The eleven wells on an average will fail by \$6,000 per well to repay drilling, completing and

operating costs. This payout basis is before federal income taxes.

- 3. The present method of operating commingled zones in the aforementioned wells will lead to early abandonment of the wells due to uneconomic low rates of production.
- 4. Applicant's engineers have calculated that by removing the present check valve, gas lift valve and packer from the well bore, shown on Exhibit "B", attached, the operating pressure can be reduced and both daily production and ultimate oil recovery can be increased. The production from Jicarilla 28 Well No. 8 during June, 1970, totaled 729 barrels of oil and 3,504 MCF of gas. It is estimated that if this application is approved, production from the well will increase to 33 barrels of oil per day. Reserves will be increased by 15,000 barrels of oil. With such increases in production and reserves, the Jicarilla commingled wells would return a small profit to the owner prior to abandonment. If proposed improved stimulation procedures are successful and the present type of commingling application is approved for all of the aforementioned eleven wells, Continental Oil Company has plans to drill an additional ten wells on the West Lindrith Block after the economic projections are confirmed through actual production.
- 5. Removal of the packer, gas lift valve and check valve from the well bore and equipping Jicarilla 28 Well No. 8 as shown on Exhibit "C", will enable the operator to operate the well five additional producing days per year and reduce operating costs by an estimated \$500 per year. The present packer leakage tests with the contract wire line services required for such tests now require an average of five days down time and the aforementioned \$500 for contract services. Elimination of the packer leakage tests requirement by the Commission will increase the profitability of operations in the West Lindrith Area.
- 6. Continental Oil Company, whose address is 152 North Durbin Street, Casper, Wyoming 82601, is the operator of the well for which this application is made.
- 7. The Jicarilla 28 Lease covers a four section block of Jicarilla Apache Indian leases including Sections 27, 28, 33 and 34, Township 25 North,

Range 4 West, Rio Arriba County, New Mexico. Jicarilla 28 Well No. 8 is located 890 feet from the north line and 1,980 feet from the west line of Section 28, Township 25 North, Range 4 West, Rio Arriba County.

- 8. Jicarilla 28 Well No. 8 is completed in the Undesignated Gallup and Undesignated Dakota pools. Both zones are classified as oil producing zones. The well is now commingled in accordance with the New Mexico Oil Conservation Commission Order No. MC-1859.
- 9. Attached as Exhibits " D_1 " and " D_2 " are C-116 forms for 24 hour productivity tests dated March 5, 1970, for the Gallup and Dakota zones. The tests are the latest tests in Applicant's file for Jicarilla 28 Well No. 8.
- 10. Attached as Exhibits " E_1 ", " E_2 " and " E_3 " are production decline curves for Jicarilla 28 Well No. 8. Exhibit " E_1 " is a curve for the Dakota zone; Exhibit " E_2 " is a curve for the Gallup zone; and Exhibit " E_3 " is a production decline curve for the total production from the well. The curves show both oil and gas production. The subject well does not produce water.
- 11. Jicarilla 28 Well No. 8 is now artificially lifted from both zones through use of an intermittent plunger lift. The estimated shut-in stabilized bottom hole pressure is 1,500 psi for the Gallup zone and 2,100 psi for the Dakota zone. The operating bottom hole pressure for a similar installation has been measured at Jicarilla 28 Well No. 6. There the operating pressure, at 7,188 feet KB, was found to vary from a low of 425 psi to a high of 850 psi during operation of the plunger lift and gas lift valves. Applicant states that due to the extremely low permeability values for both zones, no significant volume of oil or gas will migrate from the high pressure Dakota zone to the lower pressure Gallup zone during normal operations or when the well is shut-in for short periods during emergencies.
- 12. Oil produced from the Gallup zone has a gravity of 45.2 degrees API and oil from the Dakota zone has a gravity of 47.0 degrees API. The two crude oils are compatible in the well bore and they have been produced as a commingled stream in the past with no problems.
- 13. Continental Oil Company owns all of the working interest for the Gallup and Dakota zones under the Jicarilla 28 Lease. The Jicarilla Apache

Indian Tribe retained a 12½ percent royalty interest under the Jicarilla 28

Lease. There are no overriding royalty interest owners for the subject lease.

The ownership of the royalty interest and the working interest for both the Gallup and Dakota production from the Jicarilla 28 Lease is common.

- 14. Attached as Exhibit "F" is a computation showing that the value of the commingled production will not be less than the sum of the values of the individual streams. This computation is similar to computations submitted to the Commission for previous applications.
- 15. Applicant states that in its opinion down hole commingling of production from the Gallup and Dakota zones, as herein proposed, will not in any way jeopardize the efficiency of any future secondary recovery operation for either the Gallup or Dakota zones.
- 16. Applicant has notified all offset operators and the United States Geological Survey of this application in writing by mailing such parties copies of this application at the same time the application was mailed to the New Mexico Oil Conservation Commission.
- 17. Granting the application herein requested will be in the public interests, protect correlative rights and increase the ultimate recovery of valuable natural resources.

For the foregoing reasons, Applicant hereby requests approval of the down hole commingling of production in the well bore at Jicarilla 28 Well No. 8.


WHEREFORE, Applicant requests that this matter be considered by the Secretary-Director of the New Mexico Oil Conservation Commission and that this application be granted.

Respectfully submitted,
CONTINENTAL OIL COMPANY


W. C. Blackburn
Division Manager

	Subscribed and	l sworn	to be	fore me	this.	17th	_
day of	August	· •	1970,	by	Wm.	C. Blackburn	_
Division	Manager		,				·
	My commission	expires	• •	Ny jero	19 . d. ex	900 - Agricus (19	— •
					<u> </u>	ary & Gragen	<u>′</u>

-4-







Centralisers Located 10' and 60' Above Casing Setting Depth and 90' Thereafter



NEW MEXICO OIL CONSERVATION COMMISSION GAS-OIL RATIO TESTS

C-116
Revised 1-1-65

	ZI.	ŧ	i lo		e,			Address		Operator
	Rule 301 and appropriate pool rules.	will be 0.60. Report casing pressure in lieu of tubing pressure for any well producing through casing. Mall original and one copy of this report to the district office of the New Mexico Oil Conservation Commission in accordance with	No well will be assigned an allowable greater than the amount of oil produced on the official test. During gas-oil ratio test, each well shall be produced at a rate not exceeding the top unit allowable for the pool in which well is located by more than 25 percent. Operator is encouraged to take advantage of this 25 percent tolerance in order that well can be assigned increased allowables when authorized by the Commission. Gas volumes must be reported in MCF measured at a pressure base of 15.025 psia and a temperature of 60° F. Specific gravity base		Jicarilla 28	LEASE NAME		152 North Durbin, Ca	Continental Oil Company	
		of tubing pr	lowable greath well shall rator is encountry the Comn		8	<u>х</u> О	WELL	Casper, W	any	
		to the	ter than be procouraged ouraged hission.		C	-		Wyoming		
		for any t	n the and oduced at a pre-		28	s	LOC			loo4
		well produ	nount of o at a rate e advants	•	25N	н	LOCATION	82601	Ur	=
		the Ne	il produc not exc ige of th		Mt	70			des i	
		ough casing. w Mexico Oil Co	ed on the offici beding the top u is 25 percent to		3-5-70	TEST	DATEOF	-1	Undesignated Gallup	
		nservat	al test. nit allo lerance		ਅ	STA		TEST -	1	
		ion Commi	wable for in order t			SIZE P	CHOKE .) (X)		
		ssion in	the pool hat well .			PRESS.	TBG.	Sche	-	
		accordance	pool in which well is well can be assigned			ABLE XCCO*-	- P - C - C - C - C - C - C - C - C - C	Scheduled 🗶		County
		¥iç	gned,		24	HOURS	LENGTH			nty
			I he is true ledge	EXHIBIT	0	BBLS.	ק ק	Compl	Rio Arriba	
			I hereby certify is true and completed ledge and belief.	B T		OIL.	200. E	Completion	criba	
((Si)		ertify tha complete clief.	D __	27	BBL S.	၂၀			
(Tide)	(Signature)		it the above		67	M.C.F.	TEST	ı		
			I hereby certify that the above information is true and complete to the best of my knowledge and belief.		2481	CU.FT/BBL	GAS - OIL	Special []		

(Date)

NEW MEXICO OIL CONSERVATION COMMISSION GAS-OIL RATIO TESTS

62116 Revised 1-1-65

		7 0		¥ 11.	loc						Ji				vaaress		perator
		Rule 301 and appropriate pool rules.	Report casing pressure in lieu of tubing pressure for any well producing through casing. Mail orlains and one conv of this report to the district office of the New Mexico Oil Conservation Commission in accordance with	Gas volumes must be reported in MCF measured at a pressure base of 15,025 psia and a temperature of 60° F. Specific gravity base will be 0.60.	No well will be assigned an allowable greater than the amount of oil produced on the official test. During gas-oil ratio test, each well shall be produced at a rate not exceeding the top unit allowable for the pool in which well is located by more than 25 percent. Operator is encouraged to take advantage of this 25 percent tolerance in order that well can be assigned increased allowables when authorized by the Commission.						Jicarilla 28		L EASE NAME		152 North Durbin, Ca	Continental Oil Company	
			of tubing pre	in MCF mea	owable grea well shall rator is enc				 		α)	и О	WELL	Casper, W	any	
			to the	sured a	ter than be pro- ouraged dission.						G		c		Wyoming		
-			or any w	t a pres	the am duced a to take						22	5	s	Loc			Pool
			ell produ	sure bas	ount of o				 		25M		-1	LOCATION	82601	Qr.	-
		!	icing thre	se of 15.	il produc not exca		-	· · · · · ·			W4		סב			ndesig	
			ough casing. w Mexico Oil Co	025 psia and a	greater than the amount of oil produced on the official test. hall be produced at a rate not exceeding the top unit allowable for the pool in which well is encouraged to take advantage of this 25 percent tolerance in order that well can be assigned ommission.				,		3-5-70		TEST	DATEOF		Undesignated Dakota	
			nservat	tempera	al test. unit allo plerance	 			 		<u> </u>	<u> </u>	STA		TEST	1]	
			ion Com	ture of 6	wable fo								SIZE	CHOKE	(X)	ו	
			mission ir	0° F. Spe	the pool								PRESS.	TBG.	Sch	-	
٠			n accordance	cific gravity	l in which w								ABLE	אורץ אווא	Scheduled 🗶		Cou
<u>-</u>			with	e B	ell is				 		7,	2	HOURS	LENGTH			County
ļ					I he is true ledge			ΕX			C	>	BBLS.	מים כו	Compi	Rio Arı	
					I hereby certify is true and completely ledge and belief.			EXHIBIT		<u> </u>			0 F & Y	NOD. D	Completion [Arriba	
((Si,		. `	ertify the omplete lief.			T "D2"			7	3	BBLS.				
(Date)	(Tide)	(Signature)			at the abov to the best	•	-	- 20_			- C	70	M.C.F.	TEST	Special [
					I hereby certify that the above information is true and complete to the best of my know-ledge and belief.						711C	277)	CU.FT/BBL	GAS - OIL	101	F	

FORM NO.									BBL 9	S OR N	ICF/DAY											1
M NO. 2-67 JAN. 67	ŀ	• 3					 10.0		.,			100-0		.		7 00 90	1000-0	,	**		ta on a const	0000-0
8B ,	MAR UNE RPI	. .	7			7				<u> </u>	7	8					8					CONTENTAL CITE
20 St	AAR UNE EPT					K							-									
4	AAR JNE SPT JC	. !																				EVZE · NEM NEXILOY TEVZE · NEM NEXILOY
7	ME FAE FAE FAE		:				:	 			• • • • • • • • • • • • • • • • • • •		<u> </u>				!	1		:		TICKLILY EN
61 E	.3.5 1.24 1.0	· ·		:. : : :		:	· ·				•						· · · · · · · · · · · · · · · · · · ·		:			žĘL FIEL
74 19	eve Ti		: : <u>-</u>								· · ·			- 141 44 AB 50 - 1		1 <u></u>		:				¥ELL NO∵ B ¥ETL NO∵ B
1 -1	SAR							i i		· ·	• • • • • • • • • • • • • • • • • • •	: :	<u> </u>	:			· · · · · · · · · · · · · · · · · · ·			-		CRITH
76 19	AAR							·					· ·				!					RESERV
7 19_	EPI IGG IAR INE																1	. <u>.</u>				RESERVOIR- UNOESTO
EZ GT BZ	148 148 148	e a reces		:	· -					·								:	· -			פאינבם סאיסני
5	34 34 35				· · · · · · · · · · · · · · · · · · ·			:					: 			-						7
19 🛱	18		:	:	· · · · · · ·			:							:		:			-		
75 PB	JAR VE JPT		:					: : : .											:			
EB	12. 158 192 201 33			· · ·									-				·					
19 81 19 81	est est est			1										:		1						
19 B	- 1								:	1:								1				
5 B .	18. 181 181			:			,	:														
8	- 1	· :						***														ЕХНІВІТ
EB 5	IAR IIIE FF1	:						<u> </u>					:									

•

. .

e .

												-			-						٠																	•
JAN. 67														E	BBL:	5 OF	R MC	F/0					-						F.									10
	. ! . !	.	N		<u>ن</u>	• (us on			10-00			4	ω - T			·	7 0	ָבָּ בַּי	3 3	•	• • • • • • • • • • • • • • • • • • • •	٠	,	• .	i an	7	э с ТТ!:	1000-00	····	~		<u></u>	-	·/ •	, , 	en is	& € €
0	MAR JUNE SEPT DEC					-									>	•	كسر					and a service selection of the selection of the service selection of th																10000-00 DALES DIATEMENT THE CITY
15 Z	MAR JUNE SEP1		-	,							ζ	\ \ 			-	2	^							1												. 1.		KETTEN CT:
19 71	MAR IUNE	<u>:</u> :		- -	ļ						·						- 8	ĥ			:	:					:		 	:				:		- - - - -		FEVET:
19 72	215 RAM 1 3451									:					 -								•	· • · · · · ·														FINIE MEN MEXICA TENSE JECARELLA EB
ເຍ	SEPT TO WAR			• • • • • • • • • • • • • • • • • •	:								:					· .				: 			i . <u>i</u>	-												88
, c. E	5-11 1 120 1 M/S-1												:													1 o												MECH NO.
74 15	997. 1911 1912. 1918.						1																															MELL NO. B
Ы	Jens Seet <u>Pro</u>								: . : .				!	- ·															1									
6; 6;	220 220 273 273 210				! !									:		: : :-	٠			· 	=			,	<u>;</u>						:			:			•	Æ
19_77	MAR IONE SEPT DEC	· · · · · · · · · · · · · · · · · · ·				; ;					•											:		! -										:				SECTION DE
BZ 61	MAE JUHE SEPT DEG				: 															1		-	-		: !		- :							:				אוניבונאינינון פעררום
	MAR CHE STEE					: -					:																								٠			ון פאַנרווי
19	030 8AM 7,21				. <u>.</u>	 			:		-																							~-				•
19	MAR.				<u>.</u>					; ; ;			÷					- ; · · · · · · · · · · · · · · · · · ·	:		 			·					: - -					••				
1 }	per l												; 	;											:													
19	DEC MAI	:		-																				· · · · · · · · · · · · · · · · · · ·	<u>:</u>													
19	CEC MAG		!			<u>.</u>				.;			!																			· ·	· · ·		٠		-	
2 2	runs STAY SEC MATE SINE						<u>!</u>	· -	i,	1			1 .			: 		1							· ·		!		-									
5	515 515 Wha		- -					! !					1																:	*** ·			:	-				
0	ALRE SEPT CEC MAR				-					:	·•·		: 			!						-											-	:	:			in in
æ	HEAR HUNE SETTE PETT MARR HUNE	:		· · · -		-			_'				<u> </u>											:	:					:			-		:	;	:	EXHIBIT "E2
19_8	taea prose	:																						1	:					:								. m

FORM			-									88	LS I	OR I	MCF	'∕DA	Y																	<u> </u>	
FORM NO. 2-67 JAN. 67	1.00						}	10.00									1	3								3								0000-0	
MAR JUNE SEPT DEC MAR		2				7				7	۔ ح		<u> </u>	 	•	8		<u> </u>		7			5		 9	3			-	-				TOOOO COLVETER DIVISION	CONTENENTAL DIL
70 SEPT OSES NAR JUNE			 					• .	 		멅					•		- GAS																	Ė
19 MAR JUNE JUNE JUNE JUNE JUNE JUNE	<u> </u>								 																									FEVET TILMETTY SEVET	SIVIE" NEK MEXIED
67 EL 61												 								1						· · · · · ·								WETT NO:	FINIS
74 19 75			 						 												y 100 - 440										 			В.	FIELD: WEST LINGRUTH
75 76 0FG MAR SEPT OF G	:		 	-																							· · · · · · · · · · · · · · · · · · ·								RESERVILIR I
MAR JUNE SEPT UEC.									 																			- !							RESERVOIR DINOTA-BALLUP
20 SEE	;		 						 									•																	
10 PR CHE			 						 																						-	1 1			
B MAR	: :		 			-			 											-		Total Control of the													
SIFE CONTRACTOR						 L			 			a comment of the comm										The state of the s											•		
701 10 VAR			 		i 				 			and the state of t			-							1		! .											
100 M48			 						 				; ; ;						<u>-</u>					ļ										 EXHIBIT	
H,							 -							5					:	?			 5	5					,	3	· · · · · ·			 G	z 1 =

JICARILLA 28 WELL NO. 8 UNIT LETTER C, SECTION 28, T25N, R4W RIO ARRIBA COUNTY, NEW MEXICO

Commingling Data Month of June, 1970

Producing Data	<u>Gravity</u>	<u>Value</u>	<u>Volume</u>	
Gallup	45.2	\$2.85	486	64.67 8
Dakota	47.0	2.85	243	36.12 2
Commingled	45.9	2.85	729	

Crude Purchaser: Shell Pipeline Company - Farmington, New Mexico

Royalty Interest Owner: Jicarilla Apache Tribe

Date: August 17, 1970