

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Sundry Notices and Reports on Wells

1. Type of Well
GAS

2. Name of Operator

**BURLINGTON
RESOURCES**

OIL & GAS COMPANY

3. Address & Phone No. of Operator

PO Box 4289, Farmington, NM 87499 (505) 326-9700

4. Location of Well, Footage, Sec., T, R, M

1190' FNL, 990' FWL, Sec. 5, T-25-N, R-6-W, NMPM

5. Lease Number
SF-078883

6. If Indian, All. or
Tribe Name

7. Unit Agreement Name

Canyon Largo Unit
8. Well Name & Number
Canyon Largo U NP #161
9. API Well No.
30-039-20311
10. Field and Pool
Otero Chacra
11. County and State
Rio Arriba Co, NM

12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA

Type of Submission

Type of Action

<input type="checkbox"/> Notice of Intent	<input checked="" type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Other -	

13. Describe Proposed or Completed Operations

3-22-02 MIRU SD for rig repairs.
3-29-02 ND WH. NU BOP. PT BOP. TOO H w/114 jts 1 1/4" tbg. TIH w/gauge ring to 3645'. TOO H. TIH w/2 7/8" CIBP, set @ 3634'. TOO H. TIH, tag CIBP @ 3634'. Load hole w/20 bbl wtr. Circ hole clean. PT 2 7/8" csg @ 0-3634' to 500 psi, OK. Plug #1: pump 10 sx Class "B" neat cmt inside csg on top of CIBP @ 3271-3634' to cover Chacra interval. TOO H to 2891'. Plug #2: pump 30 sx Class "B" neat cmt inside csg @ 1801-2891' to cover Pictured Cliffs, Fruitland, Kirtland & Ojo Alamo intervals. TOO H. TIH, perf 2 sqz holes @ 729'. Establish injection. TOO H. TIH w/2 7/8" cmt retainer set @ 656'. Establish injection. Plug #3: pump 35 sx Class "B" neat cmt outside csg below cmt retainer @ 629-729'. Pump 5 sx Class "B" neat cmt inside csg above cmt retainer 548-629'. TOO H. TIH, perf 2 sqz holes @ 188'. Establish circ down 2 7/8" csg & out bradenhead w/20 bbl wtr. Plug #4: pump 72 sx Class "B" neat cmt down 2 7/8" csg & out bradenhead. Circ 1 bbl cmt out bradenhead. WOC. SD for weekend.
4-1-02 ND BOP. Cut off WH. Found cmt down 20' in 2 7/8" csg & down 10' in 2 7/8" x 3 5/8" annulus. Fill 2 7/8" csg & annulus w/5 sx Class "B" neat cmt. Install dry hole marker w/5 sx Class "B" neat cmt. RD. Rig released.

Well plugged and abandoned 4-1-02.

14. I hereby certify that the foregoing is true and correct.

Signed Nancy Altman for Title Regulatory Supervisor Date 4/16/02
no

(This space for Federal or State Office use)

APPROVED BY _____ Title _____ Date _____ FOR RECORD
CONDITION OF APPROVAL, if any: