Form 3160-5 (lovember 1983) (Formerly 9-331)	
SUND (Do not use this fo	•
	•

UNITED STATES UNITED STATES BURMIT IN TRIPLICATES O(Other Instructions on rerespectively) BUREAU OF LAND MANAGEMENT

Budget Bureau No. 1004-0135 Expires August 31/ 1985 S. LEASE DESIGNATION

		cari.	l la C	o n	tra	сt	
€.	15	EMDIAM,	ALLOTTER	08	TRIBE	MAME	-

UNDRY NOTICES AND RE	PORTS ON	WELLS
----------------------	----------	-------

rm for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

Jicari/11a Apache

	_		
7.	UNIT	AGREMENT HAME	-

BARM OR LEASE HAME

2. NAME OF OPERATOR

Amoco Production Co.

OTHER

3. ADDRESS OF OPERATOR

WELL WELL

501 Airport Drive, Farmington, N M

LOCATION OF WELL (Report location clearly and in accordance with any State requirements.

Jicarilla Contract 146 9. WELL NO. 21

10. FIELD AND POOL, OR WILDCAT Otero Chacra/Basin Dakota 11. BBC., T., R., M., OR BLK, AND SURVEY OR ARM

SW/4 Sec 3, T25N, R5W

12. COUNTY OR PARISH 13. STATE

Rio Arriba New Mexico

X 1690' FWL

15. ELEVATIONS (Show whether DF, RT, OR, etc.) 6620' GR

BUREAU OF LAND MANAGEMENTE Appropriate Box To Indicate Nature of Notice, Report, or Other Data FARMINGTON RESOURGETABLE INTENTION TO:

TEST WATER BHUT-OFF

PRACTURE TREAT SHOOT OR ACIDIZE

(Other)

1

REPAIR WELL

PCLL OR ALTER CASING MULTIPLE COMPLETE ABANDONS


CHANGE PLANS

WATER SHUT-OFF FRACTURE TREATMENT SHOOTING OR ACIDILING (Other)

REPAIRING WALL ALTERING CASING ABANDON MENT®

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and somes pertinent to this work.)

Moved in and rigged up service unit on 12-6-85. Total depth of the well is 7456' and plugback depth is 7363'. Set cement retainer at 7030'. Squeezed 59 cu. ft. Class B Portland from 7082'-7268'. plugs from 5650'-5780' and 4590'-4630'. Set cement retainer at 3735'. Squeezed 71 cu. ft Class B Portland from 3785'-3796'. Spotted cement plugs from 2750'-2940', 2331'-2421', and 495'-surface. Cut off casing below bradenhead and pumped 1 1/2 barrels cement down casing to surface. Weld on steel plate and erect PxA marker. Released the rig on 12-10-85. The Chacra and Dakota formations of the subject well are now permanently abandoned.



OIL CON. DIV. DIST. 3

18. I hereby certify that the foregoing is true and correct

Adm. Supervisor

12-26-85 DATE

(This space for Federal or State office use)

CONDITIONS OF APPROVAL IF ANY:

APPROVED DATE AS AMENDED

Approved no to plugging of the wall book Liability under bond is retained until surface rectoration is completed.

*See Instructions on Reverse Side NMOCC

AREA MANAGER

Title 18 U.S.C. Section 1001, makes it a crime

SICKED

Jhi well didn't get set up for hard abandonment; The letter from M. W. Pepeline Fellow, we it had cheen insommeted was pasted and in well

NORTHWEST PIPELINE CORPORATION ONE OF THE WILLIAMS COMPANIES

P O BOX 8900 SALT LAKE CITY, UTAH 84108-0900 801 583-8800

SEP 0 4 1986 OIL CON. DIV.)

573-86

September 2, 1986

New Mexico 011 & Gas Commission

1000 Rio Brazo Aztec, NM 87410

Attn: Mr. Frank Chavez

Re: Disconnected Well

Dear Mr. Chavez:

The following well was permanently disconnected from Northwest Pipeline and/or plugged and abandoned on the date indicated:

Meter Number: 87190

Well Name: Jicarilla Cont. 146 #21

Location: K-3-25N-5W Formation: Dakota

Operator: Amoco Production

Permanent Disconnect Date:

Plugged and Abandoned Date: December 11, 1985

Sincerely,

NORTHWEST PIPELINE CORPORATION

Lillian Eaton

Sr. Proration Analyst

LE:js