UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

	Budget Bureau	No.	42-R142
LEASE			

DEPARTMENT OF THE INTERIOR	Santa Fe 078914	
GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.)	7. UNIT AGREEMENT NAME	
reservoir, Use Form 9–331–C for such proposals.)	8. FARM OR LEASE NAME	
1. oil · 来 gas □	Lindrith B_Unit	
weii gas other	9. WELL NO.	
2. NAME OF OPERATOR	8	
Mobil Producing TX. & N.M. Inc.	10. FIELD OR WILDCAT NAME	
3. ADDRESS OF OPERATOR	Chacon-Dakota Associated	
9 Greenway Plaza, Suite 2700, Ho.,TX 77046	11. SEC., T., R., M., OR BLK. AND SURVEY OR	
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17	AREA	
below.)	Sec. 27, T24N, R3W	
AT SURFACE:	12. COUNTY OR PARISH 13. STATE	
AT TOP PROD. INTERVAL:	Rio Arriba New Mexico	
AT TOTAL DEPTH:	14. API NO.	
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE,	ATT NO.	
REPORT, OR OTHER DATA	15 FLEVATIONS (OLION DE KDD AND WD)	
REPORT, OR OTHER BRITA	15. ELEVATIONS (SHOW DF, KDB, AND WD)	
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	7052 GR	
TEST WATER SHUT-OFF		
FRACTURE TREAT	DECE:	
SHOOT OR ACIDIZE	RECEIVED	
REPAIR WELL		
PULL OR ALTER CASING	change on Form 9-330.DEP OF 1987.	
MULTIPLE COMPLETE		
CHANGE ZONES	U. S. GEOLOGICAL SURVEY	
ABANDON* U (other) Set 8-5/8 casing	FARMINGTON, N. I.I.	
(other) bet 6-3/6 casing		
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state	e all pertinent details, and give pertinent dates,	
including estimated date of starting any proposed work. If well is d measured and true vertical depths for all markers and zones pertinen	irectionally drilled, give subsurface locations and in to this work)*	
measured and that terroar depine for an incidence of permission	John To The Control of the Control o	
	0.770	
8-31-80 Ran 92 jts 8-5/8 (32,24#) to 3918		
0 31 00 1mm 72 get 0 370 (32,24"/ 60 3720		
9-01-80 BJ cmt 8-5/8 @ 3900 w/540x BJ Lite +	+ 100v Class B + 2% CaCla	
Cmt circulated. WOC 12 hrs & NU & te		
	est bot and esg to roops Off American	
OK. Cont drlg 7 7/8 hole.		
	in the second of	
•		
Subsurface Safety Valve: Manu. and Type	Set @ Ft.	
outsurface series valve. Hallet and Type		
18. I hereby certify that the foregoing is true and correct		
SIGNED TITLE Authorized A	Agent September 4, 1980	
SIGNED TITLE Authorized A	UAIE	
(This space for Federal or State off	fice use)	
APPROVAUCEPTED FOR RECORD TITLE	DATE	
CONDITIONS OF APPROVAL, IF ANY:	UAIL	
SEP 1 1 1980		
SEP I I MAIL		

*See Instructions on Reverse Side

CFARMINGTON DISTRICT