

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

**SUNDRY NOTICES AND REPORTS ON WELLS**

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ well ☐ gas well ☐ other

2. NAME OF OPERATOR

MILTON & DENNY REEVES

3. ADDRESS OF OPERATOR

2040 CAMERO AVE. LAS VEGAS, NEV. 89123

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)

AT SURFACE:

AT TOP PROD. INTERVAL:

AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐

FRACTURE TREAT ☐

SHOOT OR ACIDIZE ☐

REPAIR WELL ☐

PULL OR ALTER CASING ☐

MULTIPLE COMPLETE ☐

CHANGE ZONES ☐

ABANDON\* ☐

(other) ☐ CHANGE PLANS

SUBSEQUENT REPORT ☐

RECEIVED  
JUN 2 1983

U. S. GEOLOGICAL SURVEY  
FARMINGTON, N. M.

15. ELEVATIONS (SHOW DF, KDB, AND WD)  
GR 7102

RECEIVED  
JUN 6 1983

OIL CON. DIV.  
DIST. 3

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

UNIT LETTER A, 475 FEET FROM THE North LINE AND 990 FEET FROM  
THE East LINE, SECTION 16 TOWNSHIP 25N RANGE 1E NMPM.

Spudded hold May 30, 1983. Set 100' 10" primary Surface & Cemented to Surface.  
Drill 9-7/8" hole to depth below water zones & set 2nd surface 7" 23# & Cement  
to seal water. Drill 5-7/8" hole thru producing formations.

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

\*See Instructions on Reverse Side

NMOCC

JUN 10 1983

BY [Signature]