

Relative Bearing → 90.85
 Displacement → 238.63
 True Vertical Depth → 2374.73

Depth	Inclination	Bearing
0000	00.4	221
0010	00.6	270
0020	00.8	029
0030	00.4	015
0040	00.4	027
0050	00.6	004
0060	00.5	357
0070	00.8	022
0080	01.7	011
0090	21.9	287
0100	01.6	009
0110	01.3	015
0120	01.7	013
0130	02.1	005
0140	02.5	009
0150	02.6	010
0160	02.7	016
0170	03.1	021
0180	03.2	018
0190	03.5	021
0200	03.9	019
0210	03.9	012
0220	04.0	005
0230	04.0	012
0240	04.2	017
0250	04.6	343
0260	04.7	003
0270	04.6	358
0280	04.9	010
0290	05.1	015
0300	05.5	008
0310	05.5	005
0320	05.3	012
0330	05.6	012
0340	05.5	011
0350	05.4	010
0360	05.5	006
0370	04.5	013
0380	05.8	270
0390	05.1	000
0400	05.5	009
0410	05.7	012
0420	05.7	014
0430	05.6	013
0440	05.5	012
0450	05.4	013
0460	05.5	013
0470	05.4	010
0480	05.3	015
0490	05.1	015
0500	05.1	014
0510	05.3	014
0520	05.1	010
0530	05.1	010
0540	05.1	011
0550	04.9	346
0560	04.9	271
0570	04.8	309
0580	04.7	007
0590	04.7	006
0600	04.7	348
0610	04.9	010
0620	05.2	012
0630	05.4	017
0640	05.2	012
0650	05.3	013
0660	05.4	012
0670	05.2	011
0680	05.7	013
0690	06.1	009
0700	06.3	010
0710	06.7	011
0720	07.0	008
0730	07.0	011
0740	07.0	008
0750	07.2	007
0760	07.8	011
0770	07.6	275
0780	07.9	314
0790	07.9	008
0800	07.9	005
0810	08.0	014
0820	08.0	010
0830	08.0	012
0840	08.2	013
0850	08.4	014
0860	08.3	012
0870	08.5	014
0880	08.3	022
0890	08.6	285
0900	08.8	311
0910	08.9	014
0920	09.0	009
0930	09.1	009
0940	09.2	008
0950	09.4	008
0960	09.0	011
0970	09.3	011
0980	09.4	013
0990	09.4	012
1000	09.2	012
1010	09.6	013
1020	09.4	017
1030	09.7	014
1040	09.8	011
1050	10.2	012
1060	09.9	014
1070	09.9	315
1080	10.2	332
1090	10.3	356
1100	10.7	004
1110	10.8	355
1120	10.8	007
1130	10.9	006
1140	11.0	005
1150	10.7	353
1160	10.7	204
1170	11.7	305
1180	12.2	349
1190	12.5	003
1200	12.9	003
1210	13.4	004
1220	13.5	008
1230	13.8	005
1240	17.9	002
1250	14.3	006
1260	14.8	003
1270	14.7	005
1280	15.1	005
1290	15.6	001
1300	15.8	005
1310	16.1	003
1320	16.3	004
1330	16.4	006
1340	16.8	008
1350	16.9	356
1360	16.8	358
1370	17.3	002
1380	17.7	007
1390	18.2	018
1400	17.9	019
1410	18.2	012
1420	18.8	014
1430	18.6	014
1440	18.6	016
1450	18.9	012
1460	19.1	021
1470	19.4	032
1480	18.9	223
1490	19.1	219
1500	19.5	211
1510	20.0	358
1520	20.0	357
1530	19.8	074
1540	20.4	026
1550	22.3	042
1560	03.8	141
1570	21.6	215
1580	21.2	210
1590	21.4	209
1600	21.3	206
1610	21.6	205
1620	22.0	213
1630	21.9	208
1640	22.5	213
1650	22.1	205
1660	22.4	224
1670	23.3	110
1680	23.6	208
1690	22.3	216
1700	23.4	214
1710	22.9	083
1720	23.8	218
1730	24.0	194
1740	23.8	210
1750	23.0	200
1760	23.3	207
1770	23.8	202
1780	24.0	204
1790	23.3	052
1800	23.9	069
1810	23.9	073
1820	24.2	136

Direction → 119.81
 Displacement → 274.01
 True Vertical Depth → 5913.4

1830	24.5	137
1840	25.0	132
1850	24.9	132
1860	25.2	129
1870	25.3	117
1880	24.0	110
1890	24.8	119
1900	25.9	107
1910	25.4	135
1920	26.1	132
1930	26.2	130
1940	24.8	127
1950	26.3	125
1960	25.4	096
1970	28.1	110
1980	24.5	116
1990	25.2	122
2000	25.7	126
2010	25.7	126
2020	25.2	124
2030	25.6	126
2040	25.6	125
2050	25.4	126
2060	25.6	124
2070	25.6	123
2080	25.7	123
2090	25.6	123
2100	25.7	123
2110	25.9	123
2120	26.6	126
2130	25.7	121
2140	26.2	123
2150	25.6	128
2160	25.6	130
2170	25.2	125
2180	25.4	122
2190	24.6	106
2200	24.0	120
2210	24.3	120
2220	24.3	121
2230	25.3	123
2240	24.2	125
2250	24.5	128
2260	24.7	118
2270	24.3	108
2280	23.5	123
2290	24.6	121
2300	25.3	118
2310	24.3	116
2320	23.9	109
2330	24.1	119
2340	24.9	117
2350	25.0	104
2360	23.3	117
2370	25.2	118
2380	25.1	104
2390	23.1	120
2400	24.2	110
2410	22.8	105
2420	25.8	116
2430	24.6	106
2440	25.9	117
2450	26.2	108
2460	24.8	119
2470	24.7	118
2480	24.1	112
2483	24.7	119

Depth ↑
 Inclination ↑
 Direction ↗