

SUBMIT IN TRIPLICATE\*  
(Other instructions on reverse side)

## SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO. NM 23039	
2. NAME OF OPERATOR JEROME P. McHUGH		6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
3. ADDRESS OF OPERATOR P O Box 809, Farmington, NM 87499		7. UNIT AGREEMENT NAME	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 1650' FNL - 1850' FWL		8. FARM OR LEASE NAME Full Sail	
14. PERMIT NO.		9. WELL NO. 3	
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 7108' GL; 7120' KB		10. FIELD AND POOL, OR WILDCAT Gavilan Mancos/G-G-G Dakota	
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 29, T25N, R2W, NMPM	
		12. COUNTY OR PARISH Rio Arriba	13. STATE NM

RECEIVED

SEP 11 1985

BUREAU OF LAND MANAGEMENT  
FARMINGTON RESOURCE AREA

### Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

#### NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐

FRACTURE TREAT ☐

SHOOT OR ACIDIZE ☐

REPAIR WELL ☐

(Other) ☐

PULL OR ALTER CASING ☐

MULTIPLE COMPLETE ☐

ABANDON\* ☐

CHANGE PLANS ☐

#### SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐

FRACTURE TREATMENT ☐

SHOOTING OR ACIDIZING ☐

(Other) ☐

REPAIRING WELL ☐

ALTERING CASING ☐

ABANDONMENT\* ☐

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) \*

Moved in and rigged up Four Corners Drilling Co. Rig #7  
Spudded 12 $\frac{1}{4}$ " hole at 10:00 PM, 9-8-85.  
Ran 6 jts. (262.21') 9-5/8" O.D., K-55 casing and set at 275'.  
Cemented with 135 sx Class "B" with 2% CaCl<sub>2</sub>. Cement did not circulate to surface. Pumped 57 sx Class B with 2% CaCl<sub>2</sub> down annulus. Plug down at 6:00 AM 9-9-85. (Total cement slurry = 227cf.)

Tested BOP for 1 hr. at 800 psi. Held OK.

RECEIVED

SEP 18 1985

OIL CON. DIV.  
DIST. 3

18. I hereby certify that the foregoing is true and correct

SIGNED

James S. Hazen

TITLE Field Supt.

DATE 9-10-85

(This space for Federal or State office use)

ACCEPTED FOR RECORD

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

1985

FARMINGTON RESOURCE AREA

\*See Instructions on Reverse Side

NMOCC

BY