

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)

Budget Bureau No. 1004-0135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT" for such proposals.)

5. LEASE DESIGNATION AND SERIAL NO.

NM-01137

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Fred Phillips "F"

9. WELL NO.

1A

10. FIELD AND POOL, OR WILDCAT

Blanco MV/Ojito GP-DK

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

NE/SE Sec. 10, T25N, R3W

12. COUNTY OR PARISH

13. STATE

Rio Arriba

NM

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

Amoco Production Company

3. ADDRESS OF OPERATOR

501 Airport Drive, Farmington, NM 87401

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.
See also space 17 below.)

At surface

1650' FSL x 790' FEL

RECEIVED

JAN 29 1985

14. PERMIT NO.

15. ELEVATIONS (Show whether in **MINERAL RESERVE AREA**)

7249' GR

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

Spud & set casing

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Spud a 12-1/4" hole on 12/12/84 at 1930 hrs. Drilled to 353'. Set 9-5/8", 36#, K-55 casing at 353' and cemented with 295 c.f. Class B Ideal. Circulated cement to surface. Pressure tested casing to 1000 psi. Drilled an 8-3/4" hole to a TD of 8290' on 1/8/85. Set 5-1/2", 17#, K-55 casing at 8289'. Stage 1: cemented with 1363 c.f. Pozzolanic 50:50 poz. Circulated cement to surface. Stage 2: cemented with 2,709 c.f. Pozzolanic 65:35 poz. Ran a temperature survey after stage 2 (attached), which indicated the top of the cement at 1000'. Set the DV tool at 5491' and released the rig on 1/9/85.

OIL CON. 11/7.
DIST. 3

18. I hereby certify that the foregoing is true and correct

Original Signed By

SIGNED

B. D. Shaw

TITLE Administrative Supervisor

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

DATE FEB 14 1985

*See Instructions on Reverse Side

FARMINGTON RESOURCE AREA

BY

Smm

NMOCC

WILSON SERVICE COMPANY

FORM 432-2

TEMPERATURE SURVEY

COMPANY.....Amoco production

WELL.....1-A.....LEASE.....Fred Phillips F

COUNTY.....Rio Arriba.....STATE.....New Mexico

SEC.....10.....TWP.....25N.....RGE.....3W

APPROX. TOP CEMENT.....1000'

Survey Begins at.....500'.....Ft. Ends at.....5500'.....Ft.

Approx. Fill-Up.....Max. Temp.

Log Measured From.....KB.....Run No.....1

Casing Size	Casing Depth	Diam of Hole	Depth
5 1/2" from	to	from 7 7/8"	to
from	to	from	to

Date of Cementing.....1/9/85.....Time.....11:00 AM

Date of Survey.....1/10/85.....Time.....9:00 AM

Amount of Cement.....1365 Sks.


Recorded by.....Ebert.....Witnessed by.....

REMARKS OR OTHER DATA RECEIVED

DV Tool at 5500'.....JAN 29 1985

BUREAU OF LAND MANAGEMENT
FARMINGTON RESOURCE AREA

TEMPERATURE IN DEGREES FAHRENHEIT



900'

1000'

Anomaly 1000'

1100'

1200'

1300'

1400'


1500'

1600'

1700'

1800'

1900'



2300'

2400'

2500'

2600'

2700'

2800'

2900'

3000'

3100'

3200'

3300'

3400'

3500'

3600'

3700'

3800'

3900'

4000'

4100'


4200'

4300'

4400'

4500'

4600'



4800'

4900

5000'

5100'

5200'

5300'

5400'

5500'

TD Surveyed 5500'