Form 31£0-5 (June 1990)


## UNITED STATES DEPARTMENT OF THE INTERIOR BURFAU OF LAND MANAGEMENT

FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS O  Do not use this form for proposals to drill or to deepen or reentry  Use "APPLICATION FOR PERMIT - " for such pr	to a different reservoir.  5. If Indian, Allottee or Tribe Name
Type of Well Oil Gas Well Other	8. Well Name and No.  IICABILLA CONT 148 #40
The state of the s	idon:
	YNE BRANAM, RM 1220 9. API Well No. 3003923697
. Address and Telephone No. P.O. Box 800, Denver, Colorado 80201	10. Field and Pool, or Exploratory Area
	WEST LINDRETH GALLUP DAKOTA
. Location of Well (Footage, Sec., T., R., M., or Survey Description)	11. County or Parish, State
930 FNL 730 FEL Sec. 13 T 25N	R 5W RIO ARRIBA NEW MEXICO
	NATURE OF NOTICE, REPORT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION
X Notice of Intent Recompl Subsequent Report Casing Final Abandonment Notice  Abandor Recompl Casing Final Abandonment Notice  Other	etion New Construction  Back Non-Routine Fracturing  depair Water Shut-Off
	(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form. )
AMOCO PROPOSES TO REPAIR THIS WELL PER THE ATTAG	SHED.
4. I hereby certify that he foregoing is true and correct	Tite BUSINESS ANALYST pate 12-21-1994
Approved by Conditions of approval, if any:	Chief, Lands and Mineral Resources Title Date  Date  Date

## JICARILLA CONTRACT 148 - 40 SEC 13 - T25N - R5W RIO ARRIBA COUNTY, NM REPAIR WELL PROCEDURE

- 1. TOOH with the 2-7/8" production tbg.
- 2. TIH with bit and scraper for 5-1/2" csg to 8000'.
- 3. Wireline set a CIBP at 7950'.
- 4. Cap the CIBP with 10' of sand/barite mixture. Bring the mixture up to 7940'. The mixture should be 33% barite and 67% 20/40 sand.
- 5. TIH with muleshoe, SN, and 2-3/8" tbg and land intake at 7850'. Check with Ralph Montoya before running the tbg in the well. Ralph may want to run 2-1/16" tbg rather than the 2-3/8" tbg.
- 6. Swab the well in and RTP.



108- 41 1- MART

SCALE:

