

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

5. Lease Designation and Serial No.
078908

6. If Indian, Allottee or Tribe Name

N/A

7. If Unit or CA, Agreement Designation

LINDRITH B UNIT

8. Well Name and No.

74

9. API Well No.

30-039-24091

10. Field and Pool, or Exploratory Area

Gavlin Mancos-Gallup

11. County or Parish, State

Rio Arriba, N.M.

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

MOBIL PRODUCING TEXAS & N.M. INC

3. Address and Telephone No.

P O BOX 633 Midland, TX 79702 (915) 688-2585

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

800' FNL, 985' FEL Sec.9, T24N, R2W

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☒ Notice of Intent
☐ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☒ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☐ Other _____
- ☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

SEE ATTACHED PROCEDURE

RECEIVED
NOV 23 1993
OIL CON. DIV.
DIST. 2

14. I hereby certify that the foregoing is true and correct

Signed Shirley Todd Shirley Todd

Title Env. & Reg Technician

Date 11-16-93

(This space for Federal or State office use)

Approved by (Original Signed) HECTOR A. VILLALOBOS

Title AREA MANAGER

RIO PUERCO RESOURCE AREA

Date NOV 22 1993

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side

NMOC

no sticky Todd

LINDRITH B #74
PLUG AND ABANDONMENT PROCEDURE
TOM COCHRANE (303) 565-2210

ALL CMT WILL BE CLASS B NEAT (15.6 PPG)

1. NOTIFY ROBERT KENT WITH THE BUREAU OF LAND MANAGEMENT AT 505/761-8762 AT LEAST 48 HOURS PRIOR TO PLUGGING THE WELL. DOCUMENT DATE/TIME NOTIFIED AND ALSO THE DATE/TIME ANY BLM REPS ARE ON LOCATION.
2. MIRU PU. POH W/ PROD EQPT. GIH W/5.5" BIT, SCRPR & BAILER, CO WELL TO 7115', POH.
3. GIH W/CMT RET SET @ 6516'. STING OUT OF RET, CIRC HOLE W/ FW, STING IN RET, SQZ BELOW RET W/150 SX CMT TO 1500#, STING OUT, RO.
4. RC HOLE W/9 PPG FW MUD (W/MIN VISC. OF 50 SEC/QT AND MIN 15 PPB SODIUM BENTONITE AND A NONFERMENTING POLYMER).

MESA VERDE TOP @ 4866'

5. PUH TO 5066', SPOT 200' CMT FROM 5066-4866'. PULL OUT OF PLUG AT LESS THAN 30 FT/MIN., WOC.
6. TOC TOC PLUG W/WS, TOC PLUG MUST BE ABOVE 4916'. SPOT EXTRA CMT AS REQ'D.

PICTURE CLIFFS TOP @ 3274'. OJO ALAMO @ 2850'

7. PUH TO 3374', SPOT 624' CMT FROM 3374-2750'. PULL OUT OF PLUG AT LESS THAN 30 FT/MIN., WOC.
8. TOC TOC PLUG W/WS, TOC PLUG MUST BE ABOVE 2800'. SPOT EXTRA CMT AS REQ'D.

9-5/8" SHOE @ 434'

9. PUH TO 534', SPOT 200' CMT FROM 334-534'. PULL OUT OF PLUG AT LESS THAN 30 FT/MIN., WOC.
10. TOC TOC PLUG W/WS, TOC PLUG MUST BE ABOVE 384'. SPOT EXTRA CMT AS REQ'D.
11. PUH TO 50', FILL 0-50' W/CMT, WOC, IF FALLS, REFILL TO SURFACE.
12. IF CSG(S) ABOVE GL, CUTOFF CSG TO GL. TOP OFF ALL CSG ANNULI W/CMT, USE 1" SPAGHETTI TEG IF REQ'D TO SPOT CMT. WELD ON A 1/4" STEEL PLATE W/1/4" WEEP HOLE, PLATE TO COVER ALL CSG IN HOLE. GET A 4' PIECE OF BULL-PLUGGED 4" TUBING, WELL ON PLATE VERTICAL EXTENDING 4' ABOVE GL. PUT ON MARKER A SIGN W/FOLLOWING INFO;


MOBIL E&P U.S.
LINDRITH B #74
SEC. 9 T24N R2E
800' FNL 800' FEL
NOV. 1993

13. RD RIG. REMOVE SURFACE EQPT AS PER ED BARBER'S (505)
598-0900 OR KELLY McCLELLAN'S (505) 632-1891
RECOMMENDATION. CLEAN LOCATION. NOTIFY SHIRLEY TODD
(915) 688-2585 WHEN WORK COMPLETE SO SHE CAN FILE THE
3160-5 SUNDRY NOTICE FOR REPORT OF ABANDONEMENT WITH THE
BLM.

Mobil Operations Engineer: Tom Cochrane
Office Phone: 303/565-2210
Home Phone: 303/882-7253

LINDRITH B #74
 GAVILAN MANCOS FIELD
 SURVEY 800' FNL 800' FEL
 SEC 9 T24N R2E


CURRENT



TOM COCHRANE 11-8-93

LINDRITH B #74
 GAVILAN MANCOS FIELD
 SURVEY 800' FNL 800' FEL
 SEC 9 T24N R2E

PROPOSED



TOM COCHRANE 11-10-93

WELL HISTORY
LINDRITH B #74
GAVILAN MANCOS FIELD

SURVEY 800' FNL 800' FEL
SEC 9 T24N R2E
GL 7168' KB 7182'
TD 7200'
PBTD 7115'
PERFS 6620-6740' (GALLUP)

9.625" 32.3# H40 434' 12.25" HOLE
325 SX B CIRC
5.5" 15.5# K55 7200' 7.875" HOLE
410 SX BJ LT/140 SX NEAT
DV TOOL 3079',
396 SX BJ LT/100 SX NEAT
CIRC

4-14-87 ORIGINAL COMPLETION
PERFS 1 SPF;
6620-24' 6630-50' 6660-72'
6678-6700' 6708-14' 6720-30'
6736-40'
ED PERFS W/7000 GALS 2% KCL
FRACED W/98500# 20/40
AIR 24 BPM, MAX TCP 3700#
ISIP 1200#
4-15-93 IP; 12 BOPD, 10 BWPD, 133 MCFPD