



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. 078915
Unit Lindrieth Unit
I-Sec. 713

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 25, 1957

Well No. 17 is located 990 ft. from N line and 1650 ft. from Ex line of sec. 23

NW Sec. 23

(¼ Sec. and Sec. No.)

Wildcat

(Field)

24N

(Twp.)

3W

(Range)

N.M.P.M.

(Meridian)

Rio Arriba

(County or Subdivision)

New Mexico

(State or Territory)

The elevation of the derrick floor above sea level is 7116 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

6-19-57. This well was plugged and abandoned in the following manner:

1. Set Boreco D.C. Ref. at 3060' and sq. perf w/50 sks. Heat cement. sq. pr. 1200#. Left 30' cement on top of retainer.
2. Pulled 1216' 5-1/2" casing.
3. Set cement plug from 1240' to 1190' w/20 sks. cement.
4. Set cement plug from 160' to surface w/60 sks. cement.
5. Set 4' x 4" pipe as marker.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be continued.

Company El Paso Natural Gas Co.

Address Box 997

Farmington, New Mexico

By Original Signed D. C. Johnston

Title Petroleum Engineer