

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

OIL CONSERVATION DIVISION

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

P.O. Box 2088

Santa Fe, New Mexico 87504-2088

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

WELL API NO.

5. Indicate Type of Lease

STATE ☐

FEE ☒

6. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

7. Lease Name or Unit Agreement Name

Charles M

1. Type of Well:

OIL
WELL ☐

GAS
WELL ☒

OTHER

2. Name of Operator

Jack L. Cayais

8. Well No.

#3

3. Address of Operator

505-325-2627

C/O A-Plus Well Service, P.O. Box 1979, Farmington, NM 87401

9. Pool name or Wildcat

Tapacito Pictured Cliffs

4. Well Location

Unit Letter L : 1850 Feet From The FSL Line and 790 Feet From The FEL Line

Section 01 Township 25N Range 03W NMPM Rio Arriba County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)

7284' GR

11.

Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐

PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐

CHANGE PLANS ☐

PULL OR ALTER CASING ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐

ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐

PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

A-Plus Well Service, as contractor to the New Mexico Oil Conservation Division (Contract No. 95-521.25-085), proposes to plug and abandon this well per the attached procedure.



DEC 23 1994
OIL CON. DIV.
DIST. 3

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

William F. Clark

TITLE

President

DATE

12-20-94

TYPE OR PRINT NAME

TELEPHONE NO.

(This space for State Use)

APPROVED BY

Johnny Robinson

TITLE

DEPUTY OIL & GAS INSPECTOR, DIST. #3

DATE

DEC 23 1994

CONDITIONS OF APPROVAL, IF ANY:

WELL INFORMATION AND PLUGGING PROCEDURE

Invitation to Bid No.

OPERATOR	JACK L. CAYIAS			
WELL NAME	CHARLES M #3			
LOCATION	L UTM	01 zone	25N row	03W range
FOOTAGE	1850/S; 790/E			
COUNTY	RIO ARRIBA			

The information herein is taken from OCD well files. The bidder is responsible for obtaining all available data including a review of such files, on-site inspection and any other sources.

Failure to review available information will not justify for implementing supplemental rates or contract modification or

termination.

SUMMARY WELL DATA

SURFACE CASING: 8 5/8 @ 11' w/100 sks
INTERMEDIATE CASING: N/A
PRODUCTION CASING: 4 1/2 @ 3848' w/100 sks
TUBING: 2 3/8 @ unknown depth
OTHER INFORMATION:

PLUGGING PROCEDURE
including site preparation and cleanup

1. Install anchors and prepare location.
2. Rig up service unit. Blow down or kill well if necessary. Nipple down wellhead. Nipple up BOP and stripper head.
3. Pull and check tubing. If OK, may be used for work string.
4. Go in hole with tubing to PBTD @ 3848' and set a cement plug inside casing 3848-3450'. Pull out of hole to 3200' and reverse out tubing w/H₂O. WOC 3 hours and tag up. If cement is in place, go to Step 5. If not, fill to 3450'.
5. Perforate casing at 2950'. Pump in and establish rate.
6. Set a cement retainer at 2800' and spot cement 2950-2800' in and outside casing. String out of retainer and dump 2 sacks on same.
7. Perforate casing at 200'. Tie onto casing and circulate cement to surface up the Bradenhead.
8. Set marker, fill pits, clean and level location.

RECEIVED
DEC 23 1994
OIL CON. DIV.
DIST. 3

Charles M #3

CURRENT

Tapacito Pictured Cliffs

SE Section 1, T-25-N, R-3-W, Rio Arriba County, NM


Today's Date: 11/1/94

Spud: 4/10/66

Completed: 10/1/66

Assumed
12-1/4" hole

8-5/8" 24.0#, Csg set @ 110'
Cmt w/100 sxs (Circulated to
Surface)



RECEIVED
OCT 23 1994
OIL DIV.
DUL. 2

TOC @ 3189'
(Calc, 50%)

Pictured Cliffs Perforations:
3805' - 3834' 4/spf

Assume
7-7/8" hole

4-1/2" 10.5# set @ 3848',
Cmt w/100 sxs

TD 3848'