X

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

Indian Agency					
_	lavajo				
Allettee					
	14-20-603-2165				

Form approved. Budget Bureau No. 42-R359.4.

NOTICE OF INTENTION TO DRILL		X SU	ACEAUTICE SES	DT OF	CIVIT ATT		
NOTICE OF INTENTION TO CHANGE PLAN		1 1		ORT OF WATER:			
NOTICE OF INTENTION TO CHANGE PLAN NOTICE OF INTENTION TO TEST WATER		1 11		ORT OF ALTER		च ल	7 7 7 7
NOTICE OF INTENTION TO REDRILL OR		1 11		ORT OF REDRILL			W EII V
NOTICE OF INTENTION TO SHOOT OR AC		1 11		ORT OF ABANDO		ח ח	
NOTICE OF INTENTION TO PULL OR ALT	TER CASING	1 1		WELL HISTORY		M.	1 4 19
NOTICE OF INTENTION TO ABANDON WE	:L L						
						 	orogic al s
(INDICATE A	ABOVE BY CHECK MAF	RK NATURE	OF REPORT, NOT	TICE, OR OTHER	DATA)	FARMING	TON, NEVI N
			Ma	y 2		.]	1962
South Chaco Vell No is locat	ed 660 ft. f	$\mathbf{rom} \left\{ \begin{array}{l} \mathbf{M} \\ \mathbf{S} \end{array} \right\}$	line and 1	.980 ft. fr	om $\left\{\begin{matrix} \mathbb{K} \\ \mathbb{W} \end{matrix}\right\}$ lin	e of sec.	1
SW/A Sec. 1 (% Sec. and Sec. No.)	T24.N	R17	TW	NMPM (Meridian)			
Wildcat			unty		New Ma:		
(Field)	(Coun	ty or Subdiv	ision)		(State or Ter	ntory)	
he elevation of the derrick fl	oor above sea l	level is .	5395 ft.				
	DETA	AILS OF	WORK				
State names of and expected depths to ol							
We propose to drill depth of 4300' to t of 13 3/8" surface If commercial produ duction casing will	this well est the Di casing will action is	l with akota ll be encour	rotary formati run and itered,	tools on. Application of the property of the p	to an oproximated to	estimate ately I surface 1/2" I lete	ed 150† 3.
We propose to drill depth of 4300' to t of 13 3/8" surface If commercial produ	this wellest the Dacesing will casing will be considered as	l with akota ll be encour nd cen	formati run and itered, mented a	tools on. Ap cement a string and the	to an oproximated to	estimate ately lesurface 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2"	ed 150† 3. oro- ad.
We propose to drill depth of 4300' to t of 13 3/8" surface If commercial produ duction casing will	this well est the Da casing will action is e be run an	l with akota ll be encour nd cen	formati run and itered, mented a	tools on. Ap cement a string and the	to an oproximated to	estimate ately lesurface 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2"	ed 150† 3. oro- ad.
We propose to drill depth of 4300° to to of 13 3/8" surface If commercial produduction casing will	this well est the Da casing will action is e be run an	l with akota ll be encour nd cen	formati run and itered, mented a	tools on. Ap cement a string and the	to an oproximated to	estimate ately lesurface 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2"	ed 150† 3. oro- ad.
We propose to drill depth of 4300' to to of 13 3/8" surface If commercial produ duction casing will I understand that this plan of work m	this well est the Di casing wil ection is e be run an	l with akota ll be encour nd cen	formati run and itered, mented a	tools on. Ap cement a strin and the	to an oproximated to	estimate ately lesurface 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2"	ed 150† 3. oro- ad.

NEW MEXICO OIL CONSERVATION COMMISSION

WELL LOCATION AND ACREAGE DEDICATION PLAT

DERATOR CONTINENTAL OIL COMPANY LEASE SO WELL NO. 1 UNIT LETTER N SECTION 1 TOWN LOCATED 660 FEET FROM SOUTH LINE, 1980 COUNTY SAN JUAN G. L. ELEVATION 5384 DE NAME OF PRODUCING FORMATION DAKOTA PO 1. Is the Operator the Only Owner* in the Dedicated Acreage Outlines 2. If the answer to Question One is "NO," have the interests of all the Interest of All the	NSHIP 24 North RANGE 17 West NMPM D FEET FROM West LINE EDICATED ACREAGE WILDER DOL WILDCAT DON THE PLAT BELOW? YES NO NO NOTHER OWNERS BEEN CONSOLIDATED BY COMMUNIS "YES," TYPE OF CONSOLIDATION HEIR RESPECTIVE INTERESTS BELOW: LAND DESCRIPTION
WELL NO. 1 UNIT LETTER N SECTION 1 TOWN LOCATED 660 FEET FROM South LINE, 1980 COUNTY SAN JUAN G. L. ELEVATION 5384 DE NAME OF PRODUCING FORMATION DAKOTA PO 1. Is the Operator the Only Owner* in the Dedicated Agreage Outlines 2. If the answer to Question One is "No," have the interests of all to NITIZATION AGREEMENT OR OTHERWISE? YES NO IF ANSWER I	NSHIP 24 North RANGE 17 West NMPM D FEET FROM West LINE EDICATED ACREAGE WILDER DOL WILDCAT DON THE PLAT BELOW? YES NO NO NOTHER OWNERS BEEN CONSOLIDATED BY COMMUNIS "YES," TYPE OF CONSOLIDATION HEIR RESPECTIVE INTERESTS BELOW: LAND DESCRIPTION
COUNTY San Juan G. L. ELEVATION 5384 DE NAME OF PRODUCING FORMATION Dakota PO 1. Is the Operator the only owner* in the dedicated agreage outlines 2. If the answer to question one is "no," have the interests of all to nitization agreement or otherwise? Yes No If answer is the producing supplies to the interest of the nitization agreement or otherwise?	EDICATED ACREAGE WILCATE OUL WILdcat OUN THE PLAT BELOW? YES NO THE OWNERS BEEN CONSOLIDATED BY COMMU- IS "YES," TYPE OF CONSOLIDATION HEIR RESPECTIVE INTERESTS BELOW: LAND DESCRIPTION
COUNTY San Juan G. L. ELEVATION 5384 DE NAME OF PRODUCING FORMATION Dakota PO 1. Is the Operator the only owner* in the dedicated agreage outlines 2. If the answer to question one is "No," have the interests of all to nitization agreement or otherwise? Yes No If answer is the interest of all to nitization agreement or otherwise?	Wildcat DON THE PLAT BELOW? YES
COUNTY San Juan G. L. ELEVATION 5384 DE NAME OF PRODUCING FORMATION Dakota PO 1. Is the Operator the only owner* in the dedicated agreage outlines 2. If the answer to question one is "No," have the interests of all to nitization agreement or otherwise? Yes No If answer is the interest of all to nitization agreement or otherwise?	Wildcat DON THE PLAT BELOW? YES
1. IS THE OPERATOR THE ONLY OWNER* IN THE DEDICATED AGREAGE OUTLINES 2. IF THE ANSWER TO QUESTION ONE IS "NO," HAVE THE INTERESTS OF ALL T NITIZATION AGREEMENT OR OTHERWISE? YES	THE OWNERS BEEN CONSOLIDATED BY COMMU- IS "YES," TYPE OF CONSOLIDATION HEIR RESPECTIVE INTERESTS BELOW: LAND DESCRIPTION
2. IF THE ANSWER TO QUESTION ONE IS "NO," HAVE THE INTERESTS OF ALL T	THE OWNERS BEEN CONSOLIDATED BY COMMU- IS "YES," TYPE OF CONSOLIDATION
2. IF THE ANSWER TO QUESTION ONE IS "NO," HAVE THE INTERESTS OF ALL T	THE OWNERS BEEN CONSOLIDATED BY COMMU- IS "YES," TYPE OF CONSOLIDATION
NITIZATION AGREEMENT OR OTHERWISE? YES NO IF ANSWER I	HEIR RESPECTIVE INTERESTS BELOW:
	HEIR RESPECTIVE INTERESTS BELOW:
3. If the answer to question Two is "No." List all the owners and the	RECEIVED
3. IF THE ANSWER TO QUESTION TWO IS "NO." LIST ALL THE OWNERS AND TH	RECEIVED
·· · · · · - · · · · · · · · · · · ·	RECEIVED
DWNER	RELLIVED
	1002
	MAY4 1962
SECTION B.	OIL CON. COM.
,	0.51.
Sixth Standard Parallel U.S.B.L.M. 1954	INFORMATION IN SECTION A
	ABOVE IS TRUE AND COMPLETE
	"O THE BEST OF MY KNOWLEDGE
	AND BELIEF.
	Continental Oil Company
	(OPERATOR)
	ORIGINAL SIGNED BY R. E. JENSEN
	N (REPRESENTATIVE)
	D 2020 D 4.3
	Box 3312, Durango, Colo.
	THIS IS TO CERTAIN
	WELL LOCATION SHOWN ON THE
	PLAT IN SECTION B WAS DO
	TED FROM FILE NOTES OF ACT
	LINDER MY SUPPRESION NE
	THAT THE SAME TRUE AND
	CORRECT TO THE APPLICATION OF THE CONTROL OF THE CO
	O DATE SURVEYED April 11, 1962
	FOUR STATES ENGINEERING CO.
94	FARMINGTON, NEW MEXICO-
	Enew &. Ech Shawk
- 600	REGISTERED ENGINEER OR LÂND BURVEYOR
	GERTIFICATE NO. 3602
Re; Continental Oil Company Navajo Tribal Lease 14-20-603 Tract survey of February 1957.	3-2165

2489,

20.40,

<u>.</u>					•	, gr	
	; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;						
	•			•			
er Te							
~ ♥							
		e de la companya de l		4			